

## LAMPIRAN

### *Source Code Website*

#### 1. *Source Code Class Upload*

```
<script src="templates/plugins/ckeditor/ckeditor.js"></script>
<script>
$(function(){
    document.title = 'Upload';
    CKEDITOR.replace('teks_isi');
    $('#data').DataTable({
        "ordering": false
    });
    $('#fupload').bootstrapValidator({
        // live: 'disabled',
        message: 'This value is not valid',
        feedbackIcons: {
            valid: 'glyphicon glyphicon-ok',
            invalid: 'glyphicon glyphicon-remove',
            validating: 'glyphicon glyphicon-refresh'
        },
        fields: {
            judul: {
                validators: {
                    notEmpty: {
                        message: 'Judul harus diisi'
                    }
                }
            },
            lokasi: {
                validators: {
                    notEmpty: {
                        message: 'Lokasi harus diisi'
                    }
                }
            }
        }
    });
    $('#penelitian').hide();
    $('#biodata').hide();
    $("#sendiri").click(function(){
        $('#sendiri').attr('class', 'btn btn-default');
        $('#lain').attr('class', 'btn btn-primary');
        $('#penelitian').show();
        $('#biodata').hide();
        $('#jenis').val('sendiri');
    })
})
```

```

        $('#tabel_data').hide();
    });
    $("#lain").click(function(){
        $('#lain').attr('class', 'btn btn-default');
        $('#sendiri').attr('class', 'btn btn-primary');
        $('#penelitian').hide();
        $('#biodata').show();
        $('#jenis').val('lain');
        $('#tabel_data').hide();
    });
    $("#berikutnya").click(function(){
        $('#biodata').hide();
        $('#penelitian').show();
    });
    var id_penelitian = '<?php echo isset($_GET['id'])?\'edit\':';
?>';
    var jenis = '<?php echo
isset($_GET['n'])&&$_GET['n']!="?lain?\'sendiri'; ?>';
    if(id_penelitian!=" && jenis=='lain'){
        $('#lain').attr('class', 'btn btn-default');
        $('#sendiri').attr('class', 'btn btn-primary');
        $('#penelitian').hide();
        $('#biodata').show();
        $('#jenis').val('lain');
        //$('#tabel_data').hide();
    }else if(id_penelitian!=" && jenis=='sendiri'){
        $('#sendiri').attr('class', 'btn btn-default');
        $('#lain').attr('class', 'btn btn-primary');
        $('#penelitian').show();
        $('#biodata').hide();
        $('#jenis').val('sendiri');
        //$('#tabel_data').hide();
    }
});
</script>
<!-- Content Header (Page header) -->
<section class="content-header">
    <h1 style="margin-top:30px;">
        Upload Hasil Penelitian
    </h1>
</section>

<!-- Main content -->
<section class="content">
```

```

<?php if(isset($_COOKIE['berhasil'])){ ?>
<div class="box box-solid box-success" id="berhasil">
    <div class="box-header">
        <h3 class="box-title" id="judul_berhasil">sukses</h3>
    </div>
    <div class="box-body" id="pesan_berhasil"><?php echo
$_COOKIE['berhasil']; ?></div>
    </div>
<?php } ?>
<?php if(isset($_COOKIE['gagal'])){ ?>
<div class="box box-solid box-danger" id="gagal">
    <div class="box-header">
        <h3 class="box-title" id="judul_gagal">gagal</h3>
    </div>
    <div class="box-body" id="pesan_gagal"><?php echo
$_COOKIE['gagal']; ?></div>
    </div>
<?php } ?>
<div id="isi">
    <?php
    if(isset($_GET['id'])){
        $qL = mysql_query("select d.nama
nama_dosen, h.* from hasil_penelitian h join dosen d on
h.nik=d.nik where id_hasil_penelitian='$_GET[id]'");
        $hL = mysql_fetch_array($qL);
    }
    ?>
<form action="upload_proses.php" method="post" id="fupload"
class="form-horizontal" enctype="multipart/form-data">
<input type="hidden" name="aksi" value="<?php echo
isset($hL)?'edit':"; ?>" />
<input type="hidden" name="jenis" id="jenis" />
<input type="hidden" name="id_penelitian" value="<?php echo
isset($hL)?$hL['id_hasil_penelitian']:"; ?>" />
<table>
<tr>
<td><input type="button" id="sendiri" value="penelitian sendiri"
class="btn btn-primary" /></td>
<td><input type="button" id="lain" value="penelitian orang lain"
class="btn btn-primary" /></td>
</tr>
</table>
<div id="biodata">
<div class="form-group">
<label class="col-lg-3 control-label">Nama</label>
<div class="col-lg-5">

```

```

<input type="text" name="nama" class="form-control"
value=<?php echo isset($hL)?$hL['nama']; ?>
placeholder="nama peneliti 1" />
<input type="text" name="nama2" class="form-control"
value=<?php echo isset($hL)?$hL['nama2']; ?>
placeholder="nama peneliti 2" />
<input type="text" name="nama3" class="form-control"
value=<?php echo isset($hL)?$hL['nama3']; ?>
placeholder="nama peneliti 3" />
<input type="text" name="nama4" class="form-control"
value=<?php echo isset($hL)?$hL['nama4']; ?>
placeholder="nama peneliti 4" />
<input type="text" name="nama5" class="form-control"
value=<?php echo isset($hL)?$hL['nama5']; ?>
placeholder="nama peneliti 5" />
</div>
</div>
<div class="form-group">
<label class="col-lg-3 control-label">Jabatan</label>
<div class="col-lg-5">
<input type="text" name="jabatan" class="form-control"
placeholder="jabatan 1" value=<?php echo
isset($hL)?$hL['jabatan']; ?> />
<input type="text" name="jabatan2" class="form-control"
placeholder="jabatan 2" value=<?php echo
isset($hL)?$hL['jabatan2']; ?> />
<input type="text" name="jabatan3" class="form-control"
placeholder="jabatan 3" value=<?php echo
isset($hL)?$hL['jabatan3']; ?> />
<input type="text" name="jabatan4" class="form-control"
placeholder="jabatan 4" value=<?php echo
isset($hL)?$hL['jabatan4']; ?> />
<input type="text" name="jabatan5" class="form-control"
placeholder="jabatan 5" value=<?php echo
isset($hL)?$hL['jabatan5']; ?> />
</div>
</div>
<div class="form-group">
<label class="col-lg-3 control-label">Alamat</label>
<div class="col-lg-5">
<input type="text" name="alamat" class="form-control"
placeholder="alamat 1" value=<?php echo
isset($hL)?$hL['alamat']; ?> />

```

```

<input type="text" name="alamat2" class="form-control"
placeholder="alamat 2" value=<?php echo
isset($hL)?$hL['alamat2']; ?>" />
<input type="text" name="alamat3" class="form-control"
placeholder="alamat 3" value=<?php echo
isset($hL)?$hL['alamat3']; ?>" />
<input type="text" name="alamat4" class="form-control"
placeholder="alamat 4" value=<?php echo
isset($hL)?$hL['alamat4']; ?>" />
<input type="text" name="alamat5" class="form-control"
placeholder="alamat 5" value=<?php echo
isset($hL)?$hL['alamat5']; ?>" />
</div>
</div>
<div class="form-group">
<label class="col-lg-3 control-label">Email</label>
<div class="col-lg-5">
<input type="email" name="email" class="form-control"
placeholder="email 1" value=<?php echo
isset($hL)?$hL['email1']; ?>" />
<input type="email2" name="email2" class="form-control"
placeholder="email 2" value=<?php echo
isset($hL)?$hL['email2']; ?>" />
<input type="email3" name="email3" class="form-control"
placeholder="email 3" value=<?php echo
isset($hL)?$hL['email3']; ?>" />
<input type="email4" name="email4" class="form-control"
placeholder="email 4" value=<?php echo
isset($hL)?$hL['email4']; ?>" />
<input type="email5" name="email5" class="form-control"
placeholder="email 5" value=<?php echo
isset($hL)?$hL['email5']; ?>" />
</div>
</div>
<div class="form-group">
<div class="col-lg-9 col-lg-offset-3">
<input type="button" value="Berikutnya" id="berikutnya"
class="btn btn-primary" /></a>
</div>
</div>
<div id="penelitian">
<div class="form-group">
<label class="col-lg-3 control-
label">Judul</label>
<div class="col-lg-5">

```

```

<input type="text" name="judul" class="form-control"
value=<?php echo isset($hL)?$hL['judul']; ?>" />
</div>
</div>
<div class="form-group">
<label class="col-lg-3 control-
label">Collection</label>
<div class="col-lg-5">
<input type="text" name="collection" class="form-control"
value=<?php echo isset($hL)?$hL['collection']; ?>" />
</div>
</div>
<div class="form-group">
<div class="box-body pad">
<textarea name="isi" id="teks_isi"><?php
echo isset($hL)?$hL['isi_hasil_penelitian']; ?></textarea>
</div>
</div>
<div class="form-group">
<label class="col-lg-3 control-
label">Lokasi</label>
<div class="col-lg-5">
<input type="text" name="lokasi" class="form-control"
placeholder="lokasi 1" value=<?php echo
isset($hL)?$hL['lokasi']; ?>" />
<input type="text" name="lokasi2" class="form-control"
placeholder="lokasi 2" value=<?php echo
isset($hL)?$hL['lokasi2']; ?>" />
<input type="text" name="lokasi3" class="form-control"
placeholder="lokasi 3" value=<?php echo
isset($hL)?$hL['lokasi3']; ?>" />
<input type="text" name="lokasi4" class="form-control"
placeholder="lokasi 4" value=<?php echo
isset($hL)?$hL['lokasi4']; ?>" />
<input type="text" name="lokasi5" class="form-control"
placeholder="lokasi 5" value=<?php echo
isset($hL)?$hL['lokasi5']; ?>" />
</div>
</div>
<div class="form-group">
<label class="col-lg-3 control-
label">File</label>
<div class="col-lg-5">
<input type="file" name="file_hasil" />

```

```

<?php echo isset($hL)&&$hL['file']!=""?"<a
href="hasil_penelitian/".$hL['file']. "\">$hL[file]
</a>"; ?>
</div>
</div>
<div class="form-group">
<div class="col-lg-9 col-lg-offset-3">
<input type="submit" value="Simpan"
class="btn btn-primary" />
<a href="?h=upload"><input type="button"
value="Batal" class="btn btn-default"
/></a>
</div>
</div>
</div>
</form>
<?php if(isset($_COOKIE['berhasil'])){ ?>
<div id="tabel_data">
<table id="data" class="table table-bordered table-hover"
cellspacing="0" width="100%">
<thead>
<tr>
<th>Id Hasil</th>
<th>Tgl Upload</th>
<th>Judul</th>
<th>Collection</th>
<th>Lokasi</th>
<th>Dosen</th>
<th>Aksi</th>
</tr>
</thead>
<tbody>
<?php
$x = mysql_query("select d.nama nama_dosen, h.*"
from hasil_penelitian h join dosen d on h.nik=d.nik
order by id_hasil_penelitian desc");
while($y = mysql_fetch_array($x)){
?>
<tr>
<td><?php echo $y['id_hasil_penelitian']; ?></td>
<td><?php echo date('d/m/Y',
strtotime($y['tanggal'])); ?></td>
<td><?php echo $y['judul']; ?></td>
<td><?php echo $y['collection']; ?></td>
<td>
<?php

```

```

if(strlen($y['lokasi'])!=0){
echo $y['lokasi'];
}
if(strlen($y['lokasi2'])!=0){
echo '<br />'.$y['lokasi2'];
}
if(strlen($y['lokasi3'])!=0){
echo '<br />'.$y['lokasi3'];
}
if(strlen($y['lokasi4'])!=0){
echo '<br />'.$y['lokasi4'];
}
if(strlen($y['nama5'])!=0){
echo '<br />'.$y['lokasi5'];
}
?>
</td>
<td>
<?php
if(strlen($y['nama'])!=0){
echo $y['nama'];
}else{
echo $y['nama_dosen'].' - '.$y['nik'];
}
if(strlen($y['nama2'])!=0){
echo '<br />'.$y['nama2'];
}
if(strlen($y['nama3'])!=0){
echo '<br />'.$y['nama3'];
}
if(strlen($y['nama4'])!=0){
echo '<br />'.$y['nama4'];
}
if(strlen($y['nama5'])!=0){
echo '<br />'.$y['nama5'];
}
?>
</td>
<td align="center">
<?php echo $y['file']!=''?'<a href=\"hasil_penelitian/'.$y['file']."
\">download</a> | ":"; ?>
<a href="?h=upload_detail&id=<?php echo $y['id_hasil_
_penelitian']; ?>" title="lihat hasil penelitian">lihat</a>
<?php echo $y['nik']==$_SESSION['mbr']?' | <a
href="?h=upload&id='.$y['id_hasil_penelitian'].'&n='.$y['nama'].'">
edit</a>'"; ?>

```

```
</td>
</tr>
<?php } ?
?>
</tbody>
</table>
</div>
<?php } ?>

</div>
</section><!-- /.content -->
```

## 2. Source Code Class Download

```
<script>
$(function(){
    document.title = 'Download';

    $('#data').DataTable({
        "ordering": false
    });

});
</script>
<!-- Content Header (Page header) -->
<section class="content-header">
    <h1 style="margin-top:30px;">
        Download Hasil Penelitian
    </h1>
</section>

<!-- Main content -->
<section class="content">

    <div id="isi">

        <table id="data" class="table table-bordered table-hover"
            cellspacing="0" width="100%">
            <thead>
                <tr>
                    <th>Id Hasil</th>
                    <th>Tgl Upload</th>
                    <th>Judul</th>
                    <th>Collection</th>
                    <th>Lokasi</th>
                    <th>Dosen</th>
                    <th>Aksi</th>
                </tr>
            </thead>
            <tbody>
                <?php
                    $x = mysql_query("select d.nama nama_dosen, h.* from
                        hasil_penelitian h join dosen d on h.nik=d.nik order by
                        id_hasil_penelitian desc");
                    while($y = mysql_fetch_array($x)){
                ?>
                <tr>
                    <td><?php echo $y['id_hasil_penelitian']; ?></td>
```

```

        <td><?php echo date('d/m/Y',
        strtotime($y['tanggal'])); ?></td>
        <td><?php echo $y['judul']; ?></td>
        <td><?php echo $y['collection']; ?></td>
        <td>
        <?php
        if(strlen($y['lokasi'])!=0){
        echo $y['lokasi'];
        }
        if(strlen($y['lokasi2'])!=0){
        echo '<br />'.$y['lokasi2'];
        }
        if(strlen($y['lokasi3'])!=0){
        echo '<br />'.$y['lokasi3'];
        }
        if(strlen($y['lokasi4'])!=0){
        echo '<br />'.$y['lokasi4'];
        }
        if(strlen($y['nama5'])!=0){
        echo '<br />'.$y['lokasi5'];
        }
        ?>
        </td>
        <td>
        <?php
        if(strlen($y['nama'])!=0){
        echo $y['nama'];
        }
        else{
        echo $y['nama_dosen'].' - '.$y['nik'];
        }
        if(strlen($y['nama2'])!=0){
        echo '<br />'.$y['nama2'];
        }
        if(strlen($y['nama3'])!=0){
        echo '<br />'.$y['nama3'];
        }
        if(strlen($y['nama4'])!=0){
        echo '<br />'.$y['nama4'];
        }
        if(strlen($y['nama5'])!=0){
        echo '<br />'.$y['nama5'];
        }
        ?>
        </td>

```

```

<td align="center">
    <?php echo $y['file']!=''?"<href=\"hasil_
        penelitian/".$y['file']."\">download</a> | ":"; ?>
    <a href="?h=upload_detail&id=<?php echo
        $y['id_hasil_penelitian']; ?>" title="lihat hasil
        penelitian">lihat</a>
    <?php echo $y['nik']==$_SESSION['mbr']?' | <a
        href="?h=upload&id='".$y['id_hasil_penelitian']. '&n=
        $y['nama']."'>edit</a>':"; ?>
</td>
</tr>
<?php } ?>
</tbody>
</table>

</div>
</section><!-- /.content -->

```

### 3. Source Code Class Komentar

```

<?php
session_start();
require_once("koneksi.php");
$id_hasil = escape($_POST['id_hasil']);
$nik = escape($_SESSION['mbr']);
$komentar = escape($_POST['komentar']);
$a = mysql_query("insert into komentar(nik, tanggal, id_hasil_penelitian,
komentar) values('$nik', date(now()), '$id_hasil', '$komentar')");
if($a){
    setcookie("berhasil", "berhasil mengirim komentar", time()+2);
} else{
    setcookie("gagal", "gagal mengirim komentar, ".mysql_error(),
time()+2);
}
header("location:index.php?h=upload_detail&id=$id_hasil");
?>

```

#### 4. Source Code Class Berita

```
<!-- Content Header (Page header) -->
<section class="content-header">
<h1 style="margin-top:30px;">
    Detail Berita
</h1>
</section>

<!-- Main content -->
<section class="content">
    <?php
        $a = mysql_query("select * from berita where
            id_berita='$_GET[id]'");
        $b = mysql_fetch_array($a);
    ?>
    <div id="isi" align="justify" style="margin-top: 10px;">

        <b><?php echo $b['judul']; ?></b><br />
        <span style="color:red;font-size: 9px;"><?php echo
            date('d/m/Y', strtotime($b['tanggal'])); ?></span><br />
        <?php
            if($b['gambar_berita']!=''){
        ?>
            
            width="300" height="280" />
        <?php } ?><br />
        <?php echo $b['isi_berita']; ?><br />
        <div style="clear: both;">&nbsp;</div>
    </div>
</section><!-- /.content -->
```

## 5. Source Code Class Registrasi

```
<script>
$(function(){
    document.title = 'Registrasi';
    $('#fregistrasi').bootstrapValidator({
        live: 'disabled',
        message: 'This value is not valid',
        feedbackIcons: {
            valid: 'glyphicon glyphicon-ok',
            invalid: 'glyphicon glyphicon-remove',
            validating: 'glyphicon glyphicon-refresh'
        },
        fields: {
            nik: {
                validators: {
                    notEmpty: {
                        message: 'NIK harus diisi'
                    },
                    numeric: {
                        message : 'NIK harus angka'
                    },
                }
            },
            nama: {
                validators: {
                    notEmpty: {
                        message: 'Nama harus diisi'
                    },
                    regexp: {
                        message: 'Harus karakter a-z atau A-Z'
                    }
                }
            },
            jabatan: {
                validators: {
                    notEmpty: {
                        message: 'Jabatan harus diisi'
                    },
                    regexp: {
                        message: 'Harus karakter a-z atau A-Z'
                    }
                }
            },
            alamat: {

```

```

        validators: {
            notEmpty: {
                message: 'Alamat harus diisi'
            },
        },
        no_hp: {
            validators: {
                notEmpty: {
                    message: 'No HP harus diisi'
                },
            },
        },
        email: {
            validators: {
                notEmpty: {
                    message: 'Email harus diisi'
                },
            },
        },
        username: {
            validators: {
                notEmpty: {
                    message: 'Username harus diisi'
                },
            },
        },
        password: {
            validators: {
                notEmpty: {
                    message: 'Password harus diisi'
                },
            },
        }
    });
});
</script>
<!-- Content Header (Page header) -->
<section class="content-header">
    <h1 style="margin-top:30px;">
        Registrasi
    </h1>
</section>

<!-- Main content -->

```

```

<section class="content">
    <?php if(isset($_COOKIE['berhasil'])){ ?>
        <div class="box box-solid box-success" id="berhasil">
            <div class="box-header">
                <h3 class="box-title" id="judul_berhasil">sukses</h3>
            </div>
            <div class="box-body" id="pesan_berhasil"><?php echo
$_COOKIE['berhasil']; ?></div>
        </div>
        <?php } ?>
        <?php if(isset($_COOKIE['gagal'])){ ?>
            <div class="box box-solid box-danger" id="gagal">
                <div class="box-header">
                    <h3 class="box-title" id="judul_gagal">gagal</h3>
                </div>
                <div class="box-body" id="pesan_gagal"><?php echo
$_COOKIE['gagal']; ?></div>
            </div>
            <?php } ?>
            <div id="isi">
                <form action="registrasi_proses.php" method="post"
id="fregistrasi" class="form-horizontal">
                    <div class="form-group">
                        <label class="col-lg-3 control-label">NIK</label>
                        <div class="col-lg-5">
                            <input type="text" name="nik" class="form-control" />
                        </div>
                    </div>
                    <div class="form-group">
                        <label class="col-lg-3 control-label">Nama</label>
                        <div class="col-lg-5">
                            <input type="text" pattern="[a-zA-Z]$" name="nama" class="form-control" />
                        </div>
                    </div>
                    <div class="form-group">
                        <label class="col-lg-3 control-label">Jabatan</label>
                        <div class="col-lg-5">
                            <input type="text" name="jabatan" pattern="[a-zA-Z]$" class="form-control" />
                        </div>
                    </div>
                    <div class="form-group">
                        <label class="col-lg-3 control-label">Alamat</label>
                        <div class="col-lg-5">

```

```

<input type="text" name="alamat" class="form-control" />
</div>
</div>
<div class="form-group">
    <label class="col-lg-3 control-label">No. Hp</label>
    <div class="col-lg-5">
        <input type="text" name="no_hp" class="form-control" />
    </div>
</div>
<div class="form-group">
    <label class="col-lg-3 control-label">Email</label>
    <div class="col-lg-5">
        <input type="text" name="email" class="form-control" />
    </div>
</div>
<div class="form-group">
    <label class="col-lg-3 control-label">Username</label>
    <div class="col-lg-5">
        <input type="text" name="username" class="form-control" />
    </div>
</div>
<div class="form-group">
    <label class="col-lg-3 control-label">Password</label>
    <div class="col-lg-5">
        <input type="password" name="password" class="form-control" />
    </div>
</div>
<div class="form-group">
    <div class="col-lg-9 col-lg-offset-3">
        <input type="submit" value="Simpan" class="btn btn-primary" />
        <a href="?h=registrasi"><input type="button" value="Batal" class="btn btn-default" /></a>
    </div>
</div>
</form>

</div>
</section><!-- /.content -->

```

## 6. Source Code Class Data Dosen

```
<script>
$(function(){
    document.title = 'Dosen';
    $('#data').DataTable({
        "ordering": false
    });
    $('#fregistrasi').bootstrapValidator({
        // live: 'disabled',
        message: 'This value is not valid',
        feedbackIcons: {
            valid: 'glyphicon glyphicon-ok',
            invalid: 'glyphicon glyphicon-remove',
            validating: 'glyphicon glyphicon-refresh'
        },
        fields: {
            nik: {
                validators: {
                    notEmpty: {
                        message: 'NIK harus diisi'
                    },
                }
            },
            nama: {
                validators: {
                    notEmpty: {
                        message: 'Nama harus diisi'
                    },
                }
            },
            jabatan: {
                validators: {
                    notEmpty: {
                        message: 'Jabatan harus diisi'
                    },
                }
            },
            alamat: {
                validators: {
                    notEmpty: {
                        message: 'Alamat harus diisi'
                    },
                }
            }
        }
    });
});
```

```

        }
    },
    no_hp: {
        validators: {
            notEmpty: {
                message: 'No HP harus diisi'
            },
        }
    },
    email: {
        validators: {
            notEmpty: {
                message: 'Email harus diisi'
            },
        }
    },
    username: {
        validators: {
            notEmpty: {
                message: 'Username harus diisi'
            },
        }
    },
    password: {
        validators: {
            notEmpty: {
                message: 'Password harus diisi'
            },
        }
    }
});
});
</script>
<!-- Content Header (Page header) -->
<section class="content-header">
    <h1 style="margin-top:30px;">
        Dosen
    </h1>
</section>

<!-- Main content -->
<section class="content">
    <?php if(isset($_COOKIE['berhasil'])){ ?>
        <div class="box box-solid box-success" id="berhasil">
            <div class="box-header">

```

```

<h3 class="box-title" id="judul_berhasil">sukses</h3>
</div>
<div class="box-body" id="pesan_berhasil"><?php echo
$_COOKIE['berhasil']; ?></div>
</div>
<?php } ?>
<?php if(isset($_COOKIE['gagal'])){ ?>
<div class="box box-solid box-danger" id="gagal">
<div class="box-header">
<h3 class="box-title" id="judul_gagal">gagal</h3>
</div>
<div class="box-body" id="pesan_gagal"><?php echo
$_COOKIE['gagal']; ?></div>
</div>
<?php } ?>
<div id="isi">
<?php
if(isset($_GET['id'])){
    $a = mysql_query("select * from dosen where
nik='".$_GET[id]."');
    $b = mysql_fetch_array($a);
}
?>
<form action="dosen_proses.php" method="post"
id="fregistrasi" class="form-horizontal">
<input type="hidden" name="aksi" value="<?php echo
isset($b)?'edit':'tambah'; ?>" />
<input type="hidden" name="kode_lama" value="<?php
echo isset($b)?$b[nik]:''; ?>" />
<div class="form-group">
<label class="col-lg-3 control-label">NIK</label>
<div class="col-lg-5">
<input type="text" name="nik" class="form-control"
value="<?php echo isset($b)?$b[nik]:''; ?>" />
</div>
</div>
<div class="form-group">
<label class="col-lg-3 control-label">>Nama</label>
<div class="col-lg-5">
<input type="text" name="nama" class="form-
control" value="<?php echo isset($b)?$b[nama]:'';
?>" />
</div>
</div>
<div class="form-group">
<label class="col-lg-3 control-label">Jabatan</label>

```

```

<div class="col-lg-5">
    <input type="text" name="jabatan" value="<?php
echo isset($b)?$b['jabatan']: ''; ?>" class="form-
control" />
</div>
</div>
<div class="form-group">
    <label class="col-lg-3 control-label">Alamat</label>
    <div class="col-lg-5">
        <input type="text" name="alamat" value="<?php
echo isset($b)?$b['alamat']: ''; ?>" class="form-
control" />
    </div>
</div>
<div class="form-group">
    <label class="col-lg-3 control-label">No. Hp</label>
    <div class="col-lg-5">
        <input type="text" name="no_hp" value="<?php
echo isset($b)?$b['no_hp']: ''; ?>" class="form-
control" />
    </div>
</div>
<div class="form-group">
    <label class="col-lg-3 control-label">Email</label>
    <div class="col-lg-5">
        <input type="text" name="email" value="<?php
echo isset($b)?$b['email']: ''; ?>" class="form-
control" />
    </div>
</div>
<div class="form-group">
    <label class="col-lg-3 control-
label">Username</label>
    <div class="col-lg-5">
        <input type="text" name="username" value="<?php
echo isset($b)?$b['username']: ''; ?>" class="form-
control" />
    </div>
</div>
<div class="form-group">
    <label class="col-lg-3 control-label">Password</label>
    <div class="col-lg-5">
        <input type="password" name="password"
value="<?php echo isset($b)?$b['password']: ''; ?>"
class="form-control" />
    </div>

```

```

        </div>
    <div class="form-group">
        <div class="col-lg-9 col-lg-offset-3">
            <input type="submit" value="Simpan" class="btn btn-primary" />
            <a href="?h=dosen"><input type="button" value="Batal" class="btn btn-default" /></a>
        </div>
    </div>
</form>
<table id="data" class="table table-bordered table-hover" cellspacing="0" width="100%">
    <thead>
        <tr>
            <th>NIK</th>
            <th>>Nama</th>
            <th>Jabatan</th>
            <th>Alamat</th>
            <th>No Hp</th>
            <th>Email</th>
            <th>Username</th>
            <th>Password</th>
            <th>Aksi</th>
        </tr>
    </thead>
    <tbody>
        <?php
        $x = mysql_query("select * from dosen order by nama asc");
        while($y = mysql_fetch_array($x)){
        ?>
        <tr>
            <td><?php echo $y['nik']; ?></td>
            <td><?php echo $y['nama']; ?></td>
            <td><?php echo $y['jabatan']; ?></td>
            <td><?php echo $y['alamat']; ?></td>
            <td><?php echo $y['no_hp']; ?></td>
            <td><?php echo $y['email']; ?></td>
            <td><?php echo $y['username']; ?></td>
            <td><?php echo $y['password']; ?></td>
            <td align="center">
                <a href="?h=dosen&id=<?php echo $y['nik']; ?>" title="edit"></a>
                <a href="dosen_proses.php?id=<?php echo $y['nik']; ?>" title="hapus" onclick="return confirm('yakin

```

```
menghapus?)"></a>  
</td>  
</tr>  
<?php } ?>  
</tbody>  
</table>  
  
</div>  
</section><!-- /.content -->
```