

DAFTAR PUSTAKA

- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. (2013). *Penyajian Pokok-Pokok Hasil Riset Kesehatan Dasar 2013*. Jakarta. pp 53.
- Baldwin, W., McRae, S., Marek, G., Whymer, D., Pannu, V., Baylis, C., Jonhson, R.J., et al. (2011). Hyperuricemia as a Mediator of the Proinflammatory Endocrine Imbalance in the Adipose Tissue in a Murine Model of the Metabolic Syndrome, *DIABETES*, 60, 1258-260.
- Banerjee, A., and Chaudhury, S. (2010). Statistics without Tears: Populations and Samples. *Industrial Psychiatry Journal*, 19(1), 60–65.
- Beauchamp, T.L., and Childress J.F. (2009). *Principles of Biomedical Ethics* (6th ed.). Oxford: Oxford University Press. pp 230-35.
- Becker, M.A. (2016). Patient information: Gout (Beyond the Basics). *Uptodate*, Artikel 1. Diakses 4 April 2015 pada pukul 05:31 WIB , dari <http://www.uptodate.com/contents/gout-beyond-the-basic>
- Bhatt,S.P., Nigam,P., Misra,A., Guleria,R., Luthra,K., Jain,S.K., et al. (2012). Association of the *Myostatin* Gene with Obesity, Abdominal Obesity and Low Lean Body Mass and in Non-Diabetic Asian Indians in North India. *PLoS One*, 7(8),1-7.
- Cao, J.J. (2011).Effects of Obesity on Bone Metabolism [Abstract]. *Journal of Orthopaedic Surgery and Research*, 6(30), 1-7.
- Center for Disease Control and Prevention . (2015). Overweight and Obesity. *CDC*. Artikel 4. Diakses 3 April 2016 pada pukul 04:46 WIB , dari <http://www.cdc.gov/obesity/adult/causes.html>
- Chen, L., Zhu, W., Chen, Z., Dai, H., Ren, J., Chen, J., et.al. (2007). Relationship Between Hyperuricemia and Metabolic Syndrome. *Journal Zhejiang University Science B*, 8(8) ,593–98.
- Chen, Y. ,Zhang, N., Sun, G., Guo, X., Yu, S.,Yang, H, et al. (2016). Metabolically healthy obesity also has risk for hyperuricemia among Chinese general population: A cross-sectional study.*Obesity Research & Clinical Practice*, 10, 40-3.

- Cheng, S.T., Wu, S., Su, C.W., Teng, M.S., Hsu, L.A., and Ko, Y.L. (2015). Association of ABCG2 rs2231142-A Allele and Serum Uric Acid Levels in Male and Obese Individuals in a Han Taiwanese Population. *Journal of the Formosan Medical Association*, xx, 1-6.
- Curhan, G.C, and Becker, M.A.(2016). Uric Acid Nephrolithiasis. *Uptodate*, Artikel 1. Diakses 4 April 2015 pada pukul 05: 25 WIB , dari <http://www.uptodate.com/contents/uric-acid-nephrolithiasis>
- Dahlan, M.S. (2010). Besar Sampel dan Cara Pengambilan Sampel (3rd ed.). Jakarta: Salemba Medika. pp 66, 164.
- Dahlan, M.S. (2008). Statistik untuk Kedokteran dan Kesehatan (3rd ed.). Jakarta: Salemba Medika. pp 112, 140.
- Devkota, (2014). Uric Acid.*Medscape*, Artikel 1. Diakses 22 Maret 2017 pada pukul 07:30 WIB, dari <http://emedicine.medscape.com/article/2088516-overview>
- Dong, J., Ni, Y.Q., Chu, X., Liu Y.Q., Liu, G.X., Zhao, J., et al. (2016). Association between the abdominal obesity anthropometric indicators and metabolic disorders in a Chinese population. *Public Health*, 131, 3-10.
- Dorland,W. (2012). *Kamus Kedokteran Dorland* (R. Elseria & A. Mahode, Trans).Jakarta: EGC (original work publised 2007). pp 1047, 1523.
- Frantzides, C.T., Carlson, M.A., and Shostrom, V.K. (2016). *BMJ Clinical Evidence*, Artikel 4. Diakses 4 April 2016 pada pukul 05: 19 WIB , dari <http://bestpractice.bmj.com/best-practice/monograph/211/basics/pathophysiology.html>
- Ghazali, M.V., Sastromiharjo, S., Soedjarwo, S.R., Soelarjo, T., and Pramulyo, H.S. (2014). Dasar-Dasar Metodologi Penelitian Klinis. Sastroasmoro, S., & Ismael, S. (Eds), *Studi Cross-Sectional*. Jakarta: Sagung Seto. pp 130-31
- Grassi, D., Ferri,L., Desideri, G., Giosia, P.D., Cheli, P., Pinto, R.D., et al. (2013). Chronic Hyperuricemia, Uric Acid Deposit and Cardiovascular Risk. *Current Pharmaceutical Design*, 19(13), 2432-438.
- Guerra, A.F.(2015).Circulating Levels of Uric Acid and Risk for Metabolic Syndrome [abstract]. *Current Diabetes Reviews*, 12, 4.
- Ichida, K., Matsuo, K., Takada, T., Nakayama, A., Murakami, K., Shimizu, T, et.al. (2012). Decreased Extra-renal Urate Excretion Is A Common Cause of Hyperuricemia. *Nature Communications*, 3(764), 1-7.

- International Diabetes Federation. (2006). *The IDF Consensus Worldwide Definition of The Metabolic Syndrome*. Brussels. pp 1-2.
- Kandarakis, E.D. (2007). Role of Obesity and Adiposity in Polycystic Ovary Syndrome. *International Journal of Obesity*, 31, 8-13.
- Kim, J.W., Shim, K.W., Yoon, Y.S., Lee, S.Y., Kim, S.S., and Oh, S.W. (2012). Cigarette Smoking Increases Abdominal and Visceral Obesity but Not Overall Fatness: An Observational Study. *PLoS One*, 7(9), 1-5.
- Kim, T.H., Lee, S.S., Yoo, J.H., Kim, S.R., Yoo, S.J., Song, H.C., et al. (2012). The Relationship between The Regional Abdominal Adipose Tissue Distribution and The Serum Uric Acid Levels in People with Type 2 Diabetes Mellitus. *Diabetology & Metabolic Syndrome*, 4(3), 1-7.
- Klein, S., Allison, D., Heymsfield, S., Kelley, D., Leibel, R., Nonas, C., et al. (2007). Waist circumference and Cardiometabolic Risk. *The American Journal of Clinical Nutrition*, 85, 1197-202 .
- Krug, A.W., and Bornstein, M.A. (2008). Aldosterone and Metabolic Syndrome Is Increased Aldosterone in Metabolic Syndrome Patients an Additional Risk Factor?. *American Heart Association Journals*, 107, 1252-258.
- Lane, A.N., Lan, T.W. (2015). Regulation of Mammalian Nucleotide Metabolism and Biosynthesis. *Nucleic Acids Research*, 10, 1-20.
- Lavie, C.J., Milani, R.V., and Ventura, H.O. (2009). Obesity and Cardiovascular Disease: Risk Factor, Paradox, and Impact of Weight Loss. *Journal of the American College of Cardiology*, 53(21), 1925-932.
- Liu, R., Han, C., Wu, D., Xia, X., Gu, J., Guan, H., et al. (2015). Prevalence of Hyperuricemia and Gout in Mainland China from 2000 to 2014: A Systematic Review and Meta-Analysis. *BioMed Research International*, 12, 1-11.
- Madiyono, B., Sastroasmoro, S., Budiman, I., and Purwanto, S.H. (2014). Dasar-Dasar Metodologi Penelitian Klinis. Sastroasmoro, S., & Ismael, S. (Eds), *Perkiraan Besar Sampel*. Jakarta: Sagung Seto. pp 376.
- Maiuolo, J., Oppedisano, F., Gratteri, S., Muscoli, C., and Mollace, V. (2015). Regulation of Uric Acid Metabolism and Excretion [Abstract]. *International Journal of Cardiology Abstract*, 7, 1-7.

- Manampiring, A.E., As'ad, S., Natsir, R., and Warouw, S.M.(2014). Components of Metabolic Syndrome and Hyperuricemia, in Obese Adolescent in Minahasa North Sulawesi Province. *Scholars Journal of Applied Medical Sciences*, 2(6H), 3404-408.
- Manampiring, A.E, and Bodhy, W. (2011). *Prevalensi Hiperurisemia pada Remaja Obese di Kota Tomohon*. Karya Tulis Ilmiah Dosen, Universitas Sam Ratulangi, Manado.
- Manuaba, I.B.G, Manuaba, I.A.C, and Manuaba, I.B.G.F. (2007). *Pengantar Kuliah Obstetri*. Jakarta: EGC. pp 37.
- Mihardja, L., and Soetrisno, U.(2012). Prevalence and Determinant Factors for Overweight and Obesity and Degenerative Diseases Among Young Adults in Indonesia. *Journal of the ASEAN Federation of Endocrine Societies*, 27, 77-81.
- Misra, A., Chowbey, P., Makkar,P.M., Vikram, N.K., Wasir, J.S., Chadha, D., et al.(2009).Consensus Statement for Diagnosis of Obesity, Abdominal Obesity and the Metabolic Syndrome for Asian Indians and Recommendations for Physical Activity, Medical and Surgical Management. *Journal of the Association of Physicians of India*,57,163-70.
- Nakamura, K., Fuster, J.J., and Walsh, K. (2014). Adipokines: A Link between Obesity and Cardiovascular Disease [Abstract]. *Journal Of Cardiology*, 63(4), 250-59.
- Parisien, J.P., Shields, M., and Bryan, S. (2012). Comparison of Waist Circumference Using the World Health Organization and National Institutes of Health protocols. *Statistics Canada Health Reports*, 23(3), 1-10.
- Patidar, O. (2013). Higher Prevalence Rate of CHD in “Apple Type of Obesity” Cases as Compared to “Pear Type Obesity” Cases. *Indian Journal of Clinical Practice*, 23(12), 791-94.
- Re, R.N. (2009). Obesity-Related Hypertension. *Ochsner Journal*, 9(3), 133-36.
- Richette, P., and Bardin, T. (2012). Purine-Rich Foods: An Innocent Bystader of Gout Attacks?. *Annals of the Rheumatic Diseases*,71, 1435-436.
- Rho, Y.H., Zhu Y., and , Choi, H.K. (2011) The Epidemiology of Uric Acid and Fructose. *Semin Nephrol*, 31(5): 410–419.

- Rodriguez, A.C.I., Epel, E.S., White, M.L., Standen, E.C., Seckl, J.R., and Tomiyama, A.J. (2015). Hypothalamic-Pituitary-Adrenal Axis Dysregulation and Cortisol Activity in Obesity: A Systematic Review. *Psychoneuroendocrinology*, 62 (2015), 301–18.
- Rothman, K.J. (2008). BMI-Related Errors in The Measurement of Obesity. *International Journal of Obesity*, 32, 56-9.
- Sah, S.K., Katiwada, S., Pandey S., Kc, R., *et.al.* (2016). Association of high-sensitivity C-reactive protein and uric acid with the metabolic syndrome components, *Springerplus*. 3;5:269.
- Salome, C.M, King, G.G., and Berend, N. (2010). Physiology of Obesity and Effects on Lung Function. *Journal of Applied Physiology*, 108(1), 206-11.
- Sivakumar, K., Thamarai, R. , and Pragatha, R.J. (2014). Screening of Serum Uric Acid in Obese Individuals in Rural Population. *International Journal of Scientific Study*, 2, 1-4.
- Sugianto, Fauzan, M., Setyani, A., and Prihatini, M. (2013). Riset Kesehatan Dasar: Riskesdas dalam Angka Daerah Istimewa Yogyakarta 2013. Jakarta: Lembaga Penerbitan Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. pp 272-73.
- Teddle, C., and Yu, F. (2007). Mixed Methods Sampling: A Typology with Examples. *Journal of Mixed Methods Research*, 1, 77-100.
- Tsushima, Y., Nishizawa, H., Tochino, Y., Nakatsuji, H., Sekimoto, R., Nagao, H., *et al.* 2013. Uric Acid Secretion from Adipose Tissue and Its Increase in Obesity. *The Journal of Biological chemistry*, 288(38), 138-49.
- Vgontzas, A. N., Mendoza, J.F., Miksiewicz, T., Kritikou, I., Shaffer, M.L., Liao, D., *et al.* (2013). Unveiling The Longitudinal Association between Short Sleep Duration and The Incidence of Obesity: The Penn State Cohort [Abstract], *International Journal of Obesity*. 38(6), 825-32.
- Vliegen, E.M.H.M., Basdevant, A., Finer, N., Hainer V., Hauner, H., Micic, D., *et al.* (2012). Prevalence, Pathophysiology, Health Consequences and Treatment Options of Obesity in the Elderly: A Guideline. *Obes Facts*, 5, 460-83.
- Western Pacific Region of World Health Organization. (2000). *The Asia Pacific Perspective: Redefining Obesity and Its Treatment*. Melbourne. pp 2.
- World Health Organization. (2008). *Waist Circumference and Waist–Hip Ratio: Report of a WHO Expert Consultation*. Geneva. pp 14.

Zhang, N., Chang, Y., Guo, X., Chen, Y., Ye, N., and Sun, Y. (2016). A Body Shape Index and Body Roundness Index: Two new body indices for detecting association between obesity and hyperuricemia in rural area of China. *European Federation of Internal Medicine*, 29, 32-6.