

## DAFTAR PUSTAKA

- Abbas, A. K. (2015). *Cellular and Molecular Immunology* (8<sup>th</sup> ed.). Philadelphia: Elsevier Saunders.
- Adlerberth, I., Strachan, D. P., Matricardi, P. M. (2007) Gut microbiota and development of atopic eczema in 3 european birth cohorts. *J Allergy Clin Immunol*, 120 (2), 343-349.
- Arulkumaran, S. (2007). Malpresentation, malposition, cephalopelvic disproportion and obstetric procedures. In K. Edmonds (Eds.), *Dewhurst's Textbook of Obstetrics & Gynaecology*. London, UK. Blackwell Publishing.
- Ashari, H. M. A. (2015). Operative Obstetric. In Amygdala (Eds. 18<sup>th</sup>) Vol. 3, *MISC 2013*. Yogyakarta: UMY
- Badan Penelitian Dan Pengembangan Kesehatan Kementerian Kesehatan RI. (2013). Riset Kesehatan Dasar 2013. Jakarta.
- Bager, P., Wohlfahrt, J., Westergaard, T. (2008). Caesarean Delivery and risk of atopy and allergic disease: meta-analyses [abstrak]. *Clin Exp Allergy Abstracts*, 38, 4.
- Baratawidjaja K. G. (2014). *Imunologi Dasar* (11<sup>th</sup> ed.). Jakarta: FKUI.
- Beasley, R. (1998). Worldwide variation in prevalence of symptoms of asthma, allergic rhinoconjunctivitis, and atopic eczema: ISAAC [abstrak]. *The Lancet Abstracts*.
- Bennet, R., Eriksson, M., Nord, C. E., Zetterström, R. (1986). Fecal bacterial microflora of newborn infants during intensive care management and treatment with five antibiotic regimens. *Pediatr Infect Dis*, 5 (5). 533-539.
- Betran, A. P., Merialdi, M., Lauer, J. A., Bing-Shun, W., Thomas, J., Van, L. P. (2007). Rates of caesarean section: analysis of global, regional and national estimates. *Paediatr Perinat Epidemiol*, 21 (2). 98-110.
- Björksté, B., Sepp, E., Julge, K., Voor, T., Mikelsaar, M. (2001). Allergy development and the intestinal microflora during the first year of life. *J Allergy Clin Immunol*, 108 (4), 517-519.
- Boz, I., Teskereci, G., Akman, G. (2016). How did you choose a mode of birth? Experiences of nulliparous women from Turkey. *Women Birth*, 29 (4). 359-367.

- Cohain, J., S. (2009). Documented causes of unneCesareans. *Midwifery Today Int Midwife*, 63 (92). 18-19
- Cunningham, F. G. (2014). *Williams Obstetrics* (24<sup>th</sup> ed.). USA: McGraw-Hill Education.
- Cunningham, F. G. (2014). *Obstetric Williams* 23rd Ed. (B. U. Pendit dkk., Penerjemah). Jakarta: EGC. (Buku asli diterbitkan 2010).
- Custovic, A., Simpson, A. (2006). What are we learning from genetic cohort studies?. *Paediatr Respir Rev*, 7 (1), 90-92.
- Dhiyah An, A. Bagian Obstetri Dan Ginekologi Fakultas Kedokteran Dan Ilmu Kesehatan Universitas Muhammadiyah Yogyakarta. (2016). Penuntun Skill Lab Blok Reproduksi Presentasi Bokong (Letak Sungsang) [Modul].
- D'Souza, R. (2013). Caesarean section on maternal request for non-medical reasons: Putting the UK National Institute of Health and Clinical Excellence guidelines in perspective. *Best Practice & Research Clinical Obstetrics and Gynaecology*, 27 (2013), 165-177.
- Eder, W., Ege, M. J., von Mutius, E. (2006). The asthma epidemic. *N Engl J Med*, 355 (), 2226-2235.
- Edmonds, D. K. (2007). *Dewhurst's Textbook of Obstetrics & Gynaecology*. London, UK. Blackwell Publishing.
- Eggesbø, M., Botten, G., Stigum, H., Nafstad, P., Magnus, P. (2003). Is delivery by cesarean section a risk factor for food allergy?. *J Allergy Clin Immunol*, 112 (2), 420-421.
- Festin, M. R., Laopaiboon, M., Pattanittum, P., Ewens, M. R., Henderson-Smart, D. J., Crowther, C. A. (2009). Caesarean section in four South East Asian countries: reason for, rates, associated care practices and health outcomes. *BMC Pregnancy and Childbirth*, 9 (17), 1-11.
- Fouhy, F., Ross, R. P., Fitzgerald, G., Stanton, C., Cotter P. D. (2012). Composition of the early intestinal microbiota Knowledge, knowledge gaps and the use of high-throughput sequencing to address these gaps. *Gut Microbes*, 3 (3), 203-220.
- Giuliani, A., Scholl W. M. J., Basver, A., Tamussino K. F. (2002). Mode of delivery and outcome of 699 term singleton breech deliveries at a single center. *Am J Obstet Gynecol*, 187 (6), 1694-1698.

- Grönlund, M. M., Lehtonen, O. P., Eerola, E., Kero, P. (1999). Fecal microflora in healthy infants born by different methods of delivery: permanent changes in intestinal flora after cesarean delivery. *J Pediatr Gastroenterol Nutr*, 28 (1), 20-24.
- ISAAC. (1998). Worldwide variation in prevalence of symptoms of asthma, allergic rhinoconjunctivitis, and atopic eczema: ISAAC. *The International Study of Asthma and Allergies in Childhood (ISAAC) Steering Committee. Lancet*, 351 (9111), 1225–1232
- Karpa, K. D., Paul, I. M., Leckie, J. A., Shung S., Carkaci-Salli, N., Vrana, K. E., Mauger, D., Fausnight, T., Poger J. (2012). A retrospective chart review to identify perinatal factors associated with food allergies. *Nutr J*, 11:87, 0-2.
- Karundeng, dkk. 2014. Faktor-faktor yang berperan meningkatnya angka kejadian section caesarae.
- Kero, J., Gissler, M., Grönlund, M., Kero, P., Koskinen, P., Hemminki, E., Isolauri, E. (2002). Mode of Delivery and Asthma – Is There a Connection?. *Pediatr Res*, 52 (1), 6-11.
- Kolokotroni, O., Middleton, N., Gavatha, M., Lamnisos, D., Priftis, K. N., Yiallourous., P. K. (2012). Asthma and atopy in children born by caesarean section: effect modification by family history of allergies – a population based cross-sectional Study. *BMC Pediatrics*, 12:179, 1-2.
- Lavin, T., Franklin, P., Preen, D. B. (2017). Association between Caesarean Delivery and Childhood Asthma in India and Vietnam. *Paediatr Perinat Epidemiol*, 31 (1), 47-54.
- Lee, S., Yu, J., Ahn, K., Kim, K., Shin, Y., Lee, K., Hong, S., Jung, Y., Lee, E., Yang, S., Seo, J., Kwon, J., Kim, B., Kim, H., Kim, W., Song, D., Jang, G. C., Shim, J. Y., Lee, S., Kwon, J., Choi, S., Lee, K., Park, H., Won, H., Yoo, H., Kang, M., Kim, H., Hong, S. (2014). Additive Effect between IL-13 Polymorphism and Cesarean Section Delivery/Prenatal Antibiotics Use on Atopic Dermatitis: A Birth Cohort Study (COCOA). *Plos ONE*, 9 (5), 1-5.
- Li, Y., Jiang, Y., Li, S., Shen, X., Liu, J., Jiang, F. (2015). Pre- and Postnatal Risk Factors in Relation to Allergic Rhinitis in School-aged Children in China. *Plos ONE*, 10 (2), 1-2.
- Long, S. S., Swenson, R. M. (1977). Development of anaerobic fecal flora in healthy newborn infants. *J Pediatr*, 91 (2), 298-301.
- Magnus, M. C., Haberg, S. E., Stigum, H., Nafstad, Per., London, S. J., Vangen, Siri., Nystad, W. (2011). Delivery by Cesarean Section and Early Childhood

Respiratory Symptoms and Disorders: The Norwegian Mother and Child Cohort Study. *Am J Epidemiol*, 174 (11), 1275-1276.

Maitra, A., Sherriff, A., Strachan, D., Henderson, J. (2004). Mode of delivery is not associated with asthma or atopy in childhood. *Clin exp Allergy*, 34 (9), 1349-55.

Martinez, F. D. (1994). Role of viral infections in the inception of asthma and allergies during childhood: could they be protective?. *Thorax*, 49 (12), 1189-1190.

Mazzoni, A., Althabe, F., Gutierrez, L., Gibbons, L., Liu, N. H., Bonotti, A. M., Izbizky, G. H., Ferrary, M., Viergue, N., Vigil, S. I., Denett, G. Z., Belizan, J. M. (2016). Women's preferences and mode of delivery in public and private hospitals: a prospective cohort study. *BMC Pregnancy and Childbirth*, 16 (34), 1-7.

Mazzoni, A., Althabe, F., Liu, N. H., Bonotti, A. M., Gibbons, L., Sánchez, A. J., Belizan, J. M. (2011). Women's preference for caesarean section: a systematic review and meta-analysis of observational studies. *NIH Public Access*, 118 (4), 391-399

McKeever, T. M., Lewis, S. A., Smith, C., Hubbard, R. (2002). Mode of delivery and risk of developing allergic disease. *J Allergy Clin Immunol*, 109 (5), 800-801.

Menezes, A. M. B., Hallal, P. C., Matijasevich, A. M., Barros, A. J. D., Horta, B. L., Araujo, C. L. P., Gigante, D. P., Santos, I. S., Minten, G., Domingues, M. R., Dumith, S. C., Barros F. C. (2010). Caesarean sections and risk of wheezing in childhood and adolescence: data from two birth cohort studies in Brazil. *Clin Exp Allergy*, 41 (2), 218-223.

Mohanty, S. K. (2014). Textbook of Immunology. India. Jaypee Brothers Medical Publishers (P) Ltd.

Nathan, Anna. M., Bruyne, J d., Khalid, F., Arumugam, K. (2012). Caesarean section and asthma in Malaysian children: a case-control study. *Asian Pac J Allergy Immunol*, 30 (3), 204-208.

Neu, J., Rushing, J. (2011). Cesarean versus Vaginal Delivery: Long term infant outcomes and the Hygiene Hypothesis. *Clin Perinatol*, 38 (2), 2-6.

Neut, C., Bezirtzoglou, E., Romond, C., Beerens, H., Delcroix, M., Noel, A. M. (1987). Bacterial colonization of the large intestine in newborns delivered by caesarean section. *Zentralbl Bakteriol Mikrobiol Hyg A*, 266 (3-4), 330-337.

- Okada, H., Kuhn, C., Feillet, H., Bach, J. (2010). The 'hygiene hypothesis' for autoimmune and allergic diseases: an update. *Clin Exp Immunol*, 160 (1), 1-2.
- Park, Y. H., Kim, K. W., Choi, B. S., Jee, H. M., Sohn, M. H., Kim, K. E. (2010). Relationship between mode of delivery in childbirth and prevalence of allergic diseases in Korean children. *Allergic Asthma Immunol Res*, 2 (1), 28-33.
- Parslow, T. G. (2001). *Medical Immunology* (10<sup>th</sup> ed.). San Francisco: McGraw-Hill.
- Penders, J., Thijs, C., Vink, C., Stelma, F. F., Snijders, B., Kummeling, I., van den Brandt, Piet. A., Stobberingh, E. E. (2006). Factors Influencing the Composition of the Intestinal Microbiota in Early Infancy. *PEDIATRICS*, 188 (2), 511-520.
- Pistiner, M., Gold, D. R., Abdulkerim, H., Hoffman, E., Celedón, J. C. (2008). Birth by Cesarean Section, Allergic Rhinitis, and Allergic Sensitization among Children with Parental History of Atopy. *J Allergy Clin Immunol*, 122 (2), 1-5.
- Renz-Polster, H., David, M. R., Buist, A. S., Vollmer, W. M., O'Connor, E. A., Frazier, E. A., Wall, M. A. (2005). Caesarean section delivery and the risk of allergic disorders in childhood. *Clin Exp Allergy*, 35 (11), 1466-1469.
- Rich, R. R. (2013). *Clinical Immunology*: USA. Elsevier
- Roduit, C., Scholtens, S., de Jongste, J. C., Wijga, A. H., Gerritsen, J., Postma, D. S., Brunekreef, B., Hoekstra, M. O., Aalberse, R., Smit, H. A. (2008). Asthma at 8 years of age in children born by caesarean section. *Thorax*, 64 (2), 107-113.
- Romagnani, S. (2004). Immunologic influences on allergy and the Th 1/Th 2 balance [abstrak]. *J Allergy Clin Immunol Abstracts*, 113, 3.
- Romagnani, S. (2004). Immunologic influences on allergy and the Th 1/Th 2 balance. *J Allergy Clin Immunol*, 113 (3), 395-340.
- Räisänen, S., Gissler, M., Kramer, M. R., Heinonen, S. (2014). Influence of delivery characteristics and socioeconomic status on giving birth by caesarean section – a cross sectional study during 2000–2010 in Finland. *BMC Pregnancy and Childbirth*, 14 (120), 1-9.

- Saifuddin, A. B. (2008). *Ilmu Kebidanan Sarwono Prawirohardjo* (4<sup>th</sup> ed.). Jakarta: BP-SP.
- Salam, M. T., Margolis, H. G., McConnell, R. McGregor, J. A., Avol, E. L., Gilliland, F. D. (2006). Mode of delivery is associated with asthma and allergy occurrences in children [abstrak]. *Ann Epidemiol Abstracts*, 16, 5.
- Santoso, E (2015). Asma pada Anak. In Hippocampus (Eds. 16<sup>th</sup>) Chapter 16.1, *MISC 2012*. Yogyakarta: UMY.
- Sevelsted, A., Stokholm, J., Bønnelykke, k., Bisgaard, H. (2015). Cesarean Section and Chronic Immune Disorders. *Pediatrics*, 135 (1), 91-93.
- Stevens. C. D. (2010). *Clinical Immunology Serology*: Philadelphia. F.A. Davis Company.
- Strachan, D. P. (1989). Hay fever, hygiene, and household size. *BMJ*, 299 (6710) 1259-1260.
- Sumelung, V., Kundre, R., Karundeng, M. (2014). Faktor – faktor yang berperan meningkatnya angka kejadian sectio caesarea di rumah sakit umum daerah Liun Kendage Tahuna. *Ejournal keperawatan*, 2 (1), 1-7.
- Thavagnanam, S., Fleming, J., Bromley, A., Shields, M. D., Cardwell, C. R. (2008). A meta-analysis of the association between Caesarean section and childhood asthma [abstrak]. *Clin Exp Allergy Abstracts*, 38, 4.
- The Royal Australian and New Zealand College of Obstetricians and Gynaecologists. (2016). Caesarean Delivery on Maternal Request (CDMR). *Women's Health*, RANZCOG Board and Council. (C-Obs 39).
- Tollånes, M. C., Moster, D., Daltveit, A. K., Irgens, L. M. (2008). Cesarean Section and Risk of Severe Childhood Asthma: A Population-Based Cohort Study. *J Pediatr*, 153 (1), 112-116.
- Torloni, M. R., Betrán, A. P., Montilla, P., Scolaro, E., Seuc, A., Mazzoni, A., Althabe, F., Merzagora, F., Donzelli, G. P., Merialdi, M. (2013). Do Italian women prefer cesarean section? Results from a survey on mode of delivery preferences. *BMC Pregnancy and Childbirth*, 13 (78), 1-8.
- Walker, W. A. (2013). Initial Intestinal Colonization in the Human Infant and Immune Homeostasis. *Ann Nutr Metab*, 63 (2), 8–15.
- Wegienka, G., Zoratti E., Johnson, C. C. (2015). The Role of the Early-Life Environment in the Development of Allergic Disease. *Immunol Allergy Clin North Am*, 35 (1), 1-3
- Weng, M., Walker, W. A. (2013). The role of gut

microbiota in programming the immune phenotype. *J Dev Orig Health Dis*, 4 (3), 2-10.

Weng, M., Walker, W. A. (2013). The role of gut Microbiota in programming the immune phenotype. *J Dev Orig Health Dis*, 4(3), 2-10.

Wiknjosastro, H. (2007). Ilmu Kebidanan. Penerbit Yayasan Bina Pustaka Sarwono Prawirohardjo. Jakarta.

Xu, B., Pekkanen, J., Hartikainen, A., Järvelin, M. (2001). Caesarean section and risk of asthma and allergy in adulthood. *J Allergy Clin Immunol*, 107 (4) , 732-733.