

DAFTAR PUSTAKA

- AJ, Mitchell. 2009. *A meta-analysis of the accuracy of The mini-mental State examination in the detection of dementia and Mid cognitive impairment.* Pubmed. US National Library of Medicine National Institutes of Health.
- Adeti Bianda P, Wahyuliati T. 2013. *Hubungan Hafalan Juz Amma terhadap Demensia pada Lansia berdasarkan Mini Mental State Examination Tahun 2009.* Yogyakarta: FK Universitas Muhammadiyah Yogyakarta.
- Adams J, Brierley J, Connor R, Treip C. *The effects of systemic hypotension upon the human brain.* Clinical and neuropathological observations in 11 cases. *Brain* 1966;89:235–267.
- Ajmani RS, Metter EJ, Jaykumar R, et al. *Hemodynamic changes during aging associated with cerebral blood flow and impaired cognitive function.* *Neurobiol Aging* 2000;21: 257–269.
- Almeida OP. Prevention of depression in older age. *Maturitas* 2014; 79: 136–141.
- Almeida OP, Hankey GJ, et al., “Depression as a modifiable factor to decrease the risk of Dementia” *Translational Psychiatry* (2017).
- A. L. Rebar, R. Stanton, D. Geard, C. Short, M. J. Duncan, and C. Vandelanotte, “A meta-meta-analysis of the effect of physical activity on depression and anxiety in non-clinical adult populations,” *Health Psychology Review*, vol. 9, no. 3, pp. 366 - 378, 2015.
- Asosiasi Alzheimer Indonesia. Konsensus Nasional : Pengenalan dan penatalaksanaan Demensia Alzheimer Dan Demensia Lainnya. Edisi 1. Jakarta ; 2003
- Allen T. C. Lee , Marcus Richards, et al (2017). “Lower risk of incident dementia among Chinese older adults having three servings of vegetables and

two servings of fruits a day". *Oxford University Press on behalf of the British Geriatrics Society.*

Azad NA, Al Bugami M, Loy-English I (2007) Gender differences in dementia risk factors. *GendMed* 4, 120-129.

Barca, M.L., Engedal.K., Laks.J., Selbaek.G., 2010. A 12 months follow-up study of depression among nursing home patients in Norway. *J.Affect. Disord.* 120, 141–148.

Beats BC, Sahakian BJ, Levy R. Cognitive performance in tests sensitive to frontal lobe dysfunction in the elderly depressed. *Psychol Med* 1996; 26: 591–603.

Behl C, Davis J, Cole GM, Schubert D. Vitamin E protects nerve cells from amyloid beta protein toxicity. *Biochem Biophys Res Commun* 1992; 186: 944–50.

Bennett DA, Wilson RS, Schneider JA, *et al.* Education modifies the relation of AD pathology to level of cognitive function in older persons. *Neurology* 2003;60:1909–15.

Benz S, Sellaro R, Hommel B, Colzato LS. Music makes the world go round: the impact of musical training on non-musical cognitive functions—a review. *Front Psychol* 2016;6:2023.

Bianda AP, Wahyuliati T (2013). “Hubungan hafalan juz Amma terhadap demensia pada lanjut usia berdasarkan mini mental state examination”.

Bidelman GM, Alain C. Musical training orchestrates coordinated neuroplasticity in auditory brainstem and cortex to counteract age-related declines in categorical vowel perception. *J Neurosci* 2015;35:1240–9.

Boorsma.M., Joling.K., Dussel.M., Ribbe.M., Frijters.D., van Marwijk.H.W., Nijpels.G., van.H.H., 2012. The incidence of depression and its risk factors in Dutch nursing homes and residential care homes. *Am.J.Geriatr.Psychiatry* 20, 932–942.

- Bottioli S, Rosi A, Russo R, Vecchi T, Cavallini E. The cognitive effects of listening to background music on older adults: processing speed improves with upbeat music, while memory seems to benefit from both upbeat and downbeat music. *Front Aging Neurosci* 2014;6:284.
- B. S. Diniz, M. A. Butters, S. M. Albert, M. A. Dew, and C. F. Reynolds III, “Late-life depression and risk of vascular dementia and Alzheimer’s disease: systematic review and meta-analysis of community-based cohort studies,” *British Journal of Psychiatry*, vol. 202, no. 5, pp. 329–335, 2013.
- Bugos JA, Perlstein WM, McCrae CS, Brophy TS, Bedenbaugh PH. Individualized piano instruction enhances executive functioning and working memory in older adults. *Aging Ment Health* 2007;11:464–71.
- Burke, T.J., & Segrin, C. (2014). Bonded or stuck? Effects of personal and constraint commitment on loneliness and stress. *Personality and Individual Differences*, 64, 101–106.
- Butterfield D, Castegna A, Pocernich C, Drake J, Scapagnini G, Calabrese V. Nutritional approaches to combat oxidative stress in Alzheimer’s disease. *J Nutr Biochem* 2002; 13: 444–63.
- Butters MA, Becker JT, Nebes RD, Zmuda MD, Mulsant BH, Pollock BG *et al.* Changes in cognitive functioning following treatment of late-life depression. *Am J Psychiatry* 2000; 157: 1949–1954.
- Chanda ML, Levitin DJ. The neurochemistry of music. *Trends Cogn Sci* 2013;17:179–93.
- Chen X, Huang Y, Cheng HG. Lower intake of vegetables and legumes associated with cognitive decline among illiterate elderly Chinese: a 3-year cohort study. *J Nutr Health Aging* 2012; 16: 549–52.
- C. F. Reynolds III, P. Cuijpers, V. Patel *et al.*, “Early intervention to reduce the global health and economic burden of major depression in older adults,” *Annual Review of Public Health*, vol. 33, pp. 123–135, 2012.

- De la Torre JC. *Critically attained threshold of cerebral hypoperfusion: the CATCH hypothesis of Alzheimer's pathogenesis.* Neurobiol Aging 2000;21:331–342.
- Depkes RI. (2015, 27 Mei). *Pelayanan dan Peningkatan Kesehatan Usia Lanjut.* Diakses 21 Maret 2016 dari <http://www.depkes.go.id/article/view/15052700010/pelayanan-dan-peningkatan-kesehatan-usia-lanjut.html#sthash.TFazi9oM.dpuf>
- D. E. Barnes and K. Yaffe, “The projected effect of risk factor reduction on Alzheimer’s disease prevalence,” *The Lancet Neurology*, vol. 10, no. 9, pp. 819–828, 2011.
- D. E. Barnes, K. Yaffe, A. L. Byers, M. McCormick, C. Schaefer, and R. A. Whitmer, “Midlife vs late-life depressive symptoms and risk of dementia,” *Archives of General Psychiatry*, vol. 69, no. 5, pp. 493–498, 2012.
- Devous, M.D., Stokely, E.M., Chehabi, H.H., Bonte, F.J., 1986. Normal distribution of regional cerebral blood flow in cerebrovascular diseases. *J. Cereb. Blood Flow Metab.* 6, 95–104.
- Doufesh H, et al (2016) “Effects of Muslims praying (Shalat) on EEG gamma activity,” *Complementary Therapies in Clinical Practice*.
- Dufouil C, Alpérovitch A, Tzourio C. Influence of education on the relationship between white matter lesions and cognition. *Neurology* 2003;60:831-6.
- Dye RV, Miller KJ, Singer EJ, Levine AJ (2012) Hormone replacement therapy and risk for neurodegenerative diseases. *Int J Alzheimers Disease* 2012, 258454.
- E.D. Vidoni, D. K. Johnson, J. K. Morris et al., “Dose-response of aerobic exercise on cognition: a community-based, pilot randomized controlled trial,” *PLoS ONE*, vol. 10, no. 7, Article ID e0131647, 2015.

- Efendi, Ferry & Makhfudli. (2009). *Keperawatan Kesehatan Komunitas : Teori dan Praktik dalam Keperawatan*. Jakarta : Salemba Medika
- Elmar G, Renate S, Birgit E, Sabine P, Caroline D, *et al* (2011) "Non-pharmacological, multicomponent group therapy in patients with degenerative dementia: a 12-month randomized, controlled trial". *BMC Medicine 2011*.
- Elvira, Sylvia D dan Gitayanti Hadisukanto, 2010. Buku Ajar Psikiatri. *Badan Penerbit FK UI*. Jakarta
- Elvira, S.D. (2013). *Buku Ajar Psikiatri* (2nded.).
- Farina N, Isaac MG, Clark AR, Rusted J, Tabet N. Vitamin Efor Alzheimer's dementia and mild cognitive impairment. Cochrane Database Syst Rev 2012; 11: CD002854.
- F. B. Schuch, D. Vancampfort, J. Richards, S. Rosenbaum, P. B. Ward, and B. Stubbs, "Exercise as a treatment for depression: A meta-analysis adjusting for publication bias," *Journal of Psychiatric Research*, vol. 77, pp. 42–51, 2016.
- F.B. Schuch, D. Vancampfort, S. Rosenbaum *et al.*, "Exercise for depression in older adults: a meta-analysis of randomized controlled trials adjusting for publication bias," *Revista Brasileira de Psiquiatria*, vol. 38, no. 3, pp. 1–8, 2016.
- Ferreri L, Bigand E, Perrey S, Muthalib M, Bard P, Bugaiska A. Less effort, better results: how does music act on prefrontal cortex in older adults during verbal encoding? An NIRS study. *Front Hum Neurosci* 2014;8:301.
- Folstein, M.F, Folstein, S.E & McHubh,P.R., 1990. *Mini Mental State: A practical method for gading the cognitive state of patients for the clinician*.
- Frackowiak, R.S.J., Lenzi, G.L., Jones, T., Heather, J.D., 1980. Quantitative measurement of regional cerebral blood flow and oxygen metabolism

- in man using ^{15}O and positron emission tomography: theory, procedure, and normal values. *J. Comput. Assist. Tomogr.* 4, 727–736.
- Galea LA, Wainwright SR, Roes MM, Duarte-Guterman P, Chow C, Hamson DK (2013) Sex, hormones and neurogenesis in the hippocampus: Hormonal modulation of neurogenesis and potential functional implications. *J Neuroendocrinol* **25**, 1039-1061.
- Ge Y, Grossman RI, Babb JS, Rabin ML, Mannon LJ, Kolson DL (2002) Age-related total gray matter and white matter changes in normal adult brain. Part II: Quantitative magnetization transfer ratio histogram analysis. *AJNR Am J Neuroradiol* **23**, 1334-1341.
- Goto M, Abe O, Miyati T, Inano S, Hayashi N, Aoki S, Mori H, Kabasawa H, Ino K, Yano K, Iida K, Mima K, Ohtomo K (2011) 3 Tesla MRI detects accelerated hippocampal volume reduction in postmenopausal women. *J Magn Reson Imaging* **33**, 48-53
- Ginsberg MD, Hedley-Whyte ET, Richardson EP Jr. *Hypoxic-ischemic leukoencephalopathy in man*. Arch Neurol 1976;33: 5–14.
- G. Mammen and G. Faulkner, “Physical activity and the prevention of depression: a systematic review of prospective studies,” *American Journal of Preventive Medicine*, vol. 45, no. 5, pp. 649–657, 2013.
- G. S. Alexopoulos, “Vascular disease, depression, and dementia,” *Journal of the American Geriatrics Society*, vol. 51, no. 8, pp. 1178–1180, 2003.
- Neurosurgery and Psychiatry*, vol. 75, no. 12, pp. 1662–1666, 2004.
- Gusnard, D.A., Raichle, M.E., 2001. Searching for a baseline:functional imaging and the resting human brain. *Nat. Rev.Neurosci.* 2, 685–694.
- Guyton, A.C., dan Hall, J.E. 2012. Buku Ajar Fisiologi Kedokteran. Edisi 11.Jakarta: EGC
- Hagstadius, S., Risberg, J., 1989. Regional cerebral blood flow characteristics and variations with age in resting normalsubjects. *Brain Cogn.* 10, 28–43.
- Hamos JE, DeGennaro LJ, Drachman DA. *Synaptic loss in Alzheimer's disease and other dementias*. Neurology 1989;39: 355–361.

- Hanna-Pladdy B, MacKay A. The relation between instrumental musical activity and cognitive aging. *Neuropsychology* 2011;25:378–86.
- Hauser, S.L. (2006). *Harrison's Neurology in Clinical Medicine*. California, San Francisco: Graw Hill.
- Hawkins, H.L., Kramer, A.F., Capaldi, D., 1992. Aging, Exercise, and Attention. *Psychol. Aging* 7, 643–653.
- Hawkley, L.C., & Cacioppo, J.T. (2010). Loneliness matters: A theoretical and empirical review of consequences and mechanisms. *Annals of Behavioral Medicine*, 40(2), 218–227.
- Hays T, Minichiello V. The meaning of music in the lives of older people: aqualitative study. *Psychol Music* 2005;33:437–51.
- Heun R, Knappertz V, Kraemer G. *Transcranial Doppler sonography in dementia of Alzheimer type*. *Dementia* 1994;5: 327–333.
- Hermes, G.L., Rosenthal, L., Montag, A., & McClintock, M.K. (2006). Social isolation and the inflammatory response: Sex differences in the enduring effects of a prior stressor. *American Journal of Physiology-Regulatory Integrative and Comparative Physiology*, 290(2), R273–R282. doi: 10.1152/ajpregu.00368.2005
- H. L. Van, J. Dekker, J. Peen, G. Van Aalst, and R. A. Schoevers, “Identifying patients at risk of complete nonresponse in the outpatient treatment of depression,” *Psychotherapy and Psychosomatics*, vol. 77, no. 6, pp. 358–364, 2008
- Holwerda, T.J., Beekman, A.T., Deeg, D.J., Stek, M.L., van Tilburg, T.G., Visser, P.J.,... Schoevers, R.A. (2012). Increased risk of mortality associated with social isolation in older men: Only when feeling lonely? Results from the Amsterdam Study of the Elderly (AMSTEL). *Psychological Medicine*, 42(4), 843–853. doi: 10.1017/S0033291711001772
- Holwerda, T.J., Beekman, A.T., Deeg, D.J., Stek, M.L., van Tilburg, T.G., Visser, P.J.,... Schoevers, R.A. (2012). Increased risk of mortality

- associated with social isolation in older men: Only when feeling lonely? Results from the Amsterdam Study of the Elderly (AMSTEL). *Psychological Medicine*, 42(4), 843–853. doi: 10.1017/S0033291711001772
- Holwerda, T.J., Deeg, D.J., Beekman, A.T., van Tilburg, T.G., Stek, M.L., Jonker, C., & Schoevers, R.A. (2014). Feelings of loneliness, but not social isolation, predict dementia onset: Results from the Amsterdam Study of the Elderly (AMSTEL). *Journal of Neurology, Neurosurgery & Psychiatry*, 85(2), 135–142.
- J. C. Nelson, L. Portera, and A. C. Leon, “Residual symptoms in depressed patients after treatment with fluoxetine or reboxetine,” *Journal of Clinical Psychiatry*, vol. 66,no. 11, pp. 1409–1414, 2005.
- Jefferies, K and Agrawal, N. 2009. Early-Onset Dementia. *Journal of Continuing Professional Development*. 15: 380-388.
- Johan S, Kristoffer B, Mats R, Hanna F, et al. (2017). “A Longitudinal Study of the Mini-Mental State Examination in Late Nonagenarians and Its Relationship with Dementia, Mortality, and Education”. *The American Geriatrics Society*, 1-5.
- Jones RN, Manly J, Glymour MM, et al. Conceptual and measurement challenges in research on cognitive reserve. *J Int Neuropsychol Soc* 2011;17:593–601.
- Jongenelis, K., Pot,A.M., Eisses,A.M., Beekman,A.T., Kluiter.H., Ribbe,M.W., 2004. Prevalence and risk indicators of depression in elderly Nurdin Home patients: the AGED study. *J.Affect. Disord.* 83, 135–142.
- Kane R , Joseph G. Ouslander, Abrass I, Resnick B. 2013 *Essentials of Clinical Geriatrics*. New York, United States: McGraw-Hill Education - Europe.
- Kang JH, Ascherio A, Grodstein F. Fruit and vegetable consumption and cognitive decline in aging women. *Ann Neurol* 2005; 57: 713–20.

- Kaplan, H.I., & Sadock, B.J. (2007). *Kaplan & Sadock's : Synopsis & Psychiatry* (10th ed.). Philadelphia,USA: Lippincott Williams & Wilkins
- Kattenstroth JC, Kalisch T, Holt S, Tegenthoff M, Dinse HR. Six months of dance intervention enhances postural, sensorimotor, and cognitive performance in elderly without affecting cardio-respiratory functions. *Front Aging Neurosci* 2013;5:5.
- Katz I.R., Lesher E., Kleba M., JethanandaniV., Parmelee P., 1989. Clinical features of depression in the nursing home. *Int. Psychogeriatr.* 1,5–15.
- Katzman R, Terry R, DeTeresa R, Brown T, Davies P, Fuld P, Renbing X, Peck A (1988) Clinical, pathological, and neurochemical changes in dementia: A subgroup with preserved mental status and numerous neocortical plaques. *Ann Neurol* **23**, 138-144.
- Kesler SR, Garrett A, Bender B, Yankowitz J, Zeng SM, Reiss AL (2004) Amygdala and hippocampal volumes in Turner syndrome: A high-resolution MRI study of X-monosomy. *Neuropsychologia* **42**, 1971-1978.
- Kesler SR, HaberechtMF,Menon V,Warsofsky IS, Dyer-Friedman J, Neely EK, Reiss AL (2004) Functional neuroanatomy of spatial orientation processing in Turner syndrome. *Cerebral Cortex* **14**, 174-180.
- Kruman II, Kumaravel TS, Lohani A *et al.* Folic acid deficiency and homocysteine impair DNA repair in hippocampal neurons and sensitize them to amyloid toxicity in experimental models of Alzheimer's disease. *J Neurosci* 2002; 22: 1752–62.
- Lars M, Kerstin B, Rafael L, Peter K, Ernst M, Daniel J, et al. Simultaneous EEGfMRI during a Working Memory Task: Modulations in Low and High Frequency Bands. *PLoS ONE*. 2010;5.
- Leenders, K.L., Perani, D., Lammertsma, A.A., Heather, J.D.,Buckingham, P., Healy, M., et al., 1990. Cerebral blood flow,blood volume and oxygen utilization. Normal values andeffects of age. *Brain* 113, 27–47.

- Liporace, J., Bahra, A., & Cikurel, K. (2006). *Crash Course: Neurology*. Philadelphia, USA: Elsevier, Inc.
- Lyketsos CG, Chen LS, Anthony JC. Cognitive decline in adulthood: an 11.5-year follow-up of the Baltimore Epidemiologic Catchment Area study. *Am J Psychiatry* 1999;156:58–65.
- L. V. Kessing and P. K. Andersen, “Does the risk of developing dementia increase with the number of episodes in patients with depressive disorder and in patients with bipolar disorder?” *Journal of Neurology, Neurosurgery and Psychiatry*, vol. 75, no. 12, pp. 1662–1666, 2004.
- Mahurin, R.K., DeBettignies, B.H., & Pirozzolo, F.J. (1991). Structured assessment of independent living skills: Preliminary report of a performance measure of functional abilities in dementia. *Journal of Gerontology*, 46(2), 58–66.
- Malouf R, Grimley Evans J. Folic acid with or without vitaminB12 for the prevention and treatment of healthy elderlyand demented people. *Cochrane Database Syst Rev* 2008; 4:CD004514.
- Marchal, G., Rioux, P., Petit-Taboué, M.C., Sette, G., Travère, J.M., LePoec, C., et al., 1992. Regional cerebral oxygen consumption,blood flow, and blood volume in healthy human aging. *Archives of Neurol*. 49, 1013–1020.
- Martin, A.J., Friston, K.J., Colebatch, J.G., Frackowiak, R.S.J., 1991. Decreases in regional cerebral blood flow with normal aging. *J.Cereb. Blood Flow Metab.* 11, 684–689.
- Maryam, R. Siti. (2008). *Mengenal Usia Lanjut dan Perawatannya*. Jakarta: Salemba Medika
- M. Baumgart, H. M. Snyder, M. C. Carrillo, S. Fazio, H. Kim, and H. Johns, “Summary of the evidence on modifiable risk factors for cognitive decline and dementia: a population-based perspective,” *Alzheimer’s and Dementia*, vol. 11, no. 6, pp. 718-726, 2015.

- McClure RE, Barha CK, Galea LA (2013) 17 beta Estradiol, but not estrone, increases the survival and activation of new neurons in the hippocampus in response to spatial memory in adult female rats. *Horm Behav* **63**,144-157.
- McDowd, J.M., Shaw, R.J., 2000. Attention and aging: a functional perspective. In: Craik, F.I.M., Salthouse, T.A. (Eds.), *The Handbook of Aging and Cognition*, Vol. 2. Lawrence Erlbaum Associates, Mahwah, NJ, pp. 221–292.
- Merritt's neurology edisi 11 editor Lewis p. Rowland penerbit lippincott Williams & Wilkins 2005 USA
- Mini-Mental State Exam: The Gold Standard in Assessment of Mental Status.
 Diakses 11 April 2016, dari <http://www.hov.org/pdf/DDFeb07MMSEWebsite.pdf>
- Morris MC, Evans DA, Tangney CC, Bienias JL, Wilson RS. Associations of vegetable and fruit consumption with age-related cognitive change. *Neurology* 2006; 67: 1370–6.
- Morris MC, Tangney CC, Wang Y *et al.* MIND diet slows cognitive decline with aging. *Alzheimers Dement* 2015; 11: 1015–22.
- Mubarak, Wahit Iqbal, dkk. (2009). *Ilmu Keperawatan Komunitas; Konsep dan Aplikasi*. Jakarta : Salemba Medika.
- Munir, B. (2015). *Neurology Dasar*. Jakarta: CV Sagung Seto.
- Neufang S, Specht K, Hausmann M, Gunturkun O, Herpertz-Dahlmann B, Fink GR, Konrad K (2009) Sex differences and the impact of steroid hormones on the developing human brain. *Cereb Cortex* **19**, 464-473.
- Nikmat A. W., S. Hassan Al-Mashoor and Hashim N. A., (2015). “Quality of life in people with cognitive impairment: nursing homes versus home care”. *International Psychogeriatrics* (2015), 27:5, 815–824.
- Nugroho, Wahyudi. (2008). *Keperawatan Gerontik & Geriatric*. Edisi ke 2&3. Jakarta: EGC.

- Nugroho. 2008. *Keperawatan Gerontik dan Geriatrik Edisi III*. Jakarta: ECG.
- Norton S, Matthews FE, Barnes DE, Yaffe K, Brayne C. Potential for primary prevention of Alzheimer's disease: an analysis of population-based data. *Lancet Neurology* 2014; 13: 788–794.
- Nyberg, L., Bäckman, L., 2004. Cognitive aging: a view from brainimaging. In: Dixon, R.A., Bäckman, L., Nilsson, L.-G. (Eds.), *NewFrontiers in Cognitive Aging*. Oxford Press, Oxford, pp. 135–159.
- Obulesu M, Dowlatabad MR, Bramhachari PV. Carotenoids and Alzheimer's disease: an insight into therapeutic role of retinoids in animal models. *Neurochem Int* 2011; 59: 535–41.
- Park, D.C., 2000. The basic mechanisms accounting for agerelateddecline in cognitive function. In: Park, D.C., Schwarz,N. (Eds.), *Cognitive Aging: A Primer*. Psychology Press,Philadelphia, pp. 3–21.
- Parkes, L.M., Rashid, W., Chard, D.T., Tofts, P.S., 2004. Normalcerebral perfusion measurements using arterial spin labeling:reproducibility, stability, and age and gender effects. *Magn.Reson. Imaging* 51, 736–743.
- Parmelee.P.A., Katz.I.R., Lawton.M.P., 1992. Incidence of depression in long-term care settings. *J.Gerontol.* 47, M189–M196.
- Payne.J.L.,Sheppard.J.M., Steinberg.M., Warren.A., Baker.A., Steele.C., Brandt.J., Lyketsos.C.G., 2002. Incidence prevalence and outcomes of depression in residents of a long-term care facility with dementia. *Int. J.Geriatri Psychiatry* 17, 247–253.
- P. E. Vasques, H. Moraes, H. Silveira, A. C. Deslandes, and J. Laks, “Acute exercise improves cognition in the depressed elderly: the effect of dual-tasks,” *Clinics*, vol. 66, no. 9, pp. 1553-1557, 2011.
- P. J. Smith, J. A. Blumenthal, B.M.Hoffman *et al.*, “Aerobic exercise and neurocognitive performance: ameta-analytic review of randomized controlled trials,” *Psychosomatic Medicine*, vol. 72, no. 3, pp. 239–252, 2010.

- P. J. Modrego and J. Ferr'andez, "Depression in patients with mild cognitive impairment increases the risk of developing dementia of Alzheimer type: a prospective cohort study," *Archives of Neurology*, vol. 61, no. 8, pp. 1290–1293, 2004.
- Posner, M.I., 2004. Cognitive Neuroscience of Attention. The Guilford Press, New York.
- Potter, Patricia A. dan Anne G. Perry. (2009). *Fundamental Keperawatan Buku 1 Ed. 7*. Jakarta: Salemba Medika.
- Qiu C, Bäckman L, Winblad B, *et al.* The influence of education on clinically diagnosed dementia incidence and mortality data from the Kungsholmen Project. *Arch Neurol* 2001;58:2034–9.
- Raz N, Gunning FM, Head D, Dupuis JH, McQuain J, Briggs SD, Loken WJ, Thornton AE, Acker JD (1997) Selective aging of the human cerebral cortex observed in vivo: Differential vulnerability of the prefrontal gray matter. *Cereb Cortex* 7, 268-282.
- Raz, N., 2000. Aging of the brain and its impact on cognitive performance: integration of structural and functional findings. In: Craik, F.I.M., Salthouse, T.A. (Eds.), *The Handbook of Aging and Cognition*, Vol. 2. Lawrence Erlbaum Associates, Mahwah, NJ, pp. 1–90.
- Raz, N., 2004. The aging brain: structural changes and their implications for cognitive aging. In: Dixon, R.A., Bäckman, L., Nilsson, L.-G. (Eds.), *New Frontiers in Cognitive Aging*. Oxford University Press, Oxford, pp. 115–133.
- Reuter-Lorenz, P.A., 2000. Cognitive neuropsychology of the aging brain. In: Park, D.C., Schwarz, N. (Eds.), *Cognitive Aging: A Primer*. Psychology Press, Philadelphia, pp. 93–114.
- R. J. DeRubeis, L. A. Gelfand, T. Z. Tang, and A. D. Simons, "Medications versus cognitive behavior therapy for severely depressed outpatients: mega-analysis of four randomized comparisons," *American Journal of Psychiatry*, vol. 156, no. 7, pp. 1007–1013, 1999.

- R. J.DeRubeis, S. D. Hollon, J.D. Amsterdam *et al.*, "Cognitive therapy vs medications in the treatment of moderate to severe depression," *Archives of General Psychiatry*, vol. 62, no. 4, pp. 409–416, 2005.
- R. L. Ownby, E. Crocco, A. Acevedo, V. John, and D. Loewenstein, "Depression and risk for Alzheimer disease: systematic review, meta-analysis, and metaregression analysis," *Archives of General Psychiatry*, vol. 63, no. 5, pp. 530–538, 2006.
- Rodriguez, G., Warkentin, S., Risberg, J., Rosadini, G., 1988. Sexdifferences in regional cerebral blood flow. *J. Cereb. Blood Flow Metab.* 8, 783–789.
- Rodriguez, G., Coppola, R., De Carli, F., Francione, S., Marenco, S., Nobili, F., et al., 1991. Regional cerebral blood flow asymmetries in a group of 189 normal subjects at rest. *BrainTopogr.* 4, 57–63.
- Ropper, A.H., & Brown, R.H. (2014). *Adams and Victor's Principles of Neurology* (10th ed.). US: McGraw-Hill.
- R. Stanton and P. Reaburn, "Exercise and the treatment of depression: a review of the exercise program variables," *Journal of Science and Medicine in Sport*, vol. 17, no. 2, pp. 177–182, 2014.
- Ruitenberg A, *et al.* 2005. "Cerebral Hypoperfusion and Clinical Onset of Dementia: The Rotterdam Study" *Annals of Neurology*.
- Saarikallio S. Music as emotional self-regulation throughout adulthood. *Psychol Music* 2011;39:307–27.
- Sagiran. (2014). *Mukjizat Gerakan Shalat*. Jakarta Selatan: Qultum Media.
- Salthouse, T.A., 1996. The processing-speed theory of adult age differences in cognition. *Psychol. Rev.* 103, 403–428.
- Sampson, EL., Warren, JD., and Rossor, MN. 2004. "Young Onset Dementia." *Postgraduate Medical Journal*. 80, 125-139.
- Sastroasmoro S., & Ismael S. 2006. *Dasar-dasar Metodologi Penelitian Klinis*. Edisi Kedua. Jakarta: Sagung Seto.

- Satria, Affan. 2010. *Teknik Jitu Menyusun Skripsi, Tesis & Disertasi*. Yogyakarta: Solusi Distribusi.
- Seinfeld S, Figueroa H, Ortiz-Gil J, Sanchez-Vives MV. Effects of music learning and piano practice on cognitive function, mood and quality of life in older adults. *Front Psychol* 2013;4:810.
- Sholeh, M. 2003. *Pengaruh Shalat Tahajud Terhadap Peningkatan Respons Ketahanan Tubuh Imunologik: Suatu Pendekatan Psikoneuroimunologi tahun 2000*. Surabaya: Fakultas Kedokteran Universitas Airlangga.
- Skoog J, Backman K, Ribbe M, et al., (2017). “A Longitudinal Study of the Mini-Mental State Examination in Late Nonagenarians and Its Relationship with Dementia, Mortality and Education”. *The American Geriatrics Society*.
- Skup M, Zhu H, Wang Y, Giovanello KS, Lin JA, Shen D, Shi F, Gao W, Lin W, Fan Y, Zhang H, Alzheimer’s Disease Neuroimaging Initiative (2011) Sex differences in grey matter atrophy patterns among AD and aMCI patients: Results from ADNI. *Neuroimage* 56, 890-906.
- Smalbrugge.M., Jongenelis.L., Pot.A.M., Eefsting.J.A., Ribbe.M.W., Beekman.A.T., 2006. Incidence and outcome of depressive symptoms in nursing home patients in the Netherlands. *Am. J. Geriatr. Psychiatry* 14, 1069–1076.
- Snowdon.J., Donnelly.N., 1986. A study of depression in nursing homes. *J. Psychiatr. Res.* 20, 327–333.
- Sollberger, M., Stanley, C.M., Wilson, S.M., Gyurak, A., Beckman, V., Growdon, M., & Rankin, K.P. (2009). Neural basis of interpersonal traits in neurodegenerative diseases. *Neuropsychologia*, 47(13), 2812–2827. doi: 10.1016/j.neuropsychologia.2009.06.006
- Stanley M, Patricia GB.2006. *Buku Ajar Keperawatan Gerontik. Edisi 2*. Jakarta: EGC.
- Steptoe, A., Shankar, A., Demakakos, P., & Wardle, J. (2013). Social isolation,

- loneliness, and all-cause mortality in older men and women. *Proceedings of the National Academy of Sciences of the United States of America*, 110(15), 5797–5801. doi: 10.1073/pnas.1219686110
- Stern Y, Gurland B, Tatemichi TK, et al. Influence of education and occupation on the incidence of Alzheimer's disease. *Jama* 1994;271:1004–10.
- Taki Y, Goto R, Evans A, Zijdenbos A, Neelin P, Lerch J, Sato K, Ono S, Kinomura S, Nakagawa M, Sugiura M, Watanabe J, Kawashima R, Fukuda H (2004) Voxel-based morphometry of human brain with age and cerebrovascular risk factors. *Neurobiology Aging* 25, 455-463.
- Tamher, S. dan Noorkasiani. (2009). *Kesehatan Usia Lanjut dengan Pendekatan Asuhan Keperawatan*. Jakarta: Salemba Medika.
- Tangney CC, Li H, Wang Y et al. Relation of DASH- and Mediterranean-like dietary patterns to cognitive decline in older persons. *Neurology* 2014; 83: 1410–6.
- Taylor, S.E., Klein, L.C., Lewis, B.P., Gruenewald, T.L., Gurung, R.A., & Updegraff, J.A. (2000). Biobehavioral responses to stress in females: Tend-and-befriend, not fight-or-flight. *Psychological Review*, 107(3), 411.
- Taylor WD, McQuoid DR, Payne ME, Zannas AS, MacFall JR, Steffens DC. Hippocampus atrophy and the longitudinal course of late-life depression. *Am J Geriatr Psychiatry* 2014; 22: 1504–1512.
- Teppo Sarkamo (2017). “Cognitive, emotional, and neural benefits of musical leisure activities in aging and neurological rehabilitation: A critical review”. *Annals of Physical and Rehabilitation Medicine*.
- Thompson RG, Moulin CJ, Hayre S, Jones RW. Music enhances category fluency in healthy older adults and Alzheimer's disease patients. *Exp Aging Res* 2005;31:91–9.
- Tilvis, R.S., Kahonen-Vare, M.H., Jolkonen, J., Valvanne, J., Pitkala, K.H., & Strandberg, T.E. (2004). Predictors of cognitive decline and mortality of aged people over a 10-year period. *Journals of Gerontology Series A Biological Sciences and Medical Sciences*, 59(3), 268–274.

- T. L. Greer, B. D. Grannemann, M. Chansard, A. I. Karim, and M. H. Trivedi, “Dose-dependent changes in cognitive function with exercise augmentation for major depression: results from the TREAD study,” *European Neuropsychopharmacology*, vol. 25, no. 2, pp. 248–256, 2015.
- Van Laere, K., Versijpt, J., Audenaert, K., Koole, M., Goethals, I., Achter, E., et al., 2001. 99mTc-EVD brain perfusion SPET: variability, asymmetry and effects of age and gender in Health adults. *Eur. J. Nucl. Med.* 28, 8680–8685.
- Vauzour D, Martinsen A, Layé S. Neuroinflammatory processes in cognitive disorders: is there a role for flavonoids and n-3 polyunsaturated fatty acids in counteracting their detrimental effects? *Neurochem Int* 2015; 89: 63–74.
- Verghese J, Lipton RB, Katz MJ, Hall CB, Derby CA, Kuslansky G, et al. Leisure activities and the risk of dementia in the elderly. *N Engl J Med* 2003;348: 2508–16.
- Victor, C.R., Scambler, S., Bowling, A., & Bond, J. (2005). The prevalence of and risk factors for, loneliness in later life: A survey of older people in Great Britain. *Ageing & Society*, 25, 357–375. doi: 10.1017/S0144686x04003332
- Vina J, Lloret A (2010) Why women have more Alzheimer's disease than men: Gender and mitochondrial toxicity of amyloid-beta peptide. *J Alzheimers Disease* 20 (Suppl 2), S527-S533.
- Wilson, R.S., Krueger, K.R., Arnold, S.E., Schneider, J.A., Kelly, J.F., Barnes, L. L., & Bennett, D.A. (2007). Loneliness and risk of Alzheimer disease. *Archives Of General Psychiatry*, 64(2), 234–240.
- Zatorre RJ, Salimpoor VN. From perception to pleasure: music and its neural substrates. *Proc Natl Acad Sci U S A* 2013;110:10430–7.
- Zebhauser, A., Hofmann-Xu, L., Baumert, J., Hafner, S., Lacruz, M.E., Emeny, R.T., & Ladwig, K.H. (2014). How much does it hurt to be lonely? Mental and physical differences between older men and

- women in the KORA-6 Z. ZHOU ET AL. Age Study. International Journal of Geriatric Psychiatry, 29(3), 245–252.doi: 10.1002/gps.3998
- Zendel BR, Alain C. Enhanced attention-dependent activity in the auditory cortex of older musicians. Neurobiol Aging 2014;35:55–63.
- Zentner M, Grandjean D, Scherer KR. Emotions evoked by the sound of music: characterization, classification, and measurement. Emotion 2008;8:494–521.