

## DAFTAR PUSTAKA

- Achar S, Kundu S, Norcross W. (2005). *Diagnosis of acute coronary syndrome*. Am Fam Physician 72:119-26.
- Anker SD, Leyva F, Poole-Wilson PA, Kox WJ, Stevenson JC, Coats AJ. *Relation between serum uric acid and lower limb blood flow in patients with chronic heart failure*. Heart. 1997;78(1):39-43.
- Alwi, Idrus. (2009). *Infark Miokard Akut dengan Elevasi ST*. Jakarta Pusat: InternaPublishing.
- Anderson, Jeffrey L. ACC/AHA 2007 *Guidelines for The Management of Patients With Unstable Angina/Non-ST Elevation Myocardial Infarction*. A Report of The American College of Cardiology/ American Heart Association Task Force on Practice Guidelines. In: Circulation. 2007.p.148-205
- Antman E, Anbe D, Armstrong P, et al. (2004). *ACC/AHA guidelines for the management of patients with ST elevation myocardial infarction. A report of the American College of cardiology/ American Heart Assosiation task force inpractice guidelines*. Am Coll Cardiol J 44 (suppl I) :1-212
- Atman, E.M., Braunwald E. *ST-Segment Elevation Myocardial Infarction*. In: Kasper, Dennis L, eds. Harrison's Principles of Internal Medicine. 16<sup>th</sup> edition. USA: McGraw-Hill Companies. 2007. Hal. 1449-55
- Berne, M. (1980), “ *The role of adenosine in the regulation of coronary blood flow*”, Circulation Research, Vol.47,807-813.
- Berry CE and JM Hare. (2004). *Xanthine Oxidoreductase and Cardiovascular Disease: Molecular Mechanism and Pathophysiological Implications*. Am JPhysiol, pp: 589-606.
- Bertrand ME Simoons ML Fox KAA Wallentin LC et al. *Management Of Acute Coronary Syndrome In Patiens Presenting Without Persistent StSegment Elevation*. European Heart Journal 2002; 23: 1406 – 1432, 1809-1840.
- Brown CT. *Penyakit aterosklerotik koroner*. In: *Patofisiologi: Konsep Klinis proses-proses Penyakit Volume 1* (6th ed). Jakarta: EGC. 2005;576-87.
- C Chrysohoou , DB Panagiotakos , C Pitsavos , et al. (2003) *Gender differences on the risk evaluation of acute coronary syndromes: the CARDIO2000 study*. Prev Cardiol 6, 71–77.

- Cantu-Medellin N, Kelley EE. *Xanthine oxidoreductase-catalyzed reactive species generation: A process in critical need of reevaluation.* Redox biology. 2013;1(1):353-8.
- Castelli, P; Condemi, AM; Brambillasca, C; Fundaro,P; Botta, M; Lemma, M; Vanelli, P; Santoli,C; Gatti, S and Riva, E (1995), “*Improvement of cardiac function by allupurinol in patients undergoing cardiac surgery*”, Journal of Cardiovascular Pharmacology, Vol. 25, 119-125.
- Costa, F; Sulur, P; Angel, M; Cavalcate, J; Haile, V; Christman, B and Biaggioni, I (1999), “*Intravascular source of adenosine during forearm ischemia in humans implications for reactive hyperemia*”, Hypertension, Vol. 33, 1453-1457.
- Departmen Kesehatan. *Pharmaceutical Care untuk Pasien Penyakit Jantung Koroner : Fokus Acute coronary sindrom.* Jakarta: Direktorat Bina Farmasi Komunitas dan Klinik Ditjen Bina Kefarmasanian dan Alat Kesehatan Departemen Kesehatan RI. (2006). Hal 1-101
- Departemen Kesehatan RI. (2008). Riset Kesehatan Dasar 2007.
- Diaz MN, Frei B, Vita JA, Keaney JF. (1997). *Antioxidants and atherosclerosis heart disease.* N Engl J Med ;337(6):408-416.
- Emmerson, BT (1996), “*The management of Gout*”, New England Journal of Medicine, Vol. 334,445-451.
- Feig DI, Duk HK, JohnsonRJ. (2008). *Uric Acid and Cardiovascular Risk.* NEJM;359:1811-21.
- Francis H. McCrudden, (2000). *Uric Acid.* Penterjemah Suseno Akbar, Salemba Medika: Yogyakarta
- Fredholm,BB and Sollevi, A (1986), “*Cardiovascular effects of adenosine* “, Metabolism, Vol. 30,616-634.
- Gertler MM, Garn SM, Levine SA. (1951). *Serum uric acid in relation to age and physique in health and in coronary heart disease.* Ann Intern Med.;34:1421-1431.
- Gur M, Yilmaz R, Demirbag R, Aksoy N. *Relation of serum uric acid levels with the presence and severity of angiographic coronary artery disease.* Angiology 2008; 59(Suppl 2):166-71.

- Hamm W, Heeschen C, Falk E, Fox K. (2004). *Acute coronary syndrome : Pathophysiology, Diagnosis and risk stratification*.Elsevier, p.333-367.
- Hansson GK. (2005). *Inflammation, Atherosclerosis, and Coronary Artery Disease*.N Engl J Med; 352 (16): 1685-95.
- Hidayat, A., Aziz, A. (2007). *Metode Penelitian Keperawatan dan teknik Analisa Data*. Penerbit: Salemba Medika.
- Hooper DC, Scott GS, Zborek A, Mkheeva T, Kean RB, Koprowski H, et al. *Uric acid, a peroxynitrite scavenger, inhibits CNS inflammation, blood-CNS barrier permeability changes, and tissue damage in a mouse model of multiple sclerosis*. FASEB J. 2000;14:691– 698.
- Ismail D. (2001). Patofisiologi Sindroma Koroner Akut. Dalam : Bawazier LA, Alwi I,Syam AF dkk. Editors. *Prosiding Simposium Pendekatan Holistik Penyakit.Kardiovaskuler*. Jakarta : Pusat Informasi dan Penerbitan Bagian IlmuPenyakit Dalam FK UI ; 2001.hal.22
- Ishizaka N, Ishizaka Y, Toda EI, Nagai R, Yamakado M. *Association between serum uric acid, metabolic syndrome, and carotid atherosclerosis in Japanese individuals*. Arteriosclerosis, thrombosis, and vascular biology. 2005;25(5):1038-44.
- Kang DH, Ha SK. Uric Acid Puzzle: *Dual Role as Anti-oxidant and Pro-oxidant*. *Electrolytes & Blood Pressure*. 2014;12(1):1- 6.
- Kim SY, Guevara JP, Kim KM, Choi HK, Heitjan DF, Albert DA. (2010). *Hyperuricemia and coronary heart disease: a systematic review and meta-analysis*. Arthritis CareRes.;62(2):170-180. doi:10.1002/acr.20065.
- Kojima S, Sakamoto T, Ishihara M, et al. (2005). *Prognostic usefulness of serum uric acid after acute myocardial infarction (Japanese Acute coronary Syndrome Study)*. Am J Cardiol;96:489-95.
- Krishnan E, Svendson K, Neaton JD, Grandits G, Kuller LH. (2008). *Long-term Cardiovascular Mortality Among Middle-aged Men with Gout*. Arch Intern Med.;168(10):1104-10.
- Levine G, Eric R, James C et al. (2011). ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention : *A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions*. Circulation.124:1-82.

- Li Chen, Xian-lin Li, Qiao W, Ying Z, Qin Y-L, Wang Y, Zeng Y-J, Ke Y-n. (2012). *Serum uric acid in patients with acute ST-elevation myocardial infarction.* Word J Emerg Med, Vol 3, No 1.
- Madjid, Abdul. Penyakit Jantung Koroner: *Patofisiologi, Pencegahan, dan Pengobatan Terkini.* Medan:Universitas Sumatra Utara. 2007.Hal 1-10.
- Mandell, Brian F. (2008). Cleveland Clinic Journal of Medicine: *Clinical manifestations of hyperuricemia and gout. Department of Rheumatic and Immunologic Diseases, Center for Vasculitis Care and Research,* Cleveland Clinic: Cleveland, OH
- McCaig LF, Burt CW. (2001). *National Hospital Ambulatory Medical Care Survey: 1999 emergency department summary.* Adv.Data 320, 1–34.
- Messner B, Bernhard D. *Smoking and cardiovascular disease: mechanisms of endothelial dysfunction and early atherogenesis.* ATVB AHA Journal. 2014;34;509-15
- Murray Robert K, Granner Daryl K, Rodwell Victir W. (2006). Harper's: *Illustrated Biochemistry.* 27 Edition. McGraw Hill, Lange : Boston, Burridge, Il dubuque, La madison, WL, New York, San Francisco, St. Louis, Bangkok, Bogota, Caracas, Kuala Lumpur, Lisbon, London, Madrid,Mexico City, Milan, Montreal, New Delhi, Santiago, Seoul, Singapore,Sydney, Taipe, Toronto.
- Nawawi RA., Fitriani, dkk. *Nilai Troponin T (cTnT) Penderita Acute coronary sindrom (ACS).* 2005. Hal 123-4.
- Notoatmodjo. (2005). *Metodologi Penelitian Kesehatan.* Jakarta: Rineka Cipta.
- Nursalam. (2013). *Konsep & Penerapan Metodologi Penelitian Ilmu Keperawatan: Pedoman Skripsi, Tesis, dan Instrumen Penelitian Keperawatan.* Jakarta: Salemba Medika
- Packard R.R.S, Libby P. (2008).*Inflammation in atherosclerosis: from vascular biology to biomarker discovery and risk prediction.*Clinical Chemistry 54: 24-38.
- Ramadhani BYS, Rotty LWA, Wantania F. (2010) *Gambaran hematologi pada pasein sindrom koroner akut yang dirawat di BLU RSUP Prof. Dr. R. D. Kandou Manado.* Journal e-Biomedik. 2013;1:12-6

- Rauch U, Osende JI, Fuster V, et al. (2001). *Thrombus Formation on Atherosclerotic Plaques:Pathogenesis and Clinical Consequences*. Ann Intern Med134 : 224-38.
- Sastroasmoro, S., (2014). *Dasar-Dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto, pp.99-100.
- Spahic, E., Hasic, S., Kiseljakovic, E., Resic, H., Kulic, M., "Positive correlation between uric acid and C-reactive protein serum level in healthy individuals and patients with acute coronary syndrome".
- Steele, TH (1999), :*Hyperuricemic nephropathies*", Nephrology, Vol.81,45-49.
- Stefanus, E.I, Arthritiss Gout, In Buku Ajar Ilmu Penyakit Dalam, Pusat Penerbitan Ilmu Penyakit Dalam FK UI, Jakarta, 2006: 1218 – 20.
- Ter Arkh .(2011). *Clinical implicationof endothelial dysfunction in patients with essential arterial Hypertension and urate dysbolism with renal damage*. ;83(10):36-40. [Article in Russian]
- Therax P, Foster V. (1998). *Acute Coronary Syndrome: Unstable Angina and non QWave Myocard Infarction*. Circulation 97: 1195-1206.
- Thygesen K., Alpert JS., White HD. *Universal Definition of Myocardial Infarction on Behalf of The Joint ESC/ACCF/AHA/WHF Task Force for The Redefinition of Myocardial Infarction*. In Circulation. 2007;116. P.2634-44.
- Waring, WS; Webb, DJ and Maxwell, SRJ (2000), " *Uric acid as a risk factor for cardiovascular disease*", Qutar Journal of Medicine, Vol. 93, 707-713.
- Weir CJ, Muir SW, Walters MR, Lees KR. *Serum urate as an independent predictor of poor outcome and future vascular events after acute stroke*. 2003;34(8):1951-6.
- World Health Organization. *Deaths from Coronary Heart Disease*. (2013). Available from <http://www.who.int/mediacentre/factsheets/fs310/en/index.html>.
- Wright RS, Cynthia DA, Jeffrey LA et al. (2011). *ACCF/AHA Focused Update of the Guidelines for the Management of Patients With Unstable Angina/Non-ST-Elevation Myocardial Infarction (Updating the 2007 Guideline)*.J. Am. Coll. Cardiol.57;1920-1959.

Zafar, M., et al. (2014). “Association of hyperuricemia with acute coronary syndrome”.