

LAMPIRAN

Frequency Table

Jenis kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pria	35	35.0	35.0	35.0
	Wanita	65	65.0	65.0	100.0
	Total	100	100.0	100.0	

Status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Menikah	76	76.0	76.0	76.0
	Belum Menikah	24	24.0	24.0	100.0
	Total	100	100.0	100.0	

Umur

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18-25 tahun	14	14.0	14.0	14.0
	26-35 tahun	47	47.0	47.0	61.0
	36-46 tahun	39	39.0	39.0	100.0
	Total	100	100.0	100.0	

Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Lulus SD	13	13.0	13.0	13.0
	Lulus SMP	11	11.0	11.0	24.0
	Lulus SMU	66	66.0	66.0	90.0
	Lulus PT	10	10.0	10.0	100.0
	Total	100	100.0	100.0	

Pekerjaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pelajar/mahasiswa	11	11.0	11.0	11.0
	Pegawai swasta	15	15.0	15.0	26.0
	Pegawai negeri	5	5.0	5.0	31.0
	Wiraswasta	52	52.0	52.0	83.0
	Pedagang	17	17.0	17.0	100.0
	Total	100	100.0	100.0	

Hasil uji regresi

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	LnHbs, LnTpk, LnPx	.	Enter

a. All requested variables entered.

b. Dependent Variable: LnQdx

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.744 ^a	.553	.539	.262600

a. Predictors: (Constant), LnHbs, LnTpk, LnPx

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	8.197	3	2.732	39.622	.000 ^a
	Residual	6.620	96	.069		
	Total	14.817	99			

a. Predictors: (Constant), LnHbs, LnTpk, LnPx

b. Dependent Variable: LnQdx

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1.140	1.617		.705	.483
	LnPx	-.431	.127	-.250	-3.391	.001
	LnTpk	.486	.056	.590	8.602	.000
	LnHbs	-.229	.072	-.235	-3.190	.002

a. Dependent Variable: LnQdx

Uji normalitas

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		100
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	.25801160
Most Extreme Differences	Absolute	.055
	Positive	.055
	Negative	-.053
Kolmogorov-Smirnov Z		.546
Asymp. Sig. (2-tailed)		.927

a. Test distribution is Normal.

b. Calculated from data.

Uji autokorelasi dan multikolinearitas

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	LnHbs, LnTpk _a , LnPx	.	Enter

a. All requested variables entered.

b. Dependent Variable: LnQdx

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.744 ^a	.553	.539	.262600	2.052

a. Predictors: (Constant), LnHbs, LnTpk, LnPx

b. Dependent Variable: LnQdx

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	8.197	3	2.732	39.622	.000 ^a
	Residual	6.620	96	.069		
	Total	14.817	99			

a. Predictors: (Constant), LnHbs, LnTpk, LnPx

b. Dependent Variable: LnQdx

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VF
1	(Constant)	1.140	1.617		.705	.483		
	LnPx	-.431	.127	-.250	-3.391	.001	.855	1.169
	LnTpk	.486	.056	.590	8.602	.000	.991	1.009
	LnHbs	-.229	.072	-.235	-3.190	.002	.860	1.163

a. Dependent Variable: LnQdx

Uji Heteroskedastisitas (Uji Park)

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	LnHbs , LnTpk _a , LnPx	.	Enter

a. All requested variables entered.

b. Dependent Variable: Lne²

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.151 ^a	.023	-.008	2.29962

a. Predictors: (Constant), LnHbs, LnTpk, LnPx

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	11.876	3	3.959	.749	.526 ^a
	Residual	507.671	96	5.288		
	Total	519.547	99			

a. Predictors: (Constant), LnHbs, LnTpk, LnPx

b. Dependent Variable: Lne²

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-19.060	14.164		-1.346	.182
	LnPx	1.581	1.113	.155	1.421	.159
	LnTpk	-.060	.495	-.012	-.122	.903
	LnHbs	-.096	.628	-.017	-.153	.879

a. Dependent Variable: Lne²