

```

GET
  FILE='D:\spss buah lokal.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
CROSSTABS
  /TABLES=JK Usia Status Pendidikan Pekerjaan Pendapatan JAK BY Rasa
  Warkul Tekstur Ukuran Kesegaran Harga Keamanan
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
  /CELLS= COUNT
  /COUNT ROUND CELL .

```

## Crosstabs

[DataSet1] D:\spss buah lokal.sav

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Jenis Kelamin * Preferensi Rasa	42	100,0%	0	,0%	42	100,0%
Jenis Kelamin * Preferensi Warna Kulit	42	100,0%	0	,0%	42	100,0%
Jenis Kelamin * Preferensi Tekstur	42	100,0%	0	,0%	42	100,0%
Jenis Kelamin * PreferensuUkuran	42	100,0%	0	,0%	42	100,0%
Jenis Kelamin * Preferensi Kesegaran	42	100,0%	0	,0%	42	100,0%
Jenis Kelamin * Preferensi Harga	42	100,0%	0	,0%	42	100,0%
Jenis Kelamin * Preferensi Keamanan	42	100,0%	0	,0%	42	100,0%
Kelompok Usia * Preferensi Rasa	42	100,0%	0	,0%	42	100,0%
Kelompok Usia * Preferensi Warna Kulit	42	100,0%	0	,0%	42	100,0%
Kelompok Usia * Preferensi Tekstur	42	100,0%	0	,0%	42	100,0%
Kelompok Usia * PreferensuUkuran	42	100,0%	0	,0%	42	100,0%
Kelompok Usia * Preferensi Kesegaran	42	100,0%	0	,0%	42	100,0%
Kelompok Usia * Preferensi Harga	42	100,0%	0	,0%	42	100,0%

Kelompok Usia * Preferensi Keamanan	42	100,0%	0	,0%	42	100,0%
Status Pernikahan * Preferensi Rasa	42	100,0%	0	,0%	42	100,0%
Status Pernikahan * Preferensi Warna Kulit	42	100,0%	0	,0%	42	100,0%
Status Pernikahan * Preferensi Tekstur	42	100,0%	0	,0%	42	100,0%
Status Pernikahan * PreferensuUkuran	42	100,0%	0	,0%	42	100,0%
Status Pernikahan * Preferensi Kesegaran	42	100,0%	0	,0%	42	100,0%
Status Pernikahan * Preferensi Harga	42	100,0%	0	,0%	42	100,0%
Status Pernikahan * Preferensi Keamanan	42	100,0%	0	,0%	42	100,0%
Pendidikan Terakhir * Preferensi Rasa	42	100,0%	0	,0%	42	100,0%
Pendidikan Terakhir * Preferensi Warna Kulit	42	100,0%	0	,0%	42	100,0%
Pendidikan Terakhir * Preferensi Tekstur	42	100,0%	0	,0%	42	100,0%
Pendidikan Terakhir * PreferensuUkuran	42	100,0%	0	,0%	42	100,0%
Pendidikan Terakhir * Preferensi Kesegaran	42	100,0%	0	,0%	42	100,0%
Pendidikan Terakhir * Preferensi Harga	42	100,0%	0	,0%	42	100,0%
Pendidikan Terakhir * Preferensi Keamanan	42	100,0%	0	,0%	42	100,0%
Kelompok Pekerjaan * Preferensi Rasa	42	100,0%	0	,0%	42	100,0%
Kelompok Pekerjaan * Preferensi Warna Kulit	42	100,0%	0	,0%	42	100,0%
Kelompok Pekerjaan * Preferensi Tekstur	42	100,0%	0	,0%	42	100,0%
Kelompok Pekerjaan * PreferensuUkuran	42	100,0%	0	,0%	42	100,0%
Kelompok Pekerjaan * Preferensi Kesegaran	42	100,0%	0	,0%	42	100,0%
Kelompok Pekerjaan * Preferensi Harga	42	100,0%	0	,0%	42	100,0%
Kelompok Pekerjaan * Preferensi Keamanan	42	100,0%	0	,0%	42	100,0%
Kelompok Pendapatan * Preferensi Rasa	42	100,0%	0	,0%	42	100,0%

Kelompok Pendapatan * Preferensi Warna Kulit	42	100,0%	0	,0%	42	100,0%
Kelompok Pendapatan * Preferensi Tekstur	42	100,0%	0	,0%	42	100,0%
Kelompok Pendapatan * Preferensi Ukuran	42	100,0%	0	,0%	42	100,0%
Kelompok Pendapatan * Preferensi Kesegaran	42	100,0%	0	,0%	42	100,0%
Kelompok Pendapatan * Preferensi Harga	42	100,0%	0	,0%	42	100,0%
Kelompok Pendapatan * Preferensi Keamanan	42	100,0%	0	,0%	42	100,0%
Jumlah Anggota Keluarga * Preferensi Rasa	42	100,0%	0	,0%	42	100,0%
Jumlah Anggota Keluarga * Preferensi Warna Kulit	42	100,0%	0	,0%	42	100,0%
Jumlah Anggota Keluarga * Preferensi Tekstur	42	100,0%	0	,0%	42	100,0%
Jumlah Anggota Keluarga * Preferensi Ukuran	42	100,0%	0	,0%	42	100,0%
Jumlah Anggota Keluarga * Preferensi Kesegaran	42	100,0%	0	,0%	42	100,0%
Jumlah Anggota Keluarga * Preferensi Harga	42	100,0%	0	,0%	42	100,0%
Jumlah Anggota Keluarga * Preferensi Keamanan	42	100,0%	0	,0%	42	100,0%

## Jenis Kelamin \* Preferensi Rasa

### Crosstab

Count

		Preferensi Rasa					Total
		Masam	Masam Segar	Manis Masam	Manis	Manis Segar	Masam
Jenis Kelamin	Perempuan	1	1	12	3	13	30
	Laki-laki	0	2	5	1	4	12
Total		1	3	17	4	17	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,776(a)	4	,596
Likelihood Ratio	2,790	4	,594
Linear-by-Linear Association	,532	1	,466
N of Valid Cases	42		

a. 8 cells (80,0%) have expected count less than 5. The minimum expected count is ,29.

### Jenis Kelamin \* Preferensi Warna Kulit

#### Crosstab

Count

		Preferensi Warna Kulit					Total
		Hijau	Hijau Kekuningan	Hijau Merah	Merah	Merah Kenuningan	
Jenis Kelamin	Perempuan	10	8	9	1	2	30
	Laki-laki	5	3	4	0	0	12
Total		15	11	13	1	2	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,407(a)	4	,843
Likelihood Ratio	2,220	4	,695
Linear-by-Linear Association	,717	1	,397
N of Valid Cases	42		

a. 7 cells (70,0%) have expected count less than 5. The minimum expected count is ,29.

## Jenis Kelamin \* Preferensi Tekstur

### Crosstab

Count

		Preferensi Tekstur				Total
		Lunak	Renyah	Padat	Sangat Padat	Lunak
Jenis Kelamin	Perempuan	3	10	15	2	30
	Laki-laki	1	6	4	1	12
Total		4	16	19	3	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,210(a)	3	,751
Likelihood Ratio	1,210	3	,751
Linear-by-Linear Association	,195	1	,659
N of Valid Cases	42		

a. 5 cells (62,5%) have expected count less than 5. The minimum expected count is ,86.

## Jenis Kelamin \* PreferensuUkuran

### Crosstab

Count

		PreferensuUkuran				Total
		Sangat Kecil	Kecil	Sedang	Besar	Sangat Kecil
Jenis Kelamin	Perempuan	1	5	19	5	30
	Laki-laki	0	0	9	3	12
Total		1	5	28	8	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,887(a)	3	,409
Likelihood Ratio	4,505	3	,212
Linear-by-Linear Association	2,076	1	,150
N of Valid Cases	42		

a. 5 cells (62,5%) have expected count less than 5. The minimum expected count is ,29.

### Jenis Kelamin \* Preferensi Kesegaran

#### Crosstab

Count

		Preferensi Kesegaran			Total
		Cukup Segar	Segar	Sangat Segar	Cukup Segar
Jenis Kelamin	Perempuan	9	17	4	30
	Laki-laki	3	8	1	12
Total		12	25	5	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,399(a)	2	,819
Likelihood Ratio	,411	2	,814
Linear-by-Linear Association	,000	1	1,000
N of Valid Cases	42		

a. 3 cells (50,0%) have expected count less than 5. The minimum expected count is 1,43.

### Jenis Kelamin \* Preferensi Harga

#### Crosstab

Count

		Preferensi Harga				Total
		Mahal	Cukup Murah	Murah	Sangat Murah	Mahal
Jenis Kelamin	Perempuan	1	24	5	0	30
	Laki-laki	3	5	3	1	12
Total		4	29	8	1	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8,862(a)	3	,031
Likelihood Ratio	8,509	3	,037
Linear-by-Linear Association	,026	1	,872
N of Valid Cases	42		

a 5 cells (62,5%) have expected count less than 5. The minimum expected count is ,29.

## Jenis Kelamin \* Preferensi Keamanan

### Crosstab

Count

		Preferensi Keamanan			Total
		Netral	Aman	Sangat Aman	Netral
Jenis Kelamin	Perempuan	8	16	6	30
	Laki-laki	6	3	3	12
Total		14	19	9	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3,021(a)	2	,221
Likelihood Ratio	3,102	2	,212
Linear-by-Linear Association	,527	1	,468
N of Valid Cases	42		

a 2 cells (33,3%) have expected count less than 5. The minimum expected count is 2,57.

## Kelompok Usia \* Preferensi Rasa

### Crosstab

Count

		Preferensi Rasa					Total
		Masam	Masam Segar	Manis Masam	Manis	Manis Segar	Masam
Kelompok Usia	17-44	1	1	10	2	11	25
	31-44	0	1	3	2	4	10
	45-58	0	1	4	0	2	7
Total		1	3	17	4	17	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4,595(a)	8	,800
Likelihood Ratio	5,281	8	,727
Linear-by-Linear Association	,473	1	,491
N of Valid Cases	42		

a. 13 cells (86,7%) have expected count less than 5. The minimum expected count is ,17.

## Kelompok Usia \* Preferensi Warna Kulit

### Crosstab

Count

		Preferensi Warna Kulit					Total
		Hijau	Hijau Kekuningan	Hijau Merah	Merah	Merah Kenuningan	Hijau
Kelompok Usia	17-44	8	7	8	0	2	25
	31-44	6	2	1	1	0	10
	45-58	1	2	4	0	0	7
Total		15	11	13	1	2	42



### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	10,379(a)	8	,239
Likelihood Ratio	10,964	8	,204
Linear-by-Linear Association	,006	1	,937
N of Valid Cases	42		

a 12 cells (80,0%) have expected count less than 5. The minimum expected count is ,17.

### Kelompok Usia \* Preferensi Tekstur

#### Crosstab

Count

		Preferensi Tekstur				Total
		Lunak	Renyah	Padat	Sangat Padat	Lunak
Kelompok Usia	17-44	3	9	12	1	25
	31-44	1	4	4	1	10
	45-58	0	3	3	1	7
Total		4	16	19	3	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,982(a)	6	,921
Likelihood Ratio	2,576	6	,860
Linear-by-Linear Association	,620	1	,431
N of Valid Cases	42		

a 10 cells (83,3%) have expected count less than 5. The minimum expected count is ,50.

## Kelompok Usia \* PreferensuUkuran

### Crosstab

Count

		PreferensuUkuran				Total
		Sangat Kecil	Kecil	Sedang	Besar	Sangat Kecil
Kelompok Usia	17-44	1	5	15	4	25
	31-44	0	0	9	1	10
	45-58	0	0	4	3	7
Total		1	5	28	8	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7,794(a)	6	,254
Likelihood Ratio	9,415	6	,152
Linear-by-Linear Association	4,110	1	,043
N of Valid Cases	42		

a. 10 cells (83,3%) have expected count less than 5. The minimum expected count is ,17.

## Kelompok Usia \* Preferensi Kesegaran

### Crosstab

Count

		Preferensi Kesegaran			Total
		Cukup Segar	Segar	Sangat Segar	Cukup Segar
Kelompok Usia	17-44	7	15	3	25
	31-44	1	8	1	10
	45-58	4	2	1	7
Total		12	25	5	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5,106(a)	4	,277
Likelihood Ratio	5,260	4	,262
Linear-by-Linear Association	,427	1	,514
N of Valid Cases	42		

a. 6 cells (66,7%) have expected count less than 5. The minimum expected count is ,83.

### Kelompok Usia \* Preferensi Harga

#### Crosstab

Count

		Preferensi Harga				Total
		Mahal	Cukup Murah	Murah	Sangat Murah	Mahal
Kelompok Usia	17-44	1	18	6	0	25
	31-44	2	7	1	0	10
	45-58	1	4	1	1	7
Total		4	29	8	1	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8,132(a)	6	,229
Likelihood Ratio	6,722	6	,347
Linear-by-Linear Association	,020	1	,886
N of Valid Cases	42		

a. 10 cells (83,3%) have expected count less than 5. The minimum expected count is ,17.

## Kelompok Usia \* Preferensi Keamanan

### Crosstab

Count

		Preferensi Keamanan			Total
		Netral	Aman	Sangat Aman	Netral
Kelompok Usia	17-44	8	12	5	25
	31-44	4	5	1	10
	45-58	2	2	3	7
Total		14	19	9	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,850(a)	4	,583
Likelihood Ratio	2,718	4	,606
Linear-by-Linear Association	,260	1	,610
N of Valid Cases	42		

a. 6 cells (66,7%) have expected count less than 5. The minimum expected count is 1,50.

## Status Pernikahan \* Preferensi Rasa

### Crosstab

Count

		Preferensi Rasa					Total
		Masam	Masam Segar	Manis Masam	Manis	Manis Segar	Masam
Status Pernikahan	Menikah	1	3	8	2	10	24
	Lajang	0	0	9	2	7	18
Total		1	3	17	4	17	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3,809(a)	4	,432
Likelihood Ratio	5,276	4	,260
Linear-by-Linear Association	,259	1	,611
N of Valid Cases	42		

a. 6 cells (60,0%) have expected count less than 5. The minimum expected count is ,43.

### Status Pernikahan \* Preferensi Warna Kulit

#### Crosstab

Count

		Preferensi Warna Kulit					Total
		Hijau	Hijau Kekuningan	Hijau Merah	Merah	Merah Kenuningan	Hijau
Status Pernikahan	Menikah	8	5	10	1	0	24
	Lajang	7	6	3	0	2	18
Total		15	11	13	1	2	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6,196(a)	4	,185
Likelihood Ratio	7,433	4	,115
Linear-by-Linear Association	,026	1	,871
N of Valid Cases	42		

a. 5 cells (50,0%) have expected count less than 5. The minimum expected count is ,43.

## Status Pernikahan \* Preferensi Tekstur

### Crosstab

Count

		Preferensi Tekstur				Total
		Lunak	Renyah	Padat	Sangat Padat	Lunak
Status Pernikahan	Menikah	3	10	9	2	24
	Lajang	1	6	10	1	18
Total		4	16	19	3	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,561(a)	3	,668
Likelihood Ratio	1,590	3	,662
Linear-by-Linear Association	,651	1	,420
N of Valid Cases	42		

a. 4 cells (50,0%) have expected count less than 5. The minimum expected count is 1,29.

## Status Pernikahan \* PreferensuUkuran

### Crosstab

Count

		PreferensuUkuran				Total
		Sangat Kecil	Kecil	Sedang	Besar	Sangat Kecil
Status Pernikahan	Menikah	1	1	17	5	24
	Lajang	0	4	11	3	18
Total		1	5	28	8	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3,806(a)	3	,283
Likelihood Ratio	4,255	3	,235
Linear-by-Linear Association	,479	1	,489
N of Valid Cases	42		

a 6 cells (75,0%) have expected count less than 5. The minimum expected count is ,43.

## Status Pernikahan \* Preferensi Kesegaran

### Crosstab

Count

		Preferensi Kesegaran			Total
		Cukup Segar	Segar	Sangat Segar	Cukup Segar
Status Pernikahan	Menikah	8	14	2	24
	Lajang	4	11	3	18
Total		12	25	5	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,058(a)	2	,589
Likelihood Ratio	1,061	2	,588
Linear-by-Linear Association	1,007	1	,316
N of Valid Cases	42		

a 2 cells (33,3%) have expected count less than 5. The minimum expected count is 2,14.

## Status Pernikahan \* Preferensi Harga

### Crosstab

Count

		Preferensi Harga				Total
		Mahal	Cukup Murah	Murah	Sangat Murah	Mahal
Status Pernikahan	Menikah	3	14	6	1	24
	Lajang	1	15	2	0	18
Total		4	29	8	1	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3,244(a)	3	,356
Likelihood Ratio	3,700	3	,296
Linear-by-Linear Association	,650	1	,420
N of Valid Cases	42		

a. 6 cells (75,0%) have expected count less than 5. The minimum expected count is ,43.

### Status Pernikahan \* Preferensi Keamanan

#### Crosstab

Count

		Preferensi Keamanan			Total
		Netral	Aman	Sangat Aman	Netral
Status Pernikahan	Menikah	9	10	5	24
	Lajang	5	9	4	18
Total		14	19	9	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	,459(a)	2	,795
Likelihood Ratio	,463	2	,793
Linear-by-Linear Association	,232	1	,630
N of Valid Cases	42		

a. 1 cells (16,7%) have expected count less than 5. The minimum expected count is 3,86.



## Pendidikan Terakhir \* Preferensi Rasa

### Crosstab

Count

		Preferensi Rasa					Total
		Masam	Masam Segar	Manis Masam	Manis	Manis Segar	Masam
Pendidikan Terakhir	SD	0	1	1	0	1	3
	SMP	0	0	3	0	4	7
	SMA	0	1	8	2	5	16
	D3-S3	1	1	5	2	7	16
Total		1	3	17	4	17	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7,931(a)	12	,790
Likelihood Ratio	8,273	12	,763
Linear-by-Linear Association	,009	1	,924
N of Valid Cases	42		

a. 16 cells (80,0%) have expected count less than 5. The minimum expected count is ,07.

## Pendidikan Terakhir \* Preferensi Warna Kulit

### Crosstab

Count

		Preferensi Warna Kulit					Total
		Hijau	Hijau Kekuningan	Hijau Merah	Merah	Merah Kenuningan	Hijau
Pendidikan Terakhir	SD	2	0	1	0	0	3
	SMP	1	3	2	0	1	7
	SMA	6	3	6	1	0	16
	D3-S3	6	5	4	0	1	16
Total		15	11	13	1	2	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8,117(a)	12	,776
Likelihood Ratio	9,644	12	,647
Linear-by-Linear Association	,049	1	,825
N of Valid Cases	42		

a 18 cells (90,0%) have expected count less than 5. The minimum expected count is ,07.

### Pendidikan Terakhir \* Preferensi Tekstur

#### Crosstab

Count

		Preferensi Tekstur				Total
		Lunak	Renyah	Padat	Sangat Padat	Lunak
Pendidikan Terakhir	SD	1	0	2	0	3
	SMP	0	2	4	1	7
	SMA	1	11	4	0	16
	D3-S3	2	3	9	2	16
Total		4	16	19	3	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	14,511(a)	9	,105
Likelihood Ratio	16,557	9	,056
Linear-by-Linear Association	,108	1	,742
N of Valid Cases	42		

a 12 cells (75,0%) have expected count less than 5. The minimum expected count is ,21.

## Pendidikan Terakhir \* PreferensiUkuran

### Crosstab

Count

		PreferensiUkuran				Total
		Sangat Kecil	Kecil	Sedang	Besar	Sangat Kecil
Pendidikan Terakhir	SD	0	0	3	0	3
	SMP	1	0	4	2	7
	SMA	0	1	14	1	16
	D3-S3	0	4	7	5	16
Total		1	5	28	8	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	15,354(a)	9	,082
Likelihood Ratio	15,491	9	,078
Linear-by-Linear Association	,060	1	,807
N of Valid Cases	42		

a. 14 cells (87,5%) have expected count less than 5. The minimum expected count is ,07.

## Pendidikan Terakhir \* Preferensi Kesegaran

### Crosstab

Count

		Preferensi Kesegaran			Total
		Cukup Segar	Segar	Sangat Segar	Cukup Segar
Pendidikan Terakhir	SD	1	2	0	3
	SMP	2	5	0	7
	SMA	6	9	1	16
	D3-S3	3	9	4	16
Total		12	25	5	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5,185(a)	6	,520
Likelihood Ratio	5,931	6	,431
Linear-by-Linear Association	2,252	1	,133
N of Valid Cases	42		

a 10 cells (83,3%) have expected count less than 5. The minimum expected count is ,36.

### Pendidikan Terakhir \* Preferensi Harga

#### Crosstab

Count

		Preferensi Harga				Total
		Mahal	Cukup Murah	Murah	Sangat Murah	Mahal
Pendidikan Terakhir	SD	1	2	0	0	3
	SMP	1	4	2	0	7
	SMA	1	12	3	0	16
	D3-S3	1	11	3	1	16
Total		4	29	8	1	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5,072(a)	9	,828
Likelihood Ratio	5,230	9	,814
Linear-by-Linear Association	1,627	1	,202
N of Valid Cases	42		

a 14 cells (87,5%) have expected count less than 5. The minimum expected count is ,07.

## Pendidikan Terakhir \* Preferensi Keamanan

### Crosstab

Count

		Preferensi Keamanan			Total
		Netral	Aman	Sangat Aman	Netral
Pendidikan Terakhir	SD	1	1	1	3
	SMP	2	3	2	7
	SMA	8	5	3	16
	D3-S3	3	10	3	16
Total		14	19	9	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4,723(a)	6	,580
Likelihood Ratio	4,681	6	,585
Linear-by-Linear Association	,007	1	,935
N of Valid Cases	42		

a. 8 cells (66,7%) have expected count less than 5. The minimum expected count is ,64.

## Kelompok Pekerjaan \* Preferensi Rasa

### Crosstab

Count

		Preferensi Rasa					Total
		Masam	Masam Segar	Manis Masam	Manis	Manis Segar	Masam
Kelompok Pekerjaan	Tidak Bekerja( Pelajar dan Mahasiswa)	0	0	5	2	2	9
	Karyawan Swasta	0	0	5	0	4	9
	Wiraswasta	1	2	6	1	8	18
	PNS,TNI, dan POLRI	0	1	1	1	2	5
	IRT	0	0	0	0	1	1
Total		1	3	17	4	17	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11,477(a)	16	,779
Likelihood Ratio	13,518	16	,635
Linear-by-Linear Association	,240	1	,624
N of Valid Cases	42		

a. 23 cells (92,0%) have expected count less than 5. The minimum expected count is ,02.

### Kelompok Pekerjaan \* Preferensi Warna Kulit

#### Crosstab

Count

		Preferensi Warna Kulit					Total
		Hijau	Hijau Kekuningan	Hijau Merah	Merah	Merah Kenuningan	Hijau
Kelompok Pekerjaan	Tidak Bekerja( Pelajar dan Mahasiswa)	3	3	3	0	0	9
	Karyawan Swasta	3	3	1	0	2	9
	Wiraswasta	6	3	8	1	0	18
	PNS,TNI, dan POLRI	2	2	1	0	0	5
	IRT	1	0	0	0	0	1
Total		15	11	13	1	2	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	14,230(a)	16	,582
Likelihood Ratio	13,900	16	,606
Linear-by-Linear Association	,322	1	,570
N of Valid Cases	42		

a. 23 cells (92,0%) have expected count less than 5. The minimum expected count is ,02.

## Kelompok Pekerjaan \* Preferensi Tekstur

### Crosstab

Count

		Preferensi Tekstur				Total
		Lunak	Renyah	Padat	Sangat Padat	Lunak
Kelompok Pekerjaan	Tidak Bekerja( Pelajar dan Mahasiswa)	1	4	4	0	9
	Karyawan Swasta	0	2	6	1	9
	Wiraswasta	3	7	7	1	18
	PNS,TNI, dan POLRI	0	2	2	1	5
	IRT	0	1	0	0	1
Total		4	16	19	3	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7,812(a)	12	,800
Likelihood Ratio	9,500	12	,660
Linear-by-Linear Association	,000	1	1,000
N of Valid Cases	42		

a. 18 cells (90,0%) have expected count less than 5. The minimum expected count is ,07.

## Kelompok Pekerjaan \* PreferensuUkuran

### Crosstab

Count

		PreferensuUkuran				Total
		Sangat Kecil	Kecil	Sedang	Besar	Sangat Kecil
Kelompok Pekerjaan	Tidak Bekerja( Pelajar dan Mahasiswa)	0	1	7	1	9
	Karyawan Swasta	0	2	4	3	9
	Wiraswasta	1	2	12	3	18
	PNS,TNI, dan POLRI	0	0	4	1	5
	IRT	0	0	1	0	1
Total		1	5	28	8	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5,508(a)	12	,939
Likelihood Ratio	6,537	12	,887
Linear-by-Linear Association	,012	1	,912
N of Valid Cases	42		

a 17 cells (85,0%) have expected count less than 5. The minimum expected count is ,02.

### Kelompok Pekerjaan \* Preferensi Kesegaran

#### Crosstab

Count

		Preferensi Kesegaran			Total
		Cukup Segar	Segar	Sangat Segar	Cukup Segar
Kelompok Pekerjaan	Tidak Bekerja( Pelajar dan Mahasiswa)	2	5	2	9
	Karyawan Swasta	0	7	2	9
	Wiraswasta	8	10	0	18
	PNS,TNI, dan POLRI	1	3	1	5
	IRT	1	0	0	1
Total	12	25	5	42	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11,517(a)	8	,174
Likelihood Ratio	15,610	8	,048
Linear-by-Linear Association	3,131	1	,077
N of Valid Cases	42		

a 11 cells (73,3%) have expected count less than 5. The minimum expected count is ,12.



## Kelompok Pekerjaan \* Preferensi Harga

### Crosstab

Count

		Preferensi Harga				Total
		Mahal	Cukup Murah	Murah	Sangat Murah	Mahal
Kelompok Pekerjaan	Tidak Bekerja( Pelajar dan Mahasiswa)	1	8	0	0	9
	Karyawan Swasta	0	5	3	1	9
	Wiraswasta	3	12	3	0	18
	PNS,TNI, dan POLRI	0	4	1	0	5
	IRT	0	0	1	0	1
Total		4	29	8	1	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	13,801(a)	12	,314
Likelihood Ratio	14,920	12	,246
Linear-by-Linear Association	,497	1	,481
N of Valid Cases	42		

a. 17 cells (85,0%) have expected count less than 5. The minimum expected count is ,02.

## Kelompok Pekerjaan \* Preferensi Keamanan

### Crosstab

Count

		Preferensi Keamanan			Total
		Netral	Aman	Sangat Aman	Netral
Kelompok Pekerjaan	Tidak Bekerja( Pelajar dan Mahasiswa)	2	4	3	9
	Karyawan Swasta	3	4	2	9
	Wiraswasta	8	6	4	18
	PNS,TNI, dan POLRI	1	4	0	5
	IRT	0	1	0	1
Total		14	19	9	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6,054(a)	8	,641
Likelihood Ratio	7,246	8	,510
Linear-by-Linear Association	,790	1	,374
N of Valid Cases	42		

a 13 cells (86,7%) have expected count less than 5. The minimum expected count is ,21.

### Kelompok Pendapatan \* Preferensi Rasa

#### Crosstab

Count

		Preferensi Rasa					Total
		Masam	Masam Segar	Manis Masam	Manis	Manis Segar	Masam
Kelompok Pendapatan	600.000-4.470.000	0	1	13	4	13	31
	4.480.000-8.350.000	1	2	3	0	2	8
	4.360.000-12.230.000	0	0	0	0	1	1
	12.240.000-16.110.000	0	0	0	0	1	1
	16.120.000-20.000.000	0	0	1	0	0	1
Total		1	3	17	4	17	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	14,485(a)	16	,563
Likelihood Ratio	14,050	16	,595
Linear-by-Linear Association	,289	1	,591
N of Valid Cases	42		

a 23 cells (92,0%) have expected count less than 5. The minimum expected count is ,02.

## Kelompok Pendapatan \* Preferensi Warna Kulit

### Crosstab

Count

		Preferensi Warna Kulit					Total
		Hijau	Hijau Kekuningan	Hijau Merah	Merah	Merah Kenuningan	Hijau
Kelompok Pendapatan	600.000-4.470.000	12	8	8	1	2	31
	4.480.000-8.350.000	3	2	3	0	0	8
	4.360.000-12.230.000	0	0	1	0	0	1
	12.240.000-16.110.000	0	1	0	0	0	1
	16.120.000-20.000.000	0	0	1	0	0	1
<b>Total</b>		<b>15</b>	<b>11</b>	<b>13</b>	<b>1</b>	<b>2</b>	<b>42</b>

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8,597(a)	16	,929
Likelihood Ratio	9,238	16	,903
Linear-by-Linear Association	,353	1	,552
N of Valid Cases	42		

a. 22 cells (88,0%) have expected count less than 5. The minimum expected count is ,02.

## Kelompok Pendapatan \* Preferensi Tekstur

### Crosstab

Count

		Preferensi Tekstur				Total
		Lunak	Renyah	Padat	Sangat Padat	Lunak
Kelompok Pendapatan	600.000-4.470.000	2	13	14	2	31
	4.480.000-8.350.000	2	2	3	1	8
	4.360.000-12.230.000	0	0	1	0	1
	12.240.000-16.110.000	0	0	1	0	1
	16.120.000-20.000.000	0	1	0	0	1
<b>Total</b>		<b>4</b>	<b>16</b>	<b>19</b>	<b>3</b>	<b>42</b>

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7,293(a)	12	,838
Likelihood Ratio	7,757	12	,804
Linear-by-Linear Association	,014	1	,906
N of Valid Cases	42		

a 18 cells (90,0%) have expected count less than 5. The minimum expected count is ,07.

### Kelompok Pendapatan \* PreferensUkuran

#### Crosstab

Count

		PreferensUkuran				Total
		Sangat Kecil	Kecil	Sedang	Besar	Sangat Kecil
Kelompok Pendapatan	600.000-4.470.000	0	3	23	5	31
	4.480.000-8.350.000	1	2	4	1	8
	4.360.000-12.230.000	0	0	1	0	1
	12.240.000-16.110.000	0	0	0	1	1
	16.120.000-20.000.000	0	0	0	1	1
Total		1	5	28	8	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	15,376(a)	12	,222
Likelihood Ratio	12,599	12	,399
Linear-by-Linear Association	1,036	1	,309
N of Valid Cases	42		

a 17 cells (85,0%) have expected count less than 5. The minimum expected count is ,02.

## Kelompok Pendapatan \* Preferensi Kesegaran

### Crosstab

Count

		Preferensi Kesegaran			Total
		Cukup Segar	Segar	Sangat Segar	Cukup Segar
Kelompok Pendapatan	600.000-4.470.000	9	18	4	31
	4.480.000-8.350.000	3	4	1	8
	4.360.000-12.230.000	0	1	0	1
	12.240.000-16.110.000	0	1	0	1
	16.120.000-20.000.000	0	1	0	1
Total		12	25	5	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,427(a)	8	,965
Likelihood Ratio	3,486	8	,900
Linear-by-Linear Association	,060	1	,807
N of Valid Cases	42		

a. 13 cells (86,7%) have expected count less than 5. The minimum expected count is ,12.

## Kelompok Pendapatan \* Preferensi Harga

### Crosstab

Count

		Preferensi Harga				Total
		Mahal	Cukup Murah	Murah	Sangat Murah	Mahal
Kelompok Pendapatan	600.000-4.470.000	1	25	5	0	31
	4.480.000-8.350.000	1	4	2	1	8
	4.360.000-12.230.000	0	0	1	0	1
	12.240.000-16.110.000	1	0	0	0	1
	16.120.000-20.000.000	1	0	0	0	1
Total		4	29	8	1	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	30,106(a)	12	,003
Likelihood Ratio	19,023	12	,088
Linear-by-Linear Association	1,763	1	,184
N of Valid Cases	42		

a. 17 cells (85,0%) have expected count less than 5. The minimum expected count is ,02.

## Kelompok Pendapatan \* Preferensi Keamanan

### Crosstab

Count

		Preferensi Keamanan			Total
		Netral	Aman	Sangat Aman	Netral
Kelompok Pendapatan	600.000-4.470.000	9	15	7	31
	4.480.000-8.350.000	4	3	1	8
	4.360.000-12.230.000	1	0	0	1
	12.240.000-16.110.000	0	1	0	1
	16.120.000-20.000.000	0	0	1	1
Total		14	19	9	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8,207(a)	8	,414
Likelihood Ratio	8,170	8	,417
Linear-by-Linear Association	,064	1	,801
N of Valid Cases	42		

a 12 cells (80,0%) have expected count less than 5. The minimum expected count is ,21.

### Jumlah Anggota Keluarga \* Preferensi Rasa

#### Crosstab

Count

		Preferensi Rasa					Total
		Masam	Masam Segar	Manis Masam	Manis	Manis Segar	Masam
Jumlah Anggota Keluarga	1-3	1	1	7	0	10	19
	4-6	0	2	9	4	7	22
	7-10	0	0	1	0	0	1
Total		1	3	17	4	17	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7,573(a)	8	,476
Likelihood Ratio	9,679	8	,288
Linear-by-Linear Association	,513	1	,474
N of Valid Cases	42		

a 11 cells (73,3%) have expected count less than 5. The minimum expected count is ,02.

## Jumlah Anggota Keluarga \* Preferensi Warna Kulit

### Crosstab

Count

		Preferensi Warna Kulit					Total
		Hijau	Hijau Kekuningan	Hijau Merah	Merah	Merah Kenuningan	Hijau
Jumlah Anggota Keluarga	1-3	3	6	8	1	1	19
	4-6	11	5	5	0	1	22
	7-10	1	0	0	0	0	1
Total		15	11	13	1	2	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7,924(a)	8	,441
Likelihood Ratio	8,920	8	,349
Linear-by-Linear Association	4,824	1	,028
N of Valid Cases	42		

a. 10 cells (66,7%) have expected count less than 5. The minimum expected count is ,02.

## Jumlah Anggota Keluarga \* Preferensi Tekstur

### Crosstab

Count

		Preferensi Tekstur				Total
		Lunak	Renyah	Padat	Sangat Padat	Lunak
Jumlah Anggota Keluarga	1-3	3	7	9	0	19
	4-6	0	9	10	3	22
	7-10	1	0	0	0	1
Total		4	16	19	3	42



### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	15,107(a)	6	,019
Likelihood Ratio	13,354	6	,038
Linear-by-Linear Association	,545	1	,460
N of Valid Cases	42		

a. 8 cells (66,7%) have expected count less than 5. The minimum expected count is ,07.

### Jumlah Anggota Keluarga \* PreferensuUkuran

#### Crosstab

Count

		PreferensuUkuran				Total
		Sangat Kecil	Kecil	Sedang	Besar	Sangat Kecil
Jumlah Anggota Keluarga	1-3	1	3	11	4	19
	4-6	0	2	16	4	22
	7-10	0	0	1	0	1
Total		1	5	28	8	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,463(a)	6	,873
Likelihood Ratio	3,122	6	,793
Linear-by-Linear Association	,401	1	,526
N of Valid Cases	42		

a. 10 cells (83,3%) have expected count less than 5. The minimum expected count is ,02.

## Jumlah Anggota Keluarga \* Preferensi Kesegaran

### Crosstab

Count

		Preferensi Kesegaran			Total
		Cukup Segar	Segar	Sangat Segar	Cukup Segar
Jumlah Anggota Keluarga	1-3	7	12	0	19
	4-6	5	12	5	22
	7-10	0	1	0	1
Total		12	25	5	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5,958(a)	4	,202
Likelihood Ratio	8,101	4	,088
Linear-by-Linear Association	3,372	1	,066
N of Valid Cases	42		

a. 5 cells (55,6%) have expected count less than 5. The minimum expected count is ,12.

## Jumlah Anggota Keluarga \* Preferensi Harga

### Crosstab

Count

		Preferensi Harga				Total
		Mahal	Cukup Murah	Murah	Sangat Murah	Mahal
Jumlah Anggota Keluarga	1-3	2	13	4	0	19
	4-6	2	15	4	1	22
	7-10	0	1	0	0	1
Total		4	29	8	1	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,410(a)	6	,965
Likelihood Ratio	2,061	6	,914
Linear-by-Linear Association	,072	1	,789
N of Valid Cases	42		

a. 10 cells (83,3%) have expected count less than 5. The minimum expected count is ,02.

### Jumlah Anggota Keluarga \* Preferensi Keamanan

#### Crosstab

Count

		Preferensi Keamanan			Total
		Netral	Aman	Sangat Aman	Netral
Jumlah Anggota Keluarga	1-3	7	9	3	19
	4-6	7	9	6	22
	7-10	0	1	0	1
Total		14	19	9	42

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,039(a)	4	,729
Likelihood Ratio	2,416	4	,660
Linear-by-Linear Association	,514	1	,474
N of Valid Cases	42		

a. 5 cells (55,6%) have expected count less than 5. The minimum expected count is ,21.