

Daftar Pustaka

- Adyatma, 1980. *Kebijaksanaan Pemberantasan Penyakit Parasit di Indonesia*. Cermin Dunia Kedokteran, 1-4.
- Agboola Deji, A.M., Busari, O.S., Osinupebi, O.A., Amoo, A.O.J., (2010). Seroprevalence of *Toxoplasma gondii* Antibodies among Pregnant Women Attending Antenatal Clinic of Federal Medical Center, Lagos, Nigeria. *Int J. Biol. Med. Res* ; 2(4) : 1135-1139.
- Barbosa IR, de Carvalho Xavier Holanda CM, de Andrade-Neto VF (2009). Toxoplasmosis screening and risk factors amongst pregnant females in Natal, northeastern Brazil. *Trans. R. Soc. Trop. Med. Hyg.* 103(4): 377-382.
- Beaver, P.C., 2000. *Text Book of Clinical Protozoology*, 1st Edn., Publication Teymorzadeh, pp: 92-120.
- Bobic B., D. Sibalic, Djurkovic - Djakovic O. 1991. Tingginya kadar IgM spesifik untuk *Toxoplasma gondii* pada kehamilan antibodi 12 tahun setelah infeksi primer toksoplasma. *Gynecologic dan Kebidanan Investigasi*, 31, 182-184.
- Centers for Disease Control and Prevention. Epidemiology and Risk Factors of Toksoplasmosis. Available at: www.cdc.gov/parasites/toxoplasmosis/epi.html
- Cornain, S ; Suryana E.J ; Sugiharto ; Jacob T.Z ; Rahman, I.A; Lubis, N.S dan Gusniarti N 1990 :Aspek Immunologi dan Pendekatan

Imunoterapi pada Infeksi Toxoplasma. Kumpulan Makalah Simposium Toxoplasmosis. Fakultas Kedokteran UI, Jakarta.

Cosme Alvarado-Esquivel , Olga-Patricia Alanis-Quifiones , Miguel Ángel-Arreola-Va², Alfredo Rodríguez-Briones , Jorge Luis-Piedra-Nevarez ³(2006). Seroepidemiology dari infeksi *Toxoplasma gondii* pada wanita hamil di rumah sakit umum di utara Meksiko. *Menginfeksi BMC Dis* 6:113.

Fouladvand, Moradali, Barazesh, Afshin., Naeimi, Behrouz, Tajbah, Saeed. 2009. Seroprevalence of toxoplasmosis in high school girls in Bushehr city, South-west of Iran. *African Journal of Microbiology Research* Vol.4(11) pp.1117-1121.

Frenkel J.K. 1989. *Toxoplasmosis In : Tropical Medicine and Parasitology. Appleton and Lange, California., 332.*

Gandahusada. S. 1991. *Study on the prevalence of Toxoplasmosis in Indonesia : A review.* Proceedings of the 33rd. Seameo Tropmed Regional Seminar Supplement to The Southeast Asian J.Trop.Med. Pub. Hlth. Vol.22

Haddadzadeh SDM, Khazraii nia P., M. Aslani, Rezaeian M., S. Jamshidi, M. Taheri, Bahonar A. (2006) prevalensi infeksi *Toxoplasma gondii* pada kucing liar dan rumah tangga di Teheran. *Hewan Parasitology* 138 (2006) 211-216.

Hatam GR, Shamseddin A, Nikouee F. (2005). Seroprevalence of Toxoplasmosis in high school girls in Fasa district, Iran. Iranian J. Immunol. 2(3) : 177 – 181.

Hedman K, Lappalainen M, Seppala I, Makela O. Recent primary *Toxoplasma* infection indicated by a low avidity of specific IgG. J Infect Dis 1989 ;159:7369.

<http://tarbiyah2008.wordpress.com/2008/03/10/ir-h-a-juanda-p-a-k-a-r-s-p-e-s-i-a-l-i-s-p-e-n-y-a-k-i-t-t-o-r-c-h/>

Hurlock, E.B. 1981. *Psikologi Perkembangan : Suatu Pendekatan Sepanjang Rentang Kehidupan*. Jakarta : Erlangga.

Jawetz. E; J.L Melnick dan E.A Adelberg., 1986. *Mikrobiologi untuk Profesi Kesehatan*. Edisi 16, EGC.: 647 Jakarta.

Jones J. Lopes A. Wilson M (2003). Congenital toxoplasmosis. Am.Fam. Phys. May 15 : 67(10) : 2131 – 2138.

Jones JL, Kruszon-Moran D, Sanders-Lewis K, et al. Toxoplasma gondii infection in the United States, 1999-2004, decline from the prior decade. Am J Trop Med Hyg. 2007;77:405-410.

Jones JL, Ogunmodede F, Scheffel J, Krikland E, Lopez A, Schulkin J, Lynfield R(2003). Toxoplasmosis related knowledge and practices among pregnant women in the United States. Infect. Dis. Obstet. Gynecol. 11(3): 139-145.

Konisibi. E; R. Sato; T. Takao ; S.Ananda., 1987. *Prevalence of antibodies to Toxoplasma gondii among meat animals. Laughtered at an*

abattoir in Hyogo Prefecture. Japan.Japanese J. Parasitol.
16:277.

Krahenbuhl, J.L., & Remington, J.S. (1982). The immunology of
Toxoplasma and toxoplasmosis, In *Immunology of Parasitic
Infections* (ed, by S.Cohen & K.S. Wareen) p. 356.
Blackwell Scientific Publications, Oxford.

Levine. N.D. 1990. *Buku Pelajaran Parasitologi veteriner.* Universitas
Gajah Mada Press, Yogyakarta.

Liesenfeld, O., J. C. Kosek, and Y. Suzuki. 1997. Gamma interferon induces
Fas-dependent apoptosis of Peyer's patch T cells in mice
following peroral infection with *Toxoplasma gondii*. *Infect.*
Immun. 65:4682-4689.

Loiselle, C.G., Profetto-McGrath, J., Polit, D.F., dan Beck, C.T. 2004.
Canadian Essentials of Nursing Research. Philadelphia:
Lippincott Williams & Wilkins. Available from :
[http://www.fkep.unpad.ac.id/penelitian/prinsip-prinsip-
etika-penelitian-ilmiah.html](http://www.fkep.unpad.ac.id/penelitian/prinsip-prinsip-etika-penelitian-ilmiah.html)

Mahmoodi M, Mohebbali M, Hejazi H, Keshavarz H, Alavi AM, Izadi Sh
(2005). Seroepidemiological study on toxoplasmic
infection among high-school girls by IFAT. *J. Sch. Public
Health Institute Public Health Res.* 3(1): 29-42.

Manouchehri-Naeini K, Keshavarz H, Abdizadeh-Dehkordi R, Zebardast N,

Seroprevalence of anti-Toxoplasma antibodies among pregnant women from Chaharmahal and Bakhtyari province using indirect immunofluorescent. (In Farsi). J. Shahrekord. Uni. Med. Sci. 8(4): 74-80.

Milton, C.L. 1999. Ethical Issues From Nursing Theoretical Perspectives. Nursing Science Quarterly, 12(1) :20-25. Available from : <http://www.fkep.unpad.ac.id/penelitian/prinsip-prinsip-etika-penelitian-ilmiah.html>

Mohammadi P, Taherpur A, Mohammadi H (2008). Prevalensi dari Toksoplasmosis pada wanita selama konsultasi pernikahan di Sanandaj. J. Menginfeksi. Trop. Dis. 13 (40): 25-29.

Montoya, J. G., and J.S. Remington. 2000. Toxoplasmosis, p.2858-2888. In G.L. Mandell, J.E. Bennett, and R. Dolin (ed.), Principles and practice of infectious diseases. Churchill Livingstone, Philadelphia, Pa.

Nash JQ, Chissel S, J Jones, Warburton F, Verlander NQ. Resiko Faktor toksoplasmosis pada wanita hamil di Kent, Inggris Kerajaan. Epidemiol Menginfeksi 2005; 133: 475-483.

Nimir, Amal., Othman, Amizah., Soon Ee., Musa, Zohdi. 2010. Latent Toxoplasmosis in Malignancy. doi: 10.4021/jocmr 2010.06.375w.

Njunda, Anna L., Assob, Jules., Nsagha, Dickson., Kamga, Henri., Nde, Peter Yugah Vuchas 2009 Seroprevalence of Toxoplasma

gondii among pregnant women in Cameroon. *Journal of Public Health in Afrika* page 98.

Odelis DS, Jesus E (2009). Seroepidemiology of Toxoplasmosis in women of childbearing age from a marginal community of Maracaibo Venezuela. *Inst. Med. Trop. S. Paulo.* 51(1): 13-17.

Paolo Maggi, Anna Volpe, Valentina Carito, Nicola Schinala, Silva Bino, Mimoza Basho. 2009. Surveillance of Toxoplasmosis in pregnant women in Albania. *New Microbiologica*, 32, 89-92.

Radke, JR, Donald, R., Jerome, ME, Del Pinal, A., Pembebas, P. dan Putih, MW 2005. Perubahan dalam ekspresi gen sel inang yang diperlukan untuk pengembangan bradyzoite di *Toxoplasma gondii*. Disampaikan kepada Proc. Natl. Acad. Sci. Amerika Serikat.

Rai SK, Matsumura T, Ono K, Abe A, Hirai K, Rai G, Sumi K, Kubota K, Uga S, Shrestha HG, 1999 High *Toxoplasma* Seroprevalence associated with meat Eating Habits of Locals in Nepal. *Asia Pac J Public Health.* 11(2) (abstract)

Ramsewak S, Gooding R, K Ganta, Seepersadsingh N, Adesiyun AA. Prevalensi dan faktor risiko infeksi *Toxoplasma gondii* pada wanita hamil di Trinidad dan Tobago. *Wahyu Panam Salud Publica.* 2008; 23 (3) :164-70.

- Remington, Y.S. and G. Desmonts, 1973. Congenital toxoplasmosis viability in the IgM fluorescent antibody response and some pitfalls in diagnosis. *J.Pediatr.*, 83: 27-30.
- Riemann HP. Meyer ME. Theis JH. Kelso G. Behymer DE (1975), Toxoplasmosis in an infant fed unpasteurized goat milk. *J. Pediatr.* Oct: 87(4) : 573 – 576.
- Sacks JJ, Roberts RR, Brooks N (1982). Toxoplasmosis infection associated with raw goat's milk. *J. Am. Vet. Med. Assoc.* Oct 8; 248(14): 1728-1732.
- Santoso, 2001. *Buku Latihan SPSS: Statistik Parametrik Cet.2.*, P.T. Elex Media Komputindo, Jakarta.
- Sardjono. T.W ; D. Djunaidi ; D.W soeatmadji. 1989. *Toksoplasmosis pada Manusia dan Kepentingan Diagnosisnya*. Kumpulan Makalah Pertemuan Ilmiah Regional Parasitologi Kedokteran III. FK. Unair, Surabaya.
- Schmidt, DR, Høgh, B., Andersen, O., Fuchs, J., Fledelius, H. and Petersen, E., 2006b. It's national neonatal screening programme for congenital toxoplasmosis in Denmark: Results from the initial 4 years 1999–2002. *Arch. Dis. Child* . 91, 661-665.
- Sharif, M. And A. Ajami, 2000. Serologic evaluation of toxoplasmosis in women with abortion or born death who referred to Sari Clinic in 1997-1998 *Magazine of Mazandaran Med.Sci.*

Soemantri Soeharsono, Ma'roef Salma, 1995. Toksoplasmosis Ibu Hamil Di Indonesia (Studi Tindak Lanjut Survei Kesehatan Rumah Tangga 1995) .Badan Penelitian dan Pengembangan Kesehatan, Departemen Kesehatan RI, Jakarta.

Spalding SM. Amendoeira MR. Klein CH. Ribeiro LC (2005). Serological screening and toxoplasmosis exposure factors among pregnant women in South of Brazil Rev.Soc.Bras. Med.Trop. Mar-Apr :38(2): 173 – 177.

Sujono,2010. Seroprevalensi Toksoplasmosis dan Faktor Resiko di Daerah Istimewa Yogyakarta dengan Metode ELISA Menggunakan Protein Rekombinan GRA-1 Takisoit *Toxoplasma gondii* isolat lokal. Tesis. Program Studi Ilmu Kedokteran Tropis. Pascasarjana. Universitas Gadjah Mada.

Topley WWC, Wilson SGS (1998). Mikrobiologi dan infeksi mikroba, Kesembilan edisi yang diterbitkan di Inggris, Parasitologi, Vol. 5.

Volk dan Wheeler. 1988. *Mikrobiologi Dasar*. Jilid 1. Erlangga Jakarta.

W.H.O. 1979. *Parasitic Zoonosis*. Report of A WHO Expert Comitee With The Participation of FAO. WHO Technical Report Series 637 :35.

Youssefi, MR, AA Sefidgar, A. Mostafazadeh dan S. Mahdavi Omran,, 2007. Evaluasi serologi toksoplasmosis pada wanita

perkawinan di Babol, Iran .. Pak. J. Biol. Sains, 10:. 1550-
1552.

Zaman V and Keong 1988 *Buku Penuntun Parasitologi Kedokteran* Rine cinte