


LAMPIRAN


1. Pertanyaan Kuesioner dan Hasil.

Pertanyaan Perancangan Database Sistem Pengambilan Ide Skripsi


Dalam Pembuatan Sistem Pengambilan Ide Skripsi, saya perlu mengetahui Data Mahasiswa




Dalam Pembuatan Sistem Pengambilan Ide Skripsi, saya perlu mengetahui Data Dosen



Dalam Pembuatan Sistem Pengambilan Ide Skripsi, saya perlu mengetahui Data Ide Skripsi




Dalam Pembuatan Sistem Pengambilan Ide Skripsi, saya perlu mengetahui Data Pengumuman




Informasi apa saja yang Anda perlukan ketika melihat daftar ide skripsi?

22 responses



Informasi apa saja yang Anda perlukan ketika melihat daftar pengumuman mahasiswa penerima ide skripsi?

22 responses



2. Query Database Sistem Pengambilan Ide Skripsi

```
-- phpMyAdmin SQL Dump
-- version 4.7.0
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Sep 03, 2017 at 11:58 AM
-- Server version: 10.1.25-MariaDB
-- PHP Version: 7.1.7

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time_zone = "+00:00";

/*!40101 SET
@OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET
@OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET
@OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `sistemideskripsi`
--

DELIMITER $$
--
-- Procedures
--
CREATE DEFINER=`root`@`localhost` PROCEDURE `HapusUsersADM` (IN
`users_adm_param` INT(11)) BEGIN
    DELETE FROM admin WHERE ID_USERS = users_adm_param;
    DELETE FROM users WHERE ID_USERS = users_adm_param;
END$$

CREATE DEFINER=`root`@`localhost` PROCEDURE `HapusUsersDSN` (IN
`users_dsn_param` INT(11)) BEGIN
    DELETE FROM dosen WHERE ID_USERS = users_dsn_param;
    DELETE FROM users WHERE ID_USERS = users_dsn_param;
END$$

CREATE DEFINER=`root`@`localhost` PROCEDURE `HapusUsersMHS` (IN
`users_mhs_param` INT(11)) BEGIN
```

```

DELETE FROM mahasiswa WHERE ID_USERS = users_mhs_param;
DELETE FROM users WHERE ID_USERS = users_mhs_param;
END$$

DELIMITER ;

-----

--
-- Table structure for table `admin`
--

CREATE TABLE `admin` (
  `ID_ADM` int(11) NOT NULL,
  `ID_USERS` int(11) NOT NULL,
  `NAMA_ADM` varchar(30) NOT NULL,
  `ALAMAT_ADM` text NOT NULL,
  `NOHP_ADM` varchar(12) NOT NULL,
  `EMAIL_ADM` varchar(30) NOT NULL,
  `USERNAME_ADM` varchar(15) NOT NULL,
  `PASSWORD_ADM` varchar(50) NOT NULL,
  `STATUS_ADM` enum('0','1') DEFAULT '0'
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `admin`
--

INSERT INTO `admin` (`ID_ADM`, `ID_USERS`, `NAMA_ADM`,
`ALAMAT_ADM`, `NOHP_ADM`, `EMAIL_ADM`, `USERNAME_ADM`,
`PASSWORD_ADM`, `STATUS_ADM`) VALUES
(1, 1, 'Tatania Firwan Firdaus', 'Jalan Gejayan Baru km 7,5, Sleman, Yogyakarta',
'081794209067', 'babytatan@gmail.com', 'tatania',
'a62081683218be80d308b39d78280d8d', '1'),
(2, 1, 'Igid Nur Hidayat', 'Jalan Jonggol Raya km 12, Jakarta Selatan', '081794209077',
'igidnh@gmail.com', 'igidnh', '83d42a9450d6b39738e4447cafe0e56a', '1');

-----

--
-- Table structure for table `dosen`
--

CREATE TABLE `dosen` (
  `NIDN_DSN` char(10) NOT NULL,
  `ID_USERS` int(11) NOT NULL,
  `NAMA_DSN` varchar(30) NOT NULL,
  `FAKULTAS_DSN` enum('Teknik') NOT NULL,
  `PRODI_DSN` enum('Teknik Informatika') NOT NULL,

```

```

`ALAMAT_DSN` text NOT NULL,
`NOHP_DSN` varchar(12) NOT NULL,
`PENDIDIKAN_DSN` enum('S1','S2','S3') NOT NULL,
`KEAHLIAN_DSN` varchar(100) NOT NULL,
`EMAIL_DSN` varchar(30) NOT NULL,
`USERNAME_DSN` varchar(15) NOT NULL,
`PASSWORD_DSN` varchar(50) NOT NULL,
`STATUS_DSN` enum('0','1') DEFAULT '0'
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `dosen`
--

INSERT INTO `dosen` (`NIDN_DSN`, `ID_USERS`, `NAMA_DSN`,
`FAKULTAS_DSN`, `PRODI_DSN`, `ALAMAT_DSN`, `NOHP_DSN`,
`PENDIDIKAN_DSN`, `KEAHLIAN_DSN`, `EMAIL_DSN`, `USERNAME_DSN`,
`PASSWORD_DSN`, `STATUS_DSN`) VALUES
('0502026801', 3, 'Dwijoko Purbohadi', 'Teknik', 'Teknik Informatika', 'Yogyakarta',
'081794386680', 'S3', 'Programming', 'dwijokoo@gmail.com', 'dwijokoo',
'c12bf2f8cd506c21c5b87f1a53448e55', '1'),
('0503068601', 3, 'Reza Giga Isnanda', 'Teknik', 'Teknik Informatika', 'Yogyakarta',
'085794209085', 'S2', 'Programming', 'rezagiga@gmail.com', 'rezagiga',
'0e95b4a18af3de1fcdace39a324e4d3', '1'),
('0511116901', 3, 'Haris Setyawan', 'Teknik', 'Teknik Informatika', 'Klaten',
'085794299789', 'S3', 'Programming', 'harissetyawan@gmail.com', 'harisetyawan',
'a724fe728a2b49d3f41a0c2120eb7780', '1'),
('0515038702', 3, 'Cahya Damarjati', 'Teknik', 'Teknik Informatika', 'Sleman',
'085794209086', 'S2', 'Programming', 'damarjati@gmail.com', 'damar',
'213656011a89e19258344e08c7226073', '1'),
('0518048401', 3, 'Aprilia Kurniati', 'Teknik', 'Teknik Informatika', 'Yogyakarta',
'085794209077', 'S2', 'Programming', 'apriliak@gmail.com', 'apriliakurniati',
'3f8c1d9e97bbd72e92bceba6de0bec65', '0'),
('0521037603', 3, 'Helmi Zain Nuri', 'Teknik', 'Teknik Informatika', 'Yogyakarta',
'085794209082', 'S3', 'Programming', 'helmi@gmail.com', 'helmi',
'e883f0b43b8718cb54bcf20e9f95c7b0', '0'),
('0522046701', 3, 'Eko Prasetyo', 'Teknik', 'Teknik Informatika', 'Yogyakarta',
'08122966557', 'S3', 'Networking', 'ekoprasetyo@gmail.com', 'ekoprasetyo',
'8bbb7d81dff67157d850b04f1a19dba', '1'),
('0526047401', 3, 'Asroni', 'Teknik', 'Teknik Informatika', 'Sleman', '085794209083',
'S3', 'Programming', 'asroni@gmail.com', 'asroni',
'5099cf890da5feb8d7903fa28da8e9f4', '1'),

```

```

('0707108402', 3, 'Chayadi Oktomy', 'Teknik', 'Teknik Informatika', 'Yogyakarta',
'085794209081', 'S2', 'Programming', 'chayadi@gmail.com', 'chayadi',
'7a1d5e5a795b63d9cf679339a30ccf3c', '1');

-----

--
-- Table structure for table `ideskripsi`
--

CREATE TABLE `ideskripsi` (
  `ID_IDE` int(11) NOT NULL,
  `NIDN_DSN` char(10) NOT NULL,
  `IDE_SKRIPSI` varchar(60) NOT NULL,
  `DESKRIPSI` text NOT NULL,
  `KUOTA_AMBIL` int(11) NOT NULL,
  `MATKUL` varchar(30) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `ideskripsi`
--

INSERT INTO `ideskripsi` (`ID_IDE`, `NIDN_DSN`, `IDE_SKRIPSI`, `DESKRIPSI`,
`KUOTA_AMBIL`, `MATKUL`) VALUES
(2, '0502026801', 'Sistem Ide Skripsi', 'Membuat perancangan dan implementasi sistem
ide skripsi\r\n- satu logic\r\n- satu database', 2, 'PHP, IBD'),
(3, '0522046701', 'Sistem Keamanan Jaringan UMY menggunakan Packet Tracer',
'Membuat perancangan dan implementasi sistem keamanan jaringan di UMY
menggunakan Packet Tracer', 0, 'CCNA1, CCNA2'),
(4, '0526047401', 'Sistem Penggajian Prodi TI UMY', 'Sistem yang memudahkan
penggajian Dosen dan karyawan di Prodi TI', 1, 'IBD, PKW'),
(5, '0511116901', 'Sistem Perizinan Kuliah', 'Membutuhkan 3 Mahasiswa- Logic-
Database- HCI', 1, 'PKW, IBD, HCI'),
(7, '0511116901', 'Sistem pembuangan limbah', 'website sistem pembuangan limbah', 1,
'PKW, IBD'),
(8, '0511116901', 'Sistem inventory', 'website', 4, 'IBD, PAW');

-----

--
-- Table structure for table `mahasiswa`
--

CREATE TABLE `mahasiswa` (
  `NIM_MHS` char(11) NOT NULL,

```

```

`ID_USERS` int(11) NOT NULL,
`NAMA_MHS` varchar(30) NOT NULL,
`FAKULTAS_MHS` enum('Teknik') NOT NULL,
`PRODI_MHS` enum('Teknik Informatika') NOT NULL,
`SKS_MHS` char(3) NOT NULL,
`IPK_MHS` float NOT NULL,
`ALAMAT_MHS` text NOT NULL,
`NOHP_MHS` varchar(12) NOT NULL,
`EMAIL_MHS` varchar(30) NOT NULL,
`USERNAME_MHS` varchar(15) NOT NULL,
`PASSWORD_MHS` varchar(50) NOT NULL,
`STATUS_MHS` enum('0','1') DEFAULT '0'
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `mahasiswa`
--

INSERT INTO `mahasiswa` (`NIM_MHS`, `ID_USERS`, `NAMA_MHS`,
`FAKULTAS_MHS`, `PRODI_MHS`, `SKS_MHS`, `IPK_MHS`, `ALAMAT_MHS`,
`NOHP_MHS`, `EMAIL_MHS`, `USERNAME_MHS`, `PASSWORD_MHS`,
`STATUS_MHS`) VALUES
('20120130162', 2, 'Dinda kirana', 'Teknik', 'Teknik Informatika', '130', 3.6, 'Jogja',
'081325445678', 'dinda123@gmail.com', 'dinda123',
'a1b7b1ddfd296af4899e8ba338657e9d', '1'),
('20120130165', 2, 'Citra Lestari', 'Teknik', 'Teknik Informatika', '120', 3.5, 'Jogja',
'081876889898', 'citralestari@gmail.com', 'citra123',
'a471cc23d89f15b4c552246412714ee8', '1'),
('20130140001', 2, 'Kwon Jiyong', 'Teknik', 'Teknik Informatika', '145', 3.99, 'Jogja',
'081832837337', 'kwonjiyong@gmail.com', 'kwonjiyong',
'379e6fa5d373107c13dd96064000e9fa', '1'),
('20130140002', 2, 'Tom Holland', 'Teknik', 'Teknik Informatika', '145', 3.78, 'Jogja',
'081212301727', 'tomholland@gmail.com', 'tomholland',
'b04779b415b129ebd0c691271ea9d7f2', '0'),
('20130140005', 2, 'Dicky Faizal Huda', 'Teknik', 'Teknik Informatika', '142', 3.75,
'Bantul', '081281928192', 'dickyfaizal@gmail.com', 'dickyfaizal',
'9b6e2e2f71bf2ab18fa6e7ad3585fadd', '1'),
('20130140006', 2, 'Angga Putra Handika', 'Teknik', 'Teknik Informatika', '145', 3.48,
'Sleman', '087822772777', 'anggaputra@gmail.com', 'anggaput',
'1fd5cd9766249f170035b7251e2c6b61', '1'),
('20130140007', 2, 'Nadya Aprillia Ardiyanti', 'Teknik', 'Teknik Informatika', '130', 3.77,
'Jln.Kepri, Kepulauan Riau', '085794209099', 'nadyaaa@gmail.com', 'nady',
'2dbd351ced3fda0d40a7200a4d468751', '1'),
('20130140008', 2, 'Sigid Nur Hidayat', 'Teknik', 'Teknik Informatika', '145', 3.66, 'Jln.
Maju Mundur Cantik, Tirtonirmolo, Kasihan, Bantul', '085794289888',
'sigidnh@gmail.com', 'sigidnh', 'bcd47628d30095e0b393b2228898970a', '1'),
('20130140009', 2, 'Sinta Dela', 'Teknik', 'Teknik Informatika', '135', 3.86, 'Jln. Lampung
Tengah, Bandar Lampung, Lampung', '085794209999', 'sintadela@gmail.com', 'shilade',
'37460a72badf05937db72ab5863f6e1b', '0'),

```


(20130140010', 2, 'Safira Nira Yuma', 'Teknik', 'Teknik Informatika', '135', 3.75, 'Padokan Lor, Tirtonirmolo, Kasihan, bantul', '085794279088', 'safiranira@gmail.com', 'safirany', '3ad0198a1d14c0890799b695eb9437cf', '1'),

(20130140011', 2, 'Harry Styles', 'Teknik', 'Teknik Informatika', '135', 3.49, 'Jogja', '081281721812', 'harystyles@gmail.com', 'harystyles', 'd0d2b883ffe11676af7e678cf45a36fa', '0'),

(20130140012', 2, 'Kang Daniel', 'Teknik', 'Teknik Informatika', '135', 3.95, 'Jogja', '081241617162', 'daniel@gmail.com', 'daniel', 'b5ea8985533defbf1d08d5ed2ac8fe9b', '0'),

(20130140013', 2, 'Fathania Firwan Firdaus', 'Teknik', 'Teknik Informatika', '145', 3.79, 'Srandol, Semarang', '085794209089', 'fathaniaff@gmail.com', 'fathaniaff', 'a62081683218be80d308b39d78280d8d', '1'),

(20130140014', 2, 'Hwang Minhyun', 'Teknik', 'Teknik Informatika', '140', 3.88, 'Seoul', '081321212312', 'minhyun@gmail.com', 'minhyun', 'e9a54a4df8e14a08a1cc91a0972101eb', '1'),

(20130140015', 2, 'Iqbal Muhammad', 'Teknik', 'Teknik Informatika', '145', 3.6, 'Jogja', '081272763626', 'iqbal@gmail.com', 'iqbal', '5c2fb951458b57e8e049d48a55cdddad', '1'),

(20130140016', 2, 'Resvi Nursanti', 'Teknik', 'Teknik Informatika', '145', 3.81, 'Tasikmalaya', '081263551727', 'resvinrs@gmail.com', 'resvinrs', 'ca8d11f3668c37e7e0a015d1f93a7c65', '1'),

(20130140017', 2, 'Kang Dongho', 'Teknik', 'Teknik Informatika', '144', 3.44, 'Jogja', '081328137263', 'baekho@gmail.com', 'baekho', '2fbed7ad4f13009b7a6a1ebee4e06a9', '0'),

(20130140018', 2, 'Kwon Hyunbin', 'Teknik', 'Teknik Informatika', '143', 3.55, 'Gwangju', '081794209088', 'patrickwon@gmail.com', 'patrickwon', 'aef7bc9a2a513ae00116bd040a3a437a', '0'),

(20130140019', 2, 'Lai Guanlin', 'Teknik', 'Teknik Informatika', '130', 3.33, 'Beijing, Tiongkok', '085794209000', 'laiguanlin@gmail.com', 'laiguanlin', 'b5353788f2c3088ffc670429d149472f', '0'),

(20130140020', 2, 'Kim Jinhwan', 'Teknik', 'Teknik Informatika', '130', 3.51, 'Jalan Bibis Raya, A15 rt 02, Tirtonirmolo, Kasihan, Bantul', '085794209088', 'jinhwanie@gmail.com', 'jinhwanie', 'a3ffff753d5aae3ae15b7e6e9a4a6f0b', '0'),

(20130140121', 2, 'Sekar Grace', 'Teknik', 'Teknik Informatika', '145', 3.79, 'Purworejo', '085794209880', 'sekargrace@gmail.com', 'sekargrace', 'd747b5f97ef612a51dff4e418aedda43', '0'),

(20130140123', 2, 'Ilham Akhmad', 'Teknik', 'Teknik Informatika', '147', 3.87, 'Klaten', '089456789011', 'ilhamakhmad@gmail.com', 'ilhamakhmad', '57cf5ad49695e3adc1a29cf47a43bc06', '1'),

(20130140124', 2, 'Septi Manjani', 'Teknik', 'Teknik Informatika', '147', 3.78, 'Sleman', '089456789012', 'septimanjani@gmail.com', 'septimanjani', 'cbafca7a2bf07ed34a9effaf2f7763af', '1'),

(20130140125', 2, 'Puji Hastuti', 'Teknik', 'Teknik Informatika', '135', 3.62, 'Bantul', '089456789013', 'pujihastuti@gmail.com', 'pujihastuti', '068a5675dd98b10fd4e65c7a2e3e4d60', '1'),

(20130140126', 2, 'Indhira Fitriana', 'Teknik', 'Teknik Informatika', '138', 3.68, 'Klaten', '089456789014', 'raraindhira@gmail.com', 'raraindhira', '5ab83fa52e5d0f5abc44d2eed4479ff0', '1'),

(20130140127', 2, 'Intan Windika', 'Teknik', 'Teknik Informatika', '142', 3.75, 'Salatiga', '089456789015', 'intanwindika@gmail.com', 'intanw', '46a7357b0b816cb9dd56d70d2a385cfd', '0'),
(20130140128', 2, 'Nuri Primas', 'Teknik', 'Teknik Informatika', '145', 3.88, 'Bantul', '089456789016', 'nuri@gmail.com', 'nuri', '264bdcf50ee157e5a7d27f94168a2df7', '0'),
(20130140129', 2, 'Ridwan Setiya Kurnia', 'Teknik', 'Teknik Informatika', '140', 3.77, 'Sleman', '089456789017', 'ridwansetya@gmail.com', 'ridwansetya', 'd0e0dc6c50861bb6199eb3482c8e3a95', '0'),
(20130140130', 2, 'Bachtiar Madya Perma', 'Teknik', 'Teknik Informatika', '135', 3.66, 'Bantul', '089456789018', 'bachtiar@gmail.com', 'bachtiar', 'a446ff86fdbdf668b188dd4b4770c49e', '1'),
(20130140131', 2, 'Harya Irmawan', 'Teknik', 'Teknik Informatika', '130', 3.32, 'Sleman', '089456789019', 'harya@gmail.com', 'harya', 'a0f1c9066bcd75fcb4448b6fb37c86e9', '1'),
(20130140132', 2, 'Tiara Aryanto', 'Teknik', 'Teknik Informatika', '144', 3.78, 'Sleman', '089456789020', 'tiaraaryanto@gmail.com', 'tiara', 'edf2b993f24a5f014ead4d701c66953f', '0'),
(20130140133', 2, 'Septiawan Ghufron I', 'Teknik', 'Teknik Informatika', '145', 3.88, 'Sleman', '089456789220', 'ghufron@gmail.com', 'ghufghuf', 'e89323f434235586ac155a485dd809a9', '0'),
(20130140134', 2, 'Faizal Azhari', 'Teknik', 'Teknik Informatika', '145', 3.67, 'Yogyakarta', '089456789021', 'faizala@gmail.com', 'faizal', '3adb84fcc3478d48d608190a72187f3', '1'),
(20130140135', 2, 'Radityo Anindito A', 'Teknik', 'Teknik Informatika', '145', 3.78, 'Semarang', '089456789022', 'radityo@gmail.com', 'radit', 'a0e281c2ac3f9ccf86a0698b49ff2a84', '0'),
(20130140136', 2, 'Nia Pradhyta J W', 'Teknik', 'Teknik Informatika', '144', 3.84, 'Bantul', '089456789023', 'niapra@gmail.com', 'niapra', '8728075abafefc9ed2c8e5e610c64917', '0'),
(20130140137', 2, 'Margono Wibowo', 'Teknik', 'Teknik Informatika', '135', 3.92, 'Bantul', '089456789223', 'margono@gmail.com', 'margono', '5900d92be684609025e9d326b94e3c8e', '0'),
(20130140138', 2, 'Muhammad Fachri', 'Teknik', 'Teknik Informatika', '148', 3.89, 'Yogyakarta', '089456789024', 'fachri@gmail.com', 'fachri', '1c8dd89d1317c560d37fd0139aac514e', '0'),
(20130140139', 2, 'Dirga Rama Sudira', 'Teknik', 'Teknik Informatika', '138', 3.65, 'Sleman', '089456789025', 'dirgarama@gmail.com', 'dirga', 'f920c412f0f4bdcbed8aff77b5e44da0', '1'),
(20130140140', 2, 'Mugo Aldi Saputra', 'Teknik', 'Teknik Informatika', '147', 3.87, 'Bantul', '089456789026', 'mugoaldi@gmail.com', 'aldi', 'daf036f7f77e11a342e9520ff8fc256d', '0'),
(20130140276', 2, 'Anggita Nur', 'Teknik', 'Teknik Informatika', '130', 3.7, 'Jogja', '081325667282', 'anggita@gmail.com', 'anggita', 'ff47ec10cbc6e64ab270b5cfb40755f2', '1');

--
-- Table structure for table `pengumuman`
--

```

CREATE TABLE `pengumuman` (
  `ID_PIS` int(11) NOT NULL,
  `ID_IDE` int(11) NOT NULL,
  `NIM_MHS` char(11) NOT NULL,
  `STATUS_PIS` enum('Y','N') DEFAULT NULL,
  `NILAI_MATKUL` varchar(30) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `pengumuman`
--

INSERT INTO `pengumuman` (`ID_PIS`, `ID_IDE`, `NIM_MHS`, `STATUS_PIS`,
`NILAI_MATKUL`) VALUES
(6, 3, '20130140006', 'Y', 'CCNA1=A, CCNA2=A'),
(8, 4, '20130140008', 'N', 'IBD=B, PKW=B'),
(16, 7, '20130140014', 'N', 'PKW=A, IBD=A'),
(20, 5, '20130140126', NULL, 'PKW=A, IBD=A, HCI=B'),
(22, 5, '20130140010', 'Y', 'PKW=A, IBD=A, HCI=AB'),
(23, 3, '20130140130', NULL, 'CCNA1=A, CCNA2=B'),
(24, 5, '20130140131', 'N', 'PKW=A, IBD=B, HCI=C'),
(25, 7, '20130140013', 'N', 'PKW=A, IBD=A');

-----

--
-- Table structure for table `users`
--

CREATE TABLE `users` (
  `ID_USERS` int(11) NOT NULL,
  `ROLE` varchar(10) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `users`
--

INSERT INTO `users` (`ID_USERS`, `ROLE`) VALUES
(1, 'ADMIN'),
(2, 'MAHASISWA'),
(3, 'DOSEN');

-----

--
-- Stand-in structure for view `vdosen`
-- (See below for the actual view)
--

```

```

CREATE TABLE `vdosen` (
  `NIDN_DSN` char(10)
, `ID_USERS` int(11)
, `NAMA_DSN` varchar(30)
, `FAKULTAS_DSN` enum('Teknik')
, `PRODI_DSN` enum('Teknik Informatika')
, `ALAMAT_DSN` text
, `NOHP_DSN` varchar(12)
, `PENDIDIKAN_DSN` enum('S1','S2','S3')
, `KEAHLIAN_DSN` varchar(100)
, `EMAIL_DSN` varchar(30)
, `USERNAME_DSN` varchar(15)
, `PASSWORD_DSN` varchar(50)
);

-----

--
-- Stand-in structure for view `vpengumuman`
-- (See below for the actual view)
--
CREATE TABLE `vpengumuman` (
  `ID_PIS` int(11)
, `ID_IDE` int(11)
, `NIM_MHS` char(11)
, `STATUS_PIS` enum('Y','N')
, `NILAI_MATKUL` varchar(30)
);

-----

--
-- Structure for view `vdosen`
--
DROP TABLE IF EXISTS `vdosen`;

CREATE ALGORITHM=UNDEFINED DEFINER=`root`@`localhost` SQL
SECURITY DEFINER VIEW `vdosen` AS select `dosen`.`NIDN_DSN` AS
`NIDN_DSN`,`dosen`.`ID_USERS` AS `ID_USERS`,`dosen`.`NAMA_DSN` AS
`NAMA_DSN`,`dosen`.`FAKULTAS_DSN` AS
`FAKULTAS_DSN`,`dosen`.`PRODI_DSN` AS
`PRODI_DSN`,`dosen`.`ALAMAT_DSN` AS
`ALAMAT_DSN`,`dosen`.`NOHP_DSN` AS
`NOHP_DSN`,`dosen`.`PENDIDIKAN_DSN` AS
`PENDIDIKAN_DSN`,`dosen`.`KEAHLIAN_DSN` AS
`KEAHLIAN_DSN`,`dosen`.`EMAIL_DSN` AS
`EMAIL_DSN`,`dosen`.`USERNAME_DSN` AS
`USERNAME_DSN`,`dosen`.`PASSWORD_DSN` AS `PASSWORD_DSN` from
`dosen` where (`dosen`.`PENDIDIKAN_DSN` in ('S1','S2','S3')) WITH CASCADED
CHECK OPTION ;

```

```

-----
--
-- Structure for view `vpengumuman`
--
DROP TABLE IF EXISTS `vpengumuman`;

CREATE ALGORITHM=UNDEFINED DEFINER=`root`@`localhost` SQL
SECURITY DEFINER VIEW `vpengumuman` AS select `pengumuman`.`ID_PIS`
AS `ID_PIS`,`pengumuman`.`ID_IDE` AS `ID_IDE`,`pengumuman`.`NIM_MHS` AS
`NIM_MHS`,`pengumuman`.`STATUS_PIS` AS
`STATUS_PIS`,`pengumuman`.`NILAI_MATKUL` AS `NILAI_MATKUL` from
`pengumuman` where (`pengumuman`.`STATUS_PIS` in ('Y','N')) WITH CASCADED
CHECK OPTION ;

--
-- Indexes for dumped tables
--

--
-- Indexes for table `admin`
--
ALTER TABLE `admin`
  ADD PRIMARY KEY (`ID_ADM`),
  ADD KEY `ID_USERS` (`ID_USERS`);

--
-- Indexes for table `dosen`
--
ALTER TABLE `dosen`
  ADD PRIMARY KEY (`NIDN_DSN`),
  ADD KEY `ID_USERS` (`ID_USERS`);

--
-- Indexes for table `ideskripsi`
--
ALTER TABLE `ideskripsi`
  ADD PRIMARY KEY (`ID_IDE`),
  ADD KEY `NIK_DSN` (`NIDN_DSN`) USING BTREE;

--
-- Indexes for table `mahasiswa`
--
ALTER TABLE `mahasiswa`
  ADD PRIMARY KEY (`NIM_MHS`),
  ADD KEY `ID_USERS` (`ID_USERS`);

--

```

```

-- Indexes for table `pengumuman`
--
ALTER TABLE `pengumuman`
  ADD PRIMARY KEY (`ID_PIS`),
  ADD KEY `ID_IDE` (`ID_IDE`),
  ADD KEY `NIM_MHS` (`NIM_MHS`);

--
-- Indexes for table `users`
--
ALTER TABLE `users`
  ADD PRIMARY KEY (`ID_USERS`);

--
-- AUTO_INCREMENT for dumped tables
--

--
-- AUTO_INCREMENT for table `admin`
--
ALTER TABLE `admin`
  MODIFY `ID_ADM` int(11) NOT NULL AUTO_INCREMENT,
  AUTO_INCREMENT=3;

--
-- AUTO_INCREMENT for table `ideskripsi`

--
ALTER TABLE `ideskripsi`
  MODIFY `ID_IDE` int(11) NOT NULL AUTO_INCREMENT,
  AUTO_INCREMENT=9;

--
-- AUTO_INCREMENT for table `pengumuman`
--
ALTER TABLE `pengumuman`
  MODIFY `ID_PIS` int(11) NOT NULL AUTO_INCREMENT,
  AUTO_INCREMENT=26;

--
-- AUTO_INCREMENT for table `users`
--
ALTER TABLE `users`
  MODIFY `ID_USERS` int(11) NOT NULL AUTO_INCREMENT,
  AUTO_INCREMENT=4;

--
-- Constraints for dumped tables
--

--
-- Constraints for table `admin`
--

```

```

ALTER TABLE `admin`
  ADD CONSTRAINT `admin_ibfk_1` FOREIGN KEY (`ID_USERS`)
  REFERENCES `users` (`ID_USERS`) ON UPDATE CASCADE;

--
-- Constraints for table `dosen`
--
ALTER TABLE `dosen`
  ADD CONSTRAINT `dosen_ibfk_1` FOREIGN KEY (`ID_USERS`) REFERENCES
  `users` (`ID_USERS`) ON UPDATE CASCADE;

--
-- Constraints for table `ideskripsi`
--
ALTER TABLE `ideskripsi`
  ADD CONSTRAINT `ideskripsi_ibfk_1` FOREIGN KEY (`NIDN_DSN`)
  REFERENCES `dosen` (`NIDN_DSN`) ON DELETE CASCADE ON UPDATE
  CASCADE;

--
-- Constraints for table `mahasiswa`
--
ALTER TABLE `mahasiswa`
  ADD CONSTRAINT `mahasiswa_ibfk_1` FOREIGN KEY (`ID_USERS`)
  REFERENCES `users` (`ID_USERS`) ON UPDATE CASCADE;

--
-- Constraints for table `pengumuman`
--
ALTER TABLE `pengumuman`
  ADD CONSTRAINT `pengumuman_ibfk_1` FOREIGN KEY (`ID_IDE`)
  REFERENCES `ideskripsi` (`ID_IDE`) ON DELETE CASCADE ON UPDATE
  CASCADE,
  ADD CONSTRAINT `pengumuman_ibfk_2` FOREIGN KEY (`NIM_MHS`)
  REFERENCES `mahasiswa` (`NIM_MHS`) ON DELETE CASCADE ON UPDATE
  CASCADE;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT
*/;
/*!40101 SET
CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION
*/;

```