# LAMPIRAN

Laporan Penjualan

1. Pengaturan Tanggal
   private void ckAwal_CheckedChanged(object sender, EventArgs e)
   ```
   private void ckAwal_CheckedChanged(object sender, EventArgs e)
   {
       txtAwal.Enabled = ckAwal.Checked;
       isiGrid();
   }

       private void ckAkhir_CheckedChanged(object sender, EventArgs
   e)
       {
           txtAkhir.Enabled = ckAkhir.Checked;
           isiGrid();
       }
   ```

2. Pilih operator
   ```
   private void txtOperator_SelectedIndexChanged(object sender,
   EventArgs e)
   {
       isiGrid();
   }
   ```

3. Button Refresh
   ```
   private void btnRefresh_Click(object sender, EventArgs e)
   {
       double grandtotal = 0, laba = 0;

       string awal = txtAwal.Value.ToString("yyyy-MM-dd");
   ```

75

```
            string akhir = txtAkhir.Value.ToString("yyyy-MM-dd");
            string sql = "SELECT * FROM tb_detailjual WHERE 1=1";

            if (ckAwal.Checked) sql += " AND tanggal>='" +
txtAwal.Value.ToString("yyyy-MM-dd") + "'";
            if (ckAkhir.Checked) sql += " AND tanggal<='" +
txtAkhir.Value.ToString("yyyy-MM-dd") + "'";

            if (txtOperator.Text != "SEMUA")
            {
                sql += " AND operator='" + txtOperator.Text + "'";
            }
            sql += " ORDER BY Faktur";

            dr = H.OpenDr(sql);
            dgv.Rows.Clear();
            int no = 1;
            while (dr.Read())
            {
                dgv.Rows.Add(new object[] {
                    no,
                    dr["faktur"],
                    H.toStrDate(dr["tanggal"]),
                    dr["kode"],
                    dr["nama"],
                    dr["jumlah"],
                    dr["satuan"],
                    H.toStrC(dr["hargajual"]),
                    H.toStrC(dr["total"]),
                    H.toStrC(dr["laba"]),
                    dr["operator"]
                });
                grandtotal += H.toD(dr["total"]);
                laba += H.toD(dr["laba"]);
                no++;
            }
            txtGrandtotal.Text = H.toStrC(grandtotal);
            txtLaba.Text = H.toStrC(laba);
        }

4.      Button Cetak
private void btnCetak_Click(object sender, EventArgs e)
        {
            if (dgv.Rows.Count == 0)
            {
                H.msgError("Data tidak ada!");
                return;
            }
            string sql = "";
            try
            {
                string header1 = H.getOption("header1");
                string header2 = H.getOption("header2");
                string header3 = H.getOption("header3");

                string periode = "Periode: " + txtAwal.Value.ToString("dd-
MMM-yyyy") + " s/d " + txtAkhir.Value.ToString("dd-MMM-yyyy");
```

```
                string stroperator = "Operator: " + txtOperator.Text;
                string cetak = "Cetak: " + DateTime.Now.ToShortDateString()
    + " Oleh: " + H.strOperator;

                H.CloseDr();
                DataSet ds = new DataSet();

                sql = "SELECT '" +
                    header1 + "' AS header1, '" +
                    header2 + "' AS header2, '" +
                    header3 + "' AS header3, '" +
                    stroperator + "' AS foperator, '" +
                    periode + "' AS periode, a.*, '" +
                    cetak + "' AS cetak " +
                    "FROM tb_detailjual a WHERE 1=1";

                if (ckAwal.Checked) sql += " AND tanggal>='" +
    txtAwal.Value.ToString("yyyy-MM-dd") + "'";
                if (ckAkhir.Checked) sql += " AND tanggal<='" +
    txtAkhir.Value.ToString("yyyy-MM-dd") + "'";

                MySqlDataAdapter adapter = new MySqlDataAdapter(sql,
    H.getConnection());
                adapter.Fill(ds);

                ReportDocument rd = new ReportDocument();
                rd.Load("../../rptJual.rpt");
                rd.Database.Tables[0].SetDataSource(ds.Tables[0]);

                FrmCetak l = new FrmCetak();
                l.MdiParent = this.MdiParent;
                l.WindowState = FormWindowState.Maximized;
                l.crystalReportViewer1.ReportSource = rd;
                l.Show();
            }
            catch (Exception ex)
            {
                H.msgError(ex.Message + sql);
            }
        }
```

5.   Button Keluar

```
private void btnKeluar_Click(object sender, EventArgs e)
{
    this.Close();}
```