


# LAMPIRAN

**Lampiran 1.** Grafik Laju Pertumbuhan *Enterococcus faecalis*



**Lampiran 2.** Tabel Uji Statistik

**Tests of Normality**

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
OD	.181	40	.002	.855	40	.000
Perlakuan	.116	40	.190	.928	40	.013

a. Lilliefors Significance Correction

**Ranks**

	Perlakuan	N	Mean Rank
OD	OD Normal	5	22.00
	0.8%	5	4.40
	0.4%	5	11.40
	0.2%	5	14.00
	0.1%	5	19.40
	0.05%	5	21.80
	Total	30	

**Test Statistics<sup>a,b</sup>**

	OD
Chi-Square	15.446
df	5
Asymp. Sig.	.009

a. Kruskal Wallis Test

b. Grouping Variable: Perlakuan

### Lampiran 3. Alat dan Bahan Penelitian



Bakteri *Enterococcus faecalis* (ATCC 29212)



Kuvet Kuarsa (Hellma, Germany)



Autoklaf (Hirayama, Japan)



(dari kiri ke kanan) Gelas Beaker, Rak Tabung, Tabung Reaksi, *Brain Heart Infusion* (BHI), Tabung Erlenmeyer, Lampu Spiritus



Inkubator



Rotary Evaporator



Oven



Homogenizer



Propolis (*Apis trigona*)



Spektrofotometer (Shimadzu, Australia)

### Lampiran 3. Proses Penelitian



Penambahan suspensi



Penimbangan ekstrak etanol propolis (EEP)



Proses penyaringan ekstrak