

LAMPIRAN

1. Menu Login

```
<!DOCTYPE html>
<html>
<head>
<title>
AGERIA PET SHOP STORE
</title>
  <link href="css/bootstrap.css" rel="stylesheet">

  <link rel="stylesheet" type="text/css"
href="css/DT_bootstrap.css">

  <link rel="stylesheet" href="css/font-awesome.min.css">
  <style type="text/css">

    .sidebar-nav {
      padding: 9px 0;
    }
  </style>

  <link href="css/bootstrap-responsive.css" rel="stylesheet">
  <link href="../style.css" media="screen" rel="stylesheet"
type="text/css" />
  <link href="src/facebox.css" media="screen" rel="stylesheet"
type="text/css" />
  <script src="lib/jquery.js" type="text/javascript"></script>
  <script src="src/facebox.js"
type="text/javascript"></script>
  <script type="text/javascript">
    jQuery(document).ready(function($) {
      $('a[rel*=facebox]').facebox({
        loadingImage : 'src/loading.gif',
```

```
        closeImage    : 'src/closetlabel.png'
    })
})
</script>
<?php
    require_once('auth.php');
?>
<?php
function createRandomPassword() {
    $chars = "003232303232023232023456789";
    srand((double)microtime()*1000000);
    $i = 0;
    $pass = '' ;
    while ($i <= 7) {

        $num = rand() % 33;

        $tmp = substr($chars, $num, 1);

        $pass = $pass . $tmp;

        $i++;
    }
    return $pass;
}
$finalcode='RS-'.createRandomPassword();
?>

<script language="javascript" type="text/javascript">
/* Visit http://www.yaldex.com/ for full source code
and get more free JavaScript, CSS and DHTML scripts! */
<!-- Begin
var timerID = null;
```

```

var timerRunning = false;
function stopclock () {
if(timerRunning)
clearTimeout(timerID);
timerRunning = false;
}
function showtime () {
var now = new Date();
var hours = now.getHours();
var minutes = now.getMinutes();
var seconds = now.getSeconds()
var timeValue = "" + ((hours >12) ? hours -12 :hours)
if (timeValue == "0") timeValue = 12;
timeValue += ((minutes < 10) ? ":0" : ":") + minutes
timeValue += ((seconds < 10) ? ":0" : ":") + seconds
timeValue += (hours >= 12) ? " P.M." : " A.M."
document.clock.face.value = timeValue;
timerID = setTimeout("showtime()",1000);
timerRunning = true;
}
function startclock() {
stopclock();
showtime();
}
window.onload=startclock;
// End -->
</SCRIPT>
</head>
<body>
<?php include('navfixed.php');?>
<?php
$position=$_SESSION['SESS_LAST_NAME'];

if($position=='cashier') {

```

```

?>
<?php include('menu1.php'); ?>
<div class="span10">
<div class="contentheader">
        <ul class="breadcrumb">
                <li class="active">Menu Utama</li>
        </ul>
<font style=" font:bold 44px
'Aleo';color:#FF0000;"><center></center></font>
<div id="mainmain">
<a href="sales.php?id=cash&invoice=<?php echo $finalcode
?>"><i class="icon-shopping-cart icon-
1x"></i><br>Transaksi</a>
<a href="customer.php"><i class="icon-group icon-
1x"></i><br> Pelanggan</a>
<a href="perawatan.php"><i class="icon-group icon-
1x"></i><br> Perawatan</a>
<?php
}

if($position=='admin') {
?>
<?php include('menu.php'); ?>
<div class="span10">
<div class="contentheader">
        <ul class="breadcrumb">
                <li class="active">Dashboard</li>
        </ul>
<font style=" font:bold 44px
'Aleo';color:#FF0000;"><center>Pet Shop</center></font>
<div id="mainmain">
<a href="sales.php?id=cash&invoice=<?php echo $finalcode
?>"><i class="icon-shopping-cart icon-
1x"></i><br>Transaksi</a>

```

```

<a href="products.php"><i class="icon-list-alt icon-
1x"></i><br> Products</a>
<a href="customer.php"><i class="icon-group icon-
1x"></i><br> Customers</a>
<a href="supplier.php"><i class="icon-group icon-
1x"></i><br> Supliers</a>
<a href="perawatan.php"><i class="icon-group icon-
1x"></i><br> Perawatan</a>
<a href="salesreport.php?d1=0&d2=0"><i class="icon-bar-chart
icon-1x"></i><br>Laporan</a>
<?php
}
?>
<div class="clearfix"></div>
</div>
</div>
</div>
</div>
</body>
<?php include('footer.php'); ?>
</html>

```

2. Menu Utama

```

<div class="navbar navbar-inverse navbar-fixed-top">
  <div class="navbar-inner">
    <div class="container-fluid">
      <a class="btn btn-navbar" data-toggle="collapse"
data-target=".nav-collapse">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </a>
      <a class="brand" href="#"><b>Pet's shop
Kucing</b></a>

```

```

        <div class="nav-collapse collapse">
            <ul class="nav pull-right">
                <li><a><i class="icon-user icon-large"></i>
Selamat Datang:<strong> <?php echo
$_SESSION['SESS_LAST_NAME'];?></strong></a></li>
                <li><a> <i class="icon-calendar icon-
large"></i>
                                                    <?php
                                                    $Today =
date('y:m:d',mktime());
                                                    $new = date('l,
F d, Y', strtotime($Today));
                                                    echo $new;
                                                    ?>
                </a></li>
                <li><a href="../index.php"><font
color="yellow"><i class="icon-off icon-large"></i></font>
Keluar</a></li>
            </ul>
        </div><!--/.nav-collapse -->
    </div>
</div>
</div>

```