

LAMPIRAN

Lampiran 1. Hasil Uji Statistik

Jenis Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	laki-laki	60	58.3	58.3	58.3
	perempuan	43	41.7	41.7	100.0
Total		103	100.0	100.0	

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
ITRASIO	.522	103	.000	.338	103	.000
TROMBOSIT	.110	103	.003	.937	103	.000

a. Lilliefors Significance Correction

Correlations

		ltrato	trombosit
ltrato	Pearson Correlation	1	.068
	Sig. (2-tailed)		.492
	N	103	103
trombosit	Pearson Correlation	.068	1
	Sig. (2-tailed)	.492	
	N	103	103

Ratio * Trombosit Crosstabulation

		Trombosit			Total	
		Tinggi	Normal	Rendah		
Ratio	> 0.2	Count	1	26	6	33
		% of Total	1.0%	25.2%	5.8%	32.0%
	< 0.2	Count	7	56	7	70
		% of Total	6.8%	54.4%	6.8%	68.0%
Total		Count	8	82	13	103
		% of Total	7.8%	79.6%	12.6%	100.0%

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
itratio	103	.01	.47	.1491	.08529
trombosit	103	7.00	760.00	2.6771E2	124.50511
Valid N (listwise)	103				

Descriptives

		Statistic	Std. Error
ITRASIO	Mean	.0145	.00470
	95% Confidence Interval for Mean		
	Lower Bound	.0051	
	Upper Bound	.0238	
	5% Trimmed Mean	.0052	
	Median	.0000	
	Variance	.002	
	Std. Deviation	.04771	
	Minimum	.00	
	Maximum	.23	
	Range	.23	
	Interquartile Range	.00	

	Skewness		3.386	.238
	Kurtosis		10.711	.472
TROMBOIT	Mean		2.6771E2	12.26785
	95% Confidence Interval for Mean	Lower Bound	2.4338E2	
		Upper Bound	2.9204E2	
	5% Trimmed Mean		2.6065E2	
	Median		2.6900E2	
	Variance		1.550E4	
	Std. Deviation		1.24505E2	
	Minimum		7.00	
	Maximum		760.00	
	Range		753.00	
	Interquartile Range		161.00	
	Skewness		1.062	.238
	Kurtosis		2.686	.472

Bbl

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1100	1	1.0	1.0	1.0
	1350	2	1.9	1.9	2.9
	1500	1	1.0	1.0	3.9
	1600	1	1.0	1.0	4.9
	1650	1	1.0	1.0	5.8
	1740	1	1.0	1.0	6.8
	1800	1	1.0	1.0	7.8
	1850	1	1.0	1.0	8.7
	1900	1	1.0	1.0	9.7
	1910	1	1.0	1.0	10.7
	1980	1	1.0	1.0	11.7
	2000	5	4.9	4.9	16.5

2100	2	1.9	1.9	18.4
2150	2	1.9	1.9	20.4
2200	1	1.0	1.0	21.4
2250	3	2.9	2.9	24.3
2350	1	1.0	1.0	25.2
2360	1	1.0	1.0	26.2
2400	1	1.0	1.0	27.2
2410	1	1.0	1.0	28.2
2425	1	1.0	1.0	29.1
2450	3	2.9	2.9	32.0
2480	1	1.0	1.0	33.0
2500	3	2.9	2.9	35.9
2510	1	1.0	1.0	36.9
2600	4	3.9	3.9	40.8
2650	1	1.0	1.0	41.7
2670	1	1.0	1.0	42.7
2700	2	1.9	1.9	44.7
2750	1	1.0	1.0	45.6
2790	2	1.9	1.9	47.6
2800	8	7.8	7.8	55.3
2850	1	1.0	1.0	56.3
2880	1	1.0	1.0	57.3
2890	1	1.0	1.0	58.3
2900	3	2.9	2.9	61.2
2920	1	1.0	1.0	62.1
2940	1	1.0	1.0	63.1
3000	4	3.9	3.9	67.0
3010	1	1.0	1.0	68.0
3060	1	1.0	1.0	68.9
3100	6	5.8	5.8	74.8
3160	2	1.9	1.9	76.7
3200	3	2.9	2.9	79.6
3250	1	1.0	1.0	80.6
3300	2	1.9	1.9	82.5
3350	1	1.0	1.0	83.5

3390	1	1.0	1.0	84.5
3400	1	1.0	1.0	85.4
3450	1	1.0	1.0	86.4
3500	3	2.9	2.9	89.3
3550	3	2.9	2.9	92.2
3650	1	1.0	1.0	93.2
3690	1	1.0	1.0	94.2
3700	2	1.9	1.9	96.1
3730	1	1.0	1.0	97.1
3870	1	1.0	1.0	98.1
3910	1	1.0	1.0	99.0
3920	1	1.0	1.0	100.0
Total	103	100.0	100.0	