

LAMPIRAN

Crosstabs

Status Gizi * TB Paru Crosstabulation

			TB Paru		Total
			Ya	Tidak	
Status Gizi	Gizi Kurang	Count	26	16	42
		% within Status Gizi	61,9%	38,1%	100,0%
		% within TB Paru	78,8%	48,5%	63,6%
		% of Total	39,4%	24,2%	63,6%
	Gizi Baik	Count	7	17	24
		% within Status Gizi	29,2%	70,8%	100,0%
		% within TB Paru	21,2%	51,5%	36,4%
		% of Total	10,6%	25,8%	36,4%
		Total	Count	33	33
	% within Status Gizi	50,0%	50,0%	100,0%	
	% within TB Paru	100,0%	100,0%	100,0%	
	% of Total	50,0%	50,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6,548 ^b	1	,011		
Continuity Correction ^a	5,304	1	,021		
Likelihood Ratio	6,700	1	,010		
Fisher's Exact Test				,020	,010
Linear-by-Linear Association	6,448	1	,011		
N of Valid Cases	66				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 12,00.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,300	,011
N of Valid Cases		66	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Status Gizi (Gizi Kurang / Gizi Baik)	3,946	1,343	11,600
For cohort TB Paru = Ya	2,122	1,089	4,136
For cohort TB Paru = Tidak	,538	,338	,855
N of Valid Cases	66		

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Status Gizi (Gizi Kurang / Gizi Baik)	3,946	1,343	11,600
For cohort TB Paru = Ya	2,122	1,089	4,136
For cohort TB Paru = Tidak	,538	,338	,855
N of Valid Cases	66		