

## LAMPIRAN

### 1. ANALISIS DATA

#### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
RS * Gender	742	100.0%	0	.0%	742	100.0%

#### RS \* Gender Crosstabulation

			Gender		Total
			laki laki	perempuan	
RS	PKU Bantul	Count	189	184	373
		% within RS	50.7%	49.3%	100.0%
		% of Total	25.5%	24.8%	50.3%
	PKU Jogja	Count	173	196	369
		% within RS	46.9%	53.1%	100.0%
		% of Total	23.3%	26.4%	49.7%
Total		Count	362	380	742
		% within RS	48.8%	51.2%	100.0%
		% of Total	48.8%	51.2%	100.0%

#### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
RS * Usia	742	100.0%	0	.0%	742	100.0%

#### RS \* Usia Crosstabulation

			Usia		Total
			< 30	> 30	
RS	PKU Bantul	Count	197	176	373
		% within RS	52.8%	47.2%	100.0%
		% of Total	26.5%	23.7%	50.3%
	PKU Jogja	Count	253	116	369
		% within RS	68.6%	31.4%	100.0%
		% of Total	34.1%	15.6%	49.7%
Total		Count	450	292	742
		% within RS	60.6%	39.4%	100.0%
		% of Total	60.6%	39.4%	100.0%

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
RS * Angka	742	100.0%	0	.0%	742	100.0%

**RS \* Angka Crosstabulation**

			Angka	Total
			konjungtiv itis	
RS	PKU Bantul	Count	373	373
		% within RS	100.0%	100.0%
		% of Total	50.3%	50.3%
	PKU Jogja	Count	369	369
		% within RS	100.0%	100.0%
		% of Total	49.7%	49.7%
Total	Count	742	742	
	% within RS	100.0%	100.0%	
	% of Total	100.0%	100.0%	

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
RS * angka	1484	100,0%	0	,0%	1484	100,0%

## RS \* angka Crosstabulation

			angka		Total
			konjungtivitis	non konjungtivitis	
RS	pku bantul	Count	373	369	742
		% within RS	50,3%	49,7%	100,0%
		% within angka	50,3%	49,7%	50,0%
		% of Total	25,1%	24,9%	50,0%
	pku jogja	Count	369	373	742
		% within RS	49,7%	50,3%	100,0%
		% within angka	49,7%	50,3%	50,0%
		% of Total	24,9%	25,1%	50,0%
Total	Count	742	742	1484	
	% within RS	50,0%	50,0%	100,0%	
	% within angka	100,0%	100,0%	100,0%	
	% of Total	50,0%	50,0%	100,0%	

## Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,043 <sup>b</sup>	1	,835		
Continuity Correction <sup>a</sup>	,024	1	,876		
Likelihood Ratio	,043	1	,835		
Fisher's Exact Test				,876	,438
N of Valid Cases	1484				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 371,00.