

## DAFTAR PUSTAKA

- Airoldi, G., Riva, G., Vanelli, M., Fillipi, V., & Garattini, G. (1987). Oral environment temperature changes induced by col/hot liquid intake. *Am J Orthod Dentofac Orthop*, 112, 58-63.
- Andreasen, G., Heilman, H., & Krell, D. (1985). Stiffness Changes in Thermodynamic Nitinol with Increasing Temperature. *Iowa: Angle Orthod*, 55 (2), 120-126.
- Anusavice, K. (2003). *Phillips's Science of Dental Materials* (11<sup>th</sup> ed.). Sunderland: St. Louis WB.
- Apurva, M., Gong, X., & Imbeni, V. (2007). *Endovascular stents using in situ synchrotron x-ray*. Wiley-Vch Verlag GmbH & Co.
- Bahirrah, S. (2004). *Pergerakan Gigi Dalam Bidang Ortodonsia Dengan Alat Cekat*. Bagian Ortodonsia Fakultas Kedokteran Gigi Universitas Sumatra Utara.
- Brantley, W., & Eliades, T. (2001). *Orthodontic Materials Scientific and Clinical Aspects*. New York: Thieme Stuttgart, 84-85.
- Burstone, C., & Goldberg, A. (1980). Beta titanium: a new orthodontic alloy. *Am J Orthod Dentofac Orthop*, 77, 121-132.
- Chen, R., Zhi, Y., & Arvystas, M. (1992). Advanced Chinese NiTi Alloy Wire and Clinical Observations. *Angle Orthod*, 59-66.
- Christnawati. (2003). Pengaruh suhu terhadap daya regang rantai elastomerik ortodontik. *MIKGI*, 263.
- Combe, E. (1992). *Sari Dental Material* (Tarigan, penerjemah). Jakarta: Balai Pustaka, 6- 16.
- de Genova, D., McInnes-Ledoux, P., Weinberg, R., & Shaye, R. (1985). Force degradation of orthodontic elastomeric chain-A product comparison study. *Am J Orthod*, 87 (5), 120-126.
- Foster, T. (1997). Buku Ajar Ortodonsi Edisi ke 3 (Yuwono, L, penerjemah). Jakarta: EGC. (Buku asli diterbitkan 1993).
- Gall, K., Yang, N., Sehitoglu, H., & Chumlyakov, Y. (2009). Fracture of precipitated niti shape memory alloys. *Int J Fracture*, 10, 189-207.

- Graber, T., & Vanarsdall, R., & Vig, G. (2000). *Orthodontics Current Principles and Techniques* (4<sup>th</sup> ed.). St. Louise: Elsevier Mosby.
- Isaacson, K., & William, J. (1992). *An Introduction to Fixed Appliances*. John Wright & Sons LTD, 20-22.
- Kusy, R. (1997). *A review Of Contemporary Archwires : Their Prioerties And Characteristics*. *Angle Orthod*, 67 (3), 197-208.
- Meling, T., & Odegaard, J. (2001). The effect of short-term temperature changes on superelastic Nickel-Titanium archwires actived in orthodontic bending. *Am J Orthod Dentofacial Orthop*, 119 (3), 263-273.
- Miura, F., Mogi, M., Ohura, Y., & Hamanaka, H. (1986). The super-elastic property of japanese NiTi alloy wire for use in orthodontics. *Am J Orthod Dentofac*, 90, 1- 10.
- Octaviawan, N. (2010). Pengaruh Ukuran Butir pada Temperatur Transisi Baja. 1-2.
- O'Brien, W. (2002). *Dental Materials and Their Selection* (3th ed.). Canada: Quintessence Pub.Co.
- Otto, B., Rollinger, J., & Burger, A. (1999). An evaluation of the transition temperature range of superelastic orthodontic NiTi springs using differential scanning calorimetry. *Euro J Orthod*, 21, 497-502.
- Phillips, R. (1991). *Science of Dental Materials* (6<sup>th</sup> ed.). Philadelphia: W.B. Saunders Co, 546.
- Phillips, R. (1973). *Skinner's Science of Dental Materials*. Philadelphia: W.B. Saunders Co, 244-298.
- Rahardjo (a), P. (2009). *Ortodonti Dasar*. Surabaya: Airlangga University Press, 60.
- Rahardjo (b), P. (2009). *Peranti Ortodonti Lepas*. Surabaya: Airlangga University Press, 2.
- Santoro, M., Nicolay, O., & Cangialosi, T. (2001). Pseudoelasticity and thermoelasticity of nickel titanium alloys: a clinically oriented review. Part I: Temperature transitional ranges. *Am J Orthod Dentofacial Orthop*, 119, 587-593.

- Santoro, M., & Beshers, D. (2000). Nickel-titanium alloys : stress-related temperature transitional range. *Am J Orthod Dentofacial Orthop*, 118 (6), 685-692.
- Shubhaker, R., Vignesh, K., Sridevi, P., & Arun, B. (2010). Physical, mechanical, and flexural properties of orthodontic wires: an in-vitro study. *Am J Orthod Dentofac Orthop*, 138, 623-630.
- Shukor, R. (2011). Bahan Termaju (Advanced Materials). *Pusat Pengajian Fisik Gunaan Universiti Kebangsaan Malaysia*, 12-23.
- Thompson, S. (2000). An overview of nickel-titanium alloys used in dentistry. *International Endodontic Journal*, 33, 297-310.
- Williams, J., Cook, P., Isaacson, K., & Thom, A. (1998). *Alat - Alat Ortodonti Cekat*. Jakarta: EGC, 1-2.