

BAB V

KESIMPULAN DAN SARAN

A. Kesimpulan

Pemberian parasetamol sebelum sirkumsisi lebih efektif dibandingkan pemberian setelah sirkumsisi.

B. Saran

1. Perlu dilakukan pengamatan lebih teliti dan rinci disetiap waktu sampai efek analgesik parasetamol menghilang.
2. Penelitian yang mendalam terhadap efek samping pemberian parasetamol pada sirkumsisi.

DAFTAR PUSTAKA

- Anderson BJ, Holoford NH, Woodland GA, Kanagasundaram S, Mahadevan M. (1999). Perioperative Pharmacodynamics of Acetaminophen Analgesia in Children. *Anesthesiology*. 90:411-21.
- Anna Taddio, BScPhm, MSc, PhD; Neil Pollock, MD; Cheryl Gilbert-MacLead, MA, PhD; Kristina Ohlsson; Gideon Koren, MD. (2000). Combined Analgesia and local Analgesia to Minimize Pain During Circumcision. *American Medical Association*.
- Bastos Netto Jm, de Araujo JG Jr, de Almeida Noronha MF, Passos BR, de Bessa J Jr, Figueiredo AA. (2010). Prospective randomized trial comparing dissection with plastibel circumcision. *J Pediatr Urol*. 2010; 6:572-7
- Basuki Purnomo. (2011). *Dasar-dasar urologi* (3th ed.). Jakarta: Sagung Seto.
- Christopher ST, Matt B, Hamilton M. (1997). A Comparison of Ibuprofen Versus Acetaminophen with Codein in the Young Tonsilectomy Patient. *Otolaryngol Head Neck Surg*. 117:76-82.
- Davis S, Graham G. (2005). IV Paracetamol-Where Does it Sit in Hospital Practice. NSW Therapeutic Advisory Group. *Curr Opin Anaesthesiol*. 1-6.
- Hermana, A. (2000). *Teknik Khitan Panduan Lengkap, Sistematis dan Praktis* (1st Ed.). Jakarta : Widya Medika.
- IASP. (2000). *Core Curriculum for Professional Education Pain*. USA: Internasional Association for the Study of Pain Publications.
- Ismail Muhammad, Alvianto, Nasman Puar, Hafni Bachtiar. (2013). Perbedaan Efektivitas Parasetamol Oral Dengan Tramadol Oral Sebagai Tatalaksana Nyeri Pasca Operasi Transurethral Resection of The Prostate. *Jurnal Kesehatan Andalas*. 2(1). 38-41.
- Katzung, G. B. (2001). *Farmakologi Dasar dan Klinik* (1st ed., Vol. II). Jakarta: Salemba Medika.
- Levy G. (1987). Pharmacokinetic Analysis of the Analgesic Effect of a Single Dose of Acetaminophen in Humans. *J Pharm Sci*. 76:88-9
- Nick Zavras, Stella Tsomoudaki, Efstratios Christianakis, Demetrios Schizas, Emmanuel Pikoulis, Helen Kyritsi, et al. (2014). Ring block with Levobupivacaine 0.25% and Paracetamol vs Paracetamol Alone in Children Submitted to Three Different Surgical Techniques of

- Circumcision: A Prospective Randomized Study. *Saudi Journal of Analgesia.* 8(1). 45-50
- Nursalam. (2009). *Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan.* Jakarta: Salemba Medika.
- Nurwicaksono, E. (2013, Januari 17). Retrieved maret 11, 2014, from emirzanurwicaksosno.blog.unissula.ac.id: unissula.ac.id
- R, S., & de Jong, W. (2004). Sirkumsisi. In *Buku Ajar Ilmu Bedah* (2 ed.). Jakarta: EGC.
- Riyanto, A. (2011). *Aplikasi Metode Penelitian Kesehatan.* Yogyakarta: Nuha Medika.
- Rusdiana T, Sjuib F, Asyarie S. (2003). Interaksi Farmakokinetik Kombinasi Obat Parasetamol dan Fenilpropalamid Hidroklorida Sebagai Komponen Obat Flu. *Farmaka.* Vol 1. No 4. 1-17.
- Sudoyo A.W., B. Setiyohadi, I. Alwi, & S. Setiati. (2009). *Ilmu Penyakit Dalam.* Vol III. Jakarta. Interna Publishing.
- Sugiarto. (2001). *Teknik Sampling.* Jakarta: PT. Gramedia Pustaka Utama.
- Sumpelmann R, Munte S. (2003). Postoperative Analgesia in Infants and Children. *Curr Opin Anesthesiol.* 13:309-13.
- Supranto, J. (2000). *Statistik* (6th ed.). Jakarta: Erlangga. Solso, & Maclin, R. L. (2002). *Cognitive Psychologi.* New York: Pearson.
- Sophi Damayanti, Slamet Ibrahim, Kurnia Firman, Daryono H. Tjahyono. (2003). Penetapan secara Simultan Campuran Paracetamol dan Ibuprofen dengan Kromatografi Cair Kinerja Tinggi. *Indonesian Journal of Chemistry.* 2(3). 9-13
- Universitas Sumatra Utara. (2012). Sirkumsisi. *USU Repository.* Diakses 13 Maret 2014, dari <http://Repository.usu.ac.id>
- Varrassi G, Marinamgeli F, Agro F, Luigi A. (1999). A Double-Blinded Evaluation of Paracetamol Versus Ketorolac in Combination with Patient-Control Analgesi Morphine: Analgesic Efficacy and Tolerability After Gynecologic Surgery. *Anesth Analg.* 88:611-16.
- WHO. (2007). *Male circumcision.* global trends and determinants of prevalence, safety, and acceptability, World Health Organization.

Williams N, Kapila L. (1983). Complications in Circumcision. *Br J Surg.* 80:1231-6

Yulida Amelia Nasution. (2009). Penetapan Kadar Zat Aktif Parasetamol Dalam Obat Sediaan Oral Dengan Metode Kromatografi Cair Kinerja Tinggi. *USU Repository*. Diakses 28 Januari 2015, dari <http://Repository.usu.ac.id>