

Lampiran 2

Statistics

status_pemakaian_krim

N	Valid	90
	Missing	0

status_pemakaian_krim

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	65	72.2	72.2	72.2
	Tidak	25	27.8	27.8	100.0
	Total	90	100.0	100.0	

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
status_pemakaian_krim * hirsutisme	90	100.0%	0	.0%	90	100.0%
status_pemakaian_krim * telangiektasis	90	100.0%	0	.0%	90	100.0%
status_pemakaian_krim * akne_vulgaris	90	100.0%	0	.0%	90	100.0%

Crosstab

		hirsutisme		
		ya	tidak	Total
status_pemakaian_krim ya	Count	22	43	65
	Expected Count	15.9	49.1	65.0
	% within	33.8%	66.2%	100.0%
	status_pemakaian_krim			
	% within hirsutisme	100.0%	63.2%	72.2%

		% of Total	24.4%	47.8%	72.2%
	tidak	Count	0	25	25
		Expected Count	6.1	18.9	25.0
		% within	.0%	100.0%	100.0%
		status_pemakaian_krim			
		% within hirsutisme	.0%	36.8%	27.8%
		% of Total	.0%	27.8%	27.8%
Total		Count	22	68	90
		Expected Count	22.0	68.0	90.0
		% within	24.4%	75.6%	100.0%
		status_pemakaian_krim			
		% within hirsutisme	100.0%	100.0%	100.0%
		% of Total	24.4%	75.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	11.199 ^a	1	.001		
Continuity Correction ^b	9.441	1	.002		
Likelihood Ratio	16.906	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	11.075	1	.001		
N of Valid Cases	90				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.11.

b. Computed only for a 2x2 table

Crosstab

		telangiectasis		Total	
		ya	tidak		
status_pemakaian_krim	ya	Count	20	45	65
		Expected Count	14.4	50.6	65.0

	% within status_pemakaian_krim	30.8%	69.2%	100.0%
	% within telangiectasis	100.0%	64.3%	72.2%
	% of Total	22.2%	50.0%	72.2%
tidak	Count	0	25	25
	Expected Count	5.6	19.4	25.0
	% within status_pemakaian_krim	.0%	100.0%	100.0%
	% within telangiectasis	.0%	35.7%	27.8%
	% of Total	.0%	27.8%	27.8%
Total	Count	20	70	90
	Expected Count	20.0	70.0	90.0
	% within status_pemakaian_krim	22.2%	77.8%	100.0%
	% within telangiectasis	100.0%	100.0%	100.0%
	% of Total	22.2%	77.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	9.890 ^a	1	.002		
Continuity Correction ^b	8.190	1	.004		
Likelihood Ratio	15.106	1	.000		
Fisher's Exact Test				.001	.001
Linear-by-Linear Association	9.780	1	.002		
N of Valid Cases	90				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.56.

b. Computed only for a 2x2 table

Crosstab

	akne_vulgaris		Total
	ya	tidak	

status_pemakaian_krim ya	Count	25	40	65
	Expected Count	19.5	45.5	65.0
	% within status_pemakaian_krim	38.5%	61.5%	100.0%
	% within akne_vulgaris	92.6%	63.5%	72.2%
	% of Total	27.8%	44.4%	72.2%
	tidak	Count	2	23
Expected Count		7.5	17.5	25.0
% within status_pemakaian_krim		8.0%	92.0%	100.0%
% within akne_vulgaris		7.4%	36.5%	27.8%
% of Total		2.2%	25.6%	27.8%
Total		Count	27	63
	Expected Count	27.0	63.0	90.0
	% within status_pemakaian_krim	30.0%	70.0%	100.0%
	% within akne_vulgaris	100.0%	100.0%	100.0%
	% of Total	30.0%	70.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.978 ^a	1	.005		
Continuity Correction ^b	6.593	1	.010		
Likelihood Ratio	9.401	1	.002		
Fisher's Exact Test				.005	.003
Linear-by-Linear Association	7.889	1	.005		
N of Valid Cases	90				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.50.

b. Computed only for a 2x2 table