

DAFTAR PUSTAKA

- Arief, M., Triyanti, K., Syafitri, R., Wardhani, W.I., Setiowulan W., (2014). Kapita Selekta Kedokteran Edisi IV. Jakarta: Media Aesculapius FK UI
- Artiyaningrum, B. and Azam, M., 2016. Faktor-Faktor yang Berhubungan dengan Kejadian Hipertensi tidak Terkendali pada Penderita yang Melakukan Pemeriksaan Rutin. *Public Health Perspective Journal*, 1(1).
- Ashar, T., 2016. Faktor-Faktor yang Berhubungan dengan Kejadian Prehipertensi pada Usia 18-40 Tahun di Desa Jati Kesuma Kecamatan Namorejo Kabupaten Deli Serdang Tahun 2015. *Gizi, Kesehatan Reproduksi dan Epidemiologi*, 1(4).
- Atun, L., Siswati, T. and Kurdanti, W., 2014. Asupan Sumber Natrium, Rasio Kalium Natrium, Aktivitas Fisik, Dan Tekanan Darah Pasien Hipertensi. *Media Gizi Mikro Indonesia*, 6(1).
- Börjesson, M., Onerup, A., Lundqvist, S. and Dahlöf, B., 2016. Physical activity and exercise lower blood pressure in individuals with hypertension: narrative review of 27 RCTs. *British journal of sports medicine*, pp.bjsports-2015
- Bowman, S.T., Gaziano, G.M., Buring, J.E., Sesso, H.D., (2007). A prospective Study of Cigarette Smoking And Risk of Incident Hypertension in Brigham and Women Hospital Massachusetts. *Journal of the American College of Cardiology*, 50 (21), 92.
- Bunga, P. (2009). Asupan zat gizi mikro dan makro pada remaja. KTI. Semarang: Universitas Diponegoro.
- Couch, S. C., & Krummel, D. A. (2008). Medical nutrition therapy for hypertension. *Mahan, LK Escott-Stump S. Krause's Food, Nutrition and Diet Therapy*.(12), 865-881.
- Crump, C., Sundquist, J., Winkleby, M.A. and Sundquist, K., 2016. Interactive effects of physical fitness and body mass index on the risk of hypertension. *JAMA internal medicine*, 176(2), pp.210-216.
- Csongradi, E., A Juncos, L., A Drummond, H., Vera, T. and E Stec, D., 2012. Role of carbon monoxide in kidney function: is a little carbon monoxide good for the kidney?. *Current pharmaceutical biotechnology*, 13(6), pp.819-826.
- Domar, A. D., Rooney, K. L., Milstein, M., & Conboy, L. (2015). Lifestyle habits of 12,800 IVF patients: Prevalence of negative lifestyle behaviors, and

- impact of region and insurance coverage. *Human Fertility*, 18(4), 253-257.
- Du, S., Neiman, A., Batis, C., Wang, H., Zhang, B., Zhang, J., & Popkin, B. M. (2014). Understanding the patterns and trends of sodium intake, potassium intake, and sodium to potassium ratio and their effect on hypertension in China. *The American journal of clinical nutrition*, 99(2), 334-343.
- Egan, B.M., Stevens, F.S. (2015). Prehypertension--prevalence, health risks, and management strategies. *Nature Reviews Cardiology*, 12 (5), 289-300.
- Giles, T. D., Materson, B. J., Cohn, J. N., & Kostis, J. B. (2009). Definition and classification of hypertension: an update. *The Journal of Clinical Hypertension*, 11(11), 611-614.
- Gurusinga, D.H., 2016. *Analisis Faktor Risiko terjadinya Hipertensi pada Pasien Rawat Jalan di Poliklinik Penyakit Dalam Rumah Sakit Umum Daerah Deli Serdang Tahun 2013* (Master's thesis).
- Hall, J.E., do Carmo, J.M., da Silva, A.A., Wang, Z. and Hall, M.E., 2015. Obesity-induced hypertension: interaction of neurohumoral and renal mechanisms. *Circulation research*, 116(6), p.991.
- Hall, M. E., do Carmo, J. M., da Silva, A. A., Juncos, L. A., Wang, Z., & Hall, J. E. (2014). Obesity, hypertension, and chronic kidney disease. *Int J Nephrol Renovasc Dis*, 7, 75-88.
- Hedge, S.M., Solomon, S.D. (2015). Influence of Physical Activity in Hypertension and Cardiac Structure and Function. *Current Hypertension Reports*, 17 (10), 77
- Iannone, F., Lopalco, G., Rigante, D., Orlando, I., Cantarini, L., & Lapadula, G. (2016). Impact of obesity on the clinical outcome of rheumatologic patients in biotherapy. *Autoimmunity Reviews*.
- Jannah, M., D. Sulastri., and Y. Lestari. 2013. Perbedaan Asupan Natrium dan Kalium pada Penderita Hipertensi dan Normotensi Masyarakat Etnik Minangkabau di Kota Padang. *Jurnal Kesehatan Andalas*. Vol. 2, No. 3. Hal:132-136.
- JNC VII. (2004). Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. Rockville, Md. National Heart, Lung, and Blood Institute, US Department of Health and Human Services; August 2004. *National Institutes of Health Publication No. 04-5230*.

- Junaidi, I. (2010). *Hipertensi*. Jakarta: PT Bhuana Ilmu Populer.
- Kaplan NM., 2006. *Kaplan's Clinical Hypertension*. Edisi 9. Philadelphia: Lippincott Williams & Wilkins, 131.
- Kembuan, I.Y., Kandou, G. and Kaunang, W.P., 2016. Hubungan Obesitas dengan Penyakit Hipertensi pada Pasien Poliklinik Puskesmas Touluaan Kabupaten Minahasa Tenggara. *Paradigma*, 4(2).
- Kemenkes RI, (2012).Masalah Rokok di Indonesia. Tobacco Control Support Center IAKMI. Diakses melalui <http://bit.ly/1s8Cfbl> pada tanggal 3 Mei 2016, pukul 21.51 WIB.
- Kementrian Kesehatan RI. (2013). Laporan Riset Kesehatan Dasar (Riskesdas) 2013. *Jakarta: Badan Penelitian dan Pengembangan Kesehatan*.
- Kim, Y., Jung, S., Yoo, B., Oh, B., & Kang, H. C. (2016). Relationship between smoking, overall obesity, and central obesity: A cross-sectional study from the 5th and 6th (2010-2013) Korea National Health and Nutrition Examination Survey. *Epidemiology and Health*, e2016020. Diakses melalui <http://e-epih.org/journal/view.php?doi=10.4178/epih.e2016020> pada tanggal 24 Mei 2016 pukul 11.41 WIB.
- Lee, B.H., Yang, A.R., Kim, M.Y., McCurdy, S. and Boisvert, W.A., 2017. Natural sea salt consumption confers protection against hypertension and kidney damage in Dahl salt-sensitive rats. *Food & Nutrition Research*, 61(1), pp.1-10.
- Lee, S., Jang, M., Noh, H. M., Oh, H. Y., Song, H. J., Park, K. H., & Paek, Y. J. (2015). Time to first cigarette and hypertension in Korean male smokers. *Korean journal of family medicine*, 36(5), 221-226.
- Lim, H. S., Kim, T. H., Lee, H. H., Park, Y. H., Kim, J. M., & Lee, B. R. (2016). Hypertension and age at onset of natural menopause in Korean postmenopausal women: Results from the Korea National Health and Nutrition Examination Survey (2008–2013). *Maturitas*, 90, 17-23.
- Mannan, H., 2013. Faktor risiko kejadian hipertensi di wilayah kerja puskesmas bangkala kabupaten jenepono tahun 2012. Artikel Penelitian. Makassar: Universitas Hasanuddin.
- Messner, B. and Bernhard, D., 2014. Smoking and Cardiovascular DiseaseSignificance. *Arteriosclerosis, thrombosis, and vascular biology*,34(3), pp.509-515.
- Muda, Z., Kadir, A. A., Yusof, Z., & Yaacob, L. H. (2013). Premature Coronary Artery Disease among Angiographically Proven Atherosclerotic

Coronary Artery Disease in North East of Peninsular Malaysia. *Int J Collaborative Res Intern Med Public Health*, 5(7), 507-516.

- Petty, C. M., McSweeney, J. C., Stewart, K. E., Price, E. T., Cleves, M. A., Heo, S., & Souder, E. (2015). Perceptions of family history and genetic testing and feasibility of pedigree development among African Americans with hypertension. *European Journal of Cardiovascular Nursing*, 14(1), 8-15.
- Pontoh, L.W., Kandou, G.D. and Mayulu, N., 2016. Hubungan antara Obesitas, Konsumsi Natrium, dan Stres dengan Kejadian Hipertensi pada Orang Dewasa di Puskesmas Tompas Kabupaten Minahasa. *Paradigma*, 4(2).
- Pradono, J., Indrawati, L., Murnawan, T., (2013). Permasalahan dan Faktor Risiko yang Berhubungan dengan Terjadinya Hipertensi di Kabupaten Bogor Prov . Jawa Barat. *Buletin Penelitian Kesehatan*, 41(2), 61–71.
- Rahadiyanti, A., Setianto, B.Y. and Purba, M.B., 2017. Asupan makan DASH-like diet untuk mencegah risiko hipertensi pada wanita prediabetes. *Jurnal Gizi Klinik Indonesia (The Indonesian Journal of Clinical Nutrition)*, 11(3), pp.115-125.
- Rahajeng, E., Tuminah, S. (2009). Prevalensi Hipertensi dan Determinannya di Indonesia. *Majalah Kedokteran Indonesia*, 59 (12), 583
- Setyanda, Y.O.G., Sulastri, D., Lestari, Y., (2015). Hubungan Merokok dengan Kejadian Hipertensi pada Laki-Laki Usia 35-65 Tahun di Kota Padang. *Jurnal Kesehatan Andalas*, 4 (2), 434-440.
- Silva, D.A.S., Petroski, E.L. and Peres, M.A., 2013. Accuracy and measures of association of anthropometric indexes of obesity to identify the presence of hypertension in adults: a population-based study in Southern Brazil. *European journal of nutrition*, 52(1), pp.237-246.
- Simangunsong, A.F., 2015. Faktor-Faktor yang Berhubungan Dengan Kejadian Pre-hipertensi di Wilayah Kerja Puskesmas Kerasan Kabupaten Simalungun Tahun 2014.
- Sitepoe, L.S. 2010. Hubungan Kebiasaan Merokok terhadap Terjadinya Smoker's Melanosis di Kalangan Mahasiswa Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Sumatera Utara. Skripsi. USU.
- Sitepu, R., 2012. *Pengaruh Kebiasaan Merokok dan Status Gizi Terhadap Hipertensi pada Pegawai kantor Wilayah Kementerian Agama Provinsi Sumatera Utara* (Master's thesis).
- Sriani, K.I., Fakhriadi, R. and Rosadi, D., 2017. Hubungan antara Perilaku Merokok dan Kebiasaan Olahraga dengan Kejadian Hipertensi pada laki-

laki usia 18-44 tahun. *Jurnal Publikasi Kesehatan Masyarakat Indonesia*, 3(1).

- Storme, L., Aubry, E., Rakza, T., Houeijeh, A., Debarge, V., Tourneux, P., ... & French Congenital Diaphragmatic Hernia Study Group. (2013). Pathophysiology of persistent pulmonary hypertension of the newborn: impact of the perinatal environment. *Archives of cardiovascular diseases*, 106(3), 169-177.
- Sugiharto, A., Hadisaputro, S., Adi, S., Chasani, S. (2012). Faktor-Faktor Risiko Hipertensi Grade II pada Masyarakat (Studi Kasus di Kabupaten Karanganyar). UNDIP Semarang.
- Sun, Z., Zheng, L., Wei, Y., Li, J., Zhang, M. (2013). The prevalence of prehypertension and hypertension among rural adults in Liaoning Province of China. *Clinical Cardiology*, 30 (4), 183-187
- Supartha, M., Suarta, I.K. & Bagus, I.A.W., (2009). Hipertensi pada Anak. *Majalah Kedokteran Indonesia*, 59(5), 221-230.
- Torrance, B., Mcguire, K.A., Lewanczuk, R., Mcgavock, J., (2007). Overweight, Physical Activity And High Blood Pressure In Children: A Review of The Literature. *Vascular Health And Risk Management*, 3(1), 139-149.
- Venkataraman, R.A.J.E.S.H., Kumar, S., Kumaraswamy, M., Singh, R., Pandey, M., Tripathi, P., George, V.J., Dahal, P. and Vaibhav, P., 2013. Smoking, alcohol and hypertension. *International Journal of Pharmacy and Pharmaceutical Sciences*, 5(4), pp.28-32.
- Weber, M. A., Schiffrin, E. L., White, W. B., Mann, S., Lindholm, L. H., Kenerson, J. G., & Cohen, D. L. (2014). Clinical practice guidelines for the management of hypertension in the community. *The journal of clinical hypertension*, 16(1), 14-26.
- Weil, B. R., Stauffer, B. L., Greiner, J. J., & DeSouza, C. A. (2011). Prehypertension is associated with impaired nitric oxide-mediated endothelium-dependent vasodilation in sedentary adults. *American journal of hypertension*, 24(9), 976-981.
- World Health Organization, (2015). Global Health Observatory (GHO) Data: Physical Activity. Diakses melalui <http://bit.ly/1XTrLZD> pada tanggal 3 Mei 2016 pukul 20.59 WIB.
- World Health Organization, (2016). Raised Blood Pressure. Diakses melalui <http://bit.ly/1Mtqc0O> pada tanggal 10 April 2016 pukul 20.30 WIB.

Yogiantoro, M. (2009). Buku Ajar Ilmu Penyakit Dalam Jilid I (edisi 4): Hipertensi Essensial. Jakarta: Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia