

## DAFTAR PUSTAKA

- Abdurachim, K., *et al.* (2007). Penilaian kualitas hidup pasien pasca bedah pintas koroner yang menjalani rehabilitasi fase III. *Jurnal Kardiologi Indonesia*, 28 (3), 189-196.
- American Diabetes Association. (2014). Standard of Medical Care in Diabetes. *Diabetes Care*, 37: S14-S80.
- American Diabetes Association. (2015). Classification and Diagnosis of Diabetes. *Diabetes Care*, 38: S8-S16.
- Boonstra, A.M., Preuper, H.R.S., Balk, G.A., *et al.* (2014). Cut-off points for mild, moderate, and severe pain on the visual analogue scale for pain in patients with chronic musculoskeletal pain. *International association for the study of pain*. 155: 2545-2550.
- Dobrota, V.D., Hrabac, P., Skegrov, D., *et al.* (2014). The impact of neuropathic pain and other comorbidities on the quality of life in patients with DM. *Health and Quality of Life Outcome*, 12: 171
- Fowler, M. J. (2011). Microvascular and macrovascular complications of diabetes. *Clinical Diabetes*, 29(3): 116-122.
- Gautam, Y., Sharma, A.K., Agarwal, A.K., *et al.* (2009). A cross-sectional study of QOL of diabetic patients at tertiary care hospitals in Delhi. *Indian Journal of Community Medicine*, 34(4): 346-350.
- Hirakawa, Y., Arima, H., Zoungas, S., *et al.* (2014). Impact of Visit-to-Visit Glycemic Variability on the Risks of Macrovascular and Microvascular Events and All-Cause Mortality in Type 2 DM: The ADVANCE Trial. *DM Care*, 37: 2359-2365.
- Hjermstad, M.J., Fayers, P.M., Haugen, D.F., *et al.* (2011). Studies Comparing Numerical Rating Scales, Verbal Rating Scales, and Visual Analogue Scales for Assessment of Pain Intensity in Adults: A Systematic Literature Review. *Journal of Pain and Symptom Management*, 41(6): 1073-1093.
- Holman, R.R., Paul, S.K., Bethel, M.A., *et al.* (2008). 10-years follow-up of intensive glucose control in type 2 diabetes. *New England Journal of Medicine*, 359: 1577-1589.
- Hovaguimian, A., Gibbons, C.H. (2011). Clinical approach to the treatment of painful diabetic neuropathy. *Therapeutic Advances in Endocrinology and Metabolism*, 2(1): 27-38.
- Ijzerman, T. H., Schaper, N. C., Meali, T., *et al.* (2012). Lower extremity muscle strength is reduced in people with type 2 diabetes, with and without polyneuropathy, and is associated with impaired mobility and reduced quality of life. *Diabetes Research and Clinical Practice*, 95(3): 345-351.
- International Diabetes Federation. (2015). IDF Diabetes Atlas Seventh Edition. Diakses 12 April 2016 dari <http://www.idf.org/e-library/epidemiology-research/>
- International Expert Committee. (2009). International Expert Committee report on the role of the A1c assay in the diagnosis of diabetes. *Diabetes Care*, 32:1327-1334.

- Juster-Swityk, K. J., dan Smith., A. G. 2016. Updates in diabetic peripheral neuropathy. *F1000 Research*, 5(738):1-7.
- Kathiravellu, S.C.K. (2015). Hubungan Status Depresi terhadap Kualitas Hidup Lansia di Wilayah Kerja Puskesmas Petang II Kabupaten Badung Bali Tahun 2015. *Directory of Open Access Journals*, 6(1): 92-101.
- Kementerian Kesehatan Republik Indonesia. (2013). Riset Kesehatan Dasar (Kemenkes RI). Jakarta: Badan Penelitian dan Pengembangan Kementerian Kesehatan Republik Indonesia.
- Kerner, W., Bruckel, J. (2014). Definition, Classification and Diagnosis of Diabetes Mellitus. *Experimental and Clinical Endocrinology Diabetes*, 122(7): 384-386.
- Khordori, Romesh. (2016). Type 2 Diabetes Mellitus. Diakses 15 Januari 2017 dari <http://emedicine.medscape.com/>
- Kiadaliri, A.A., Najafi, B., Mirmalek-Sani, M. (2013). Quality of life in people with DM: a systematic review of study in Iran. *Journal of Diabetes and Metabolic Disorders*, 12: 54.
- Kulkantrakorn, K., Lorsuwansiri, C. (2013). Sensory Profile and Its Impact on Quality of Life in Patients with Painful Diabetic Polyneuropathy. *Journal of Neurosciences in Rural Practice*, 4(3): 267-270.
- Lewko, J., Politynska, B., Kochanowicz, J., et al. (2007). Quality of life and its realtionship to the degree of illness acceptance in patients with diabetes and peripheral diabetic neuropathy. *Advances in Medical Sciences*, 52: 144-146.
- Mandagi, A.M. (2010). Faktor yang berhubungan dengan status kualitas hidup penderita diabetes mellitus. Fakultas Kesehatan Masyarakat Universitas Airlangga, Surabaya.
- Ningtyas, D.W. (2013). Analisis Hubungan Kualitas Hidup Pasien Diabetes Melitus Tipe II di RSUD Bangil Kabupaten Pasuruan. Fakultas Kesehatan Masyarakat Universitas Jember, Jember.
- Olokoba, A.B., Obateru, A.A., Olokoba, L.B. (2012). Type 2 DM: A Review of Current Trends. *Oman Medical Journal*, 27: 269-273.
- Ovayolu, N., Akarsu, E., Madenci E., et al. (2008). Clinical characteristics of patients with diabetic polyneuropathy: the role of clinical and electromyographic evaluation and the effect of the various types on the quality of life. *International Journal of Clinical Practice*, 6(7): 1019-1025.
- Ozougwu, J.C., Obimba, K.C., Belonwu, C.D., et al. (2013). The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus. *Journal of Physiology and Pathophysiology*, 4: 46-57.
- Perkumpulan Endokrinologi Indonesia. 2011. Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia. Perkumpulan Endokrinologi Indonesia. Jakarta: Pengurus Besar Perkumpulan Endokrinologi Indonesia.
- Rahmat, W.P.. 2010. Pengaruh konseling terhadap kecemasan dan kualitas hidup pasien diabetes melitus di Kecamatan Kebakkramat. Fakultas Psikologi Universitas Sebelas Maret, Surakarta.

- Razmaria, A.A. (2015). Diabetic Neuropathy. *JAMA Patient Page*, 314(20): 2202. Diakses 15 Februari 2016, dari <http://jamanetwork.com>
- Schaefer, C., Sadosky, A., Mann, R., et al. (2014). Pain severity and the economic burden of neuropathic pain in the United States: BEAT Neuropathic Pain Observational Study. *Clinicoeconomics and Outcomes Research*, 6: 483-496.
- Subekti, I. (2009). Neuropati Diabetik. In *Buku Ajar Ilmu Penyakit Dalam Jilid III* (pp. 1902-1904). Jakarta: Interna Publishing.
- Syaripuddin, M. (2013). Peranan *pharmaceutical care* dalam meningkatkan hasil klinis dan kualitas hidup pasien penderita diabetes melitus. *Jurnal Kefarmasian Indonesia*, 3(2): 52-59.
- Tesfaye, S., Boulton, A.J.M., Dyck, P.J., et al. (2010). Diabetic Neuropathies: Update on Definitions, Diagnostic Criteria, Estimation of Severity, and Treatments. *Diabetes Care*, 33(10): 2285-2293.
- Tesfaye, S., Selvarajah, D. (2012). Advances in the epidemiology, pathogenesis and management of diabetic peripheral neuropathy. *Diabetes Metabolism Research and Reviews, Suppl 1*: 8-14.
- Theofilou, P. (2013). Quality of Life: Definition and Measurement. *Europe's Journal of Psychology*, 9(1): 150-162.
- Unger, J. (2013). *Diabetes Management in Primare Care*. Philadelphia, USA: Wolter Kluwer.
- Venkataraman, K., Wee, H.L., Leow, M.K., et al. (2013). Association between complications and health-related quality of life in individuals with diabetes mellitus. *Clinical Endocrinology*, 78: 865-873.
- World Health Organisation. (2016). *Global Report on Diabetes Mellitus*. Geneva, Switzerland: World Health Organisation. Diakses 12 April 2016 dari <http://www.who.int/diabetes/global-report/en/>
- Yudiyanta, Khoirunnisa, N., Novitasari, R.W. (2015). Assessment Nyeri. *Jurnal CDK-226*, 42(3): 214-234.
- Yusra, A. (2010). Hubungan antara dukungan keluarga dengan kualitas hidup pasien DM tipe 2 di poliklinik penyakit dalam RSUP Fatmawati Jakarta. Jakarta: FIK Universitas Indonesia.