

Lampiran

1. Lampiran Koneksi

Lampiran A Koneksi Database

```
<?php
$host    = "localhost";
$user    = "root";
$password = "";
$database = "skripsi";
// $connect = new mysqli($host, $user, $password, $database)

$connect = mysqli_connect($host,$user,$password,$database);
// $asdf = mysqli_connect($host, $user, $password, $database);
// $connect->close();

?>
```

2. Lampiran Login

Lampiran B Login WEB

```
<?php

session_start();
include './inc/config.php';

$username = $_POST['username'];
$password = $_POST['password'];
// $pas=md5($password);
$loginsql = mysqli_query($connect, "select * from admin where
username='$username' and password='$password'");
$result = mysqli_num_rows($loginsql);
if ($result > 0) {

    // $_SESSION['uname'] = $user['uname'];
    $_SESSION['username'] = $username;
    header("location:./admin/index.php");
    // mysql_close($result);
    mysql_close($connect);

} else {
```

```
        header("location:index.php?pesan=gagal")or die(mysql_error());
        // mysql_error();
    }
    // echo $pas;
?>
```

Lampiran C Tampilan Login

```
<html>
<head>
    <title>YUDI SULUR ELEKTRONIK</title>
    <link rel="stylesheet" type="text/css" href="assets/css/bootstrap.css">
    <link rel="stylesheet" type="text/css" href="assets/js/jquery-ui/jquery-ui.css">
    <script type="text/javascript" src="assets/js/jquery.js"></script>
    <script type="text/javascript" src="assets/js/bootstrap.js"></script>
    <script type="text/javascript" src="assets/js/jquery-ui/jquery-ui.js"></script>
    <?php
include './inc/config.php';
?>
<style type="text/css">
    .kotak{
        margin-top: 150px;
    }

    .kotak .input-group{
        margin-bottom: 20px;
    }
</style>
</head>
<body>
```

```

<div class="container">

  <?php

  if (isset($_GET['pesan'])) {

    if ($_GET['pesan'] == "gagal") {

      echo "<div style='margin-bottom:-55px' class='alert alert-danger'
role='alert'><span class='glyphicon glyphicon-warning-sign'></span> Login Gagal !!
Username dan Password Salah !!</div>";

    }

  }

?>

<div class="panel panel-default">

  <form action="login_act.php" method="post">

    <div class="col-md-4 col-md-offset-4 kotak">

      <h3>Silahkan Login ..</h3>

      <div class="input-group">

        <span class="input-group-addon"><span class="glyphicon glyphicon-
user"></span></span></span>

        <input type="text" class="form-control" placeholder="Username"
name="username">

      </div>

      <div class="input-group">

        <span class="input-group-addon"><span class="glyphicon glyphicon-
lock"></span></span></span>

        <input type="password" class="form-control" placeholder="Password"
name="password">

      </div>

      <div class="input-group">

        <input type="submit" class="btn btn-primary" value="Login">

      </div>

    </div>

  </form>

</div>

```

```
</div>
</body>
</html>
```

Lampiran D Halaman Utama

```
<?php include 'header.php'; ?>

<h3><span class="glyphicon glyphicon-briefcase"></span> Dashboard</h3>
<br/>
<?php
$periksa = mysqli_query($connect, "select * from daftar_barang where stok <=5");
while ($q = mysqli_fetch_array($periksa)) {
    if ($q['stok'] <= 5) {
        ?>
        <script>
            $(document).ready(function () {
                $('#pesan_sedia').css("color", "red");
                $('#pesan_sedia').append("<span class='glyphicon glyphicon-
asterisk'></span>");
            });
        </script>
        <?php
            echo "<div style='padding:5px' class='alert alert-warning'><span class='glyphicon
glyphicon-info-sign'></span> Stok <a style='color:red'>" . $q['nama_barang'] . "</a>
yang tersisa sudah kurang dari 5 . silahkan pesan lagi !!</div>";
        }
    }
}
?>
<?php
$query1 = "SELECT COUNT(*) from daftar_barang";
```

```

$jumlah_record = mysqli_query($connect, $query1);
while ($r = mysqli_fetch_array($jumlah_record)) {
    ?>
        <table>
        <tr>
            <td>Jumlah Record : <?php echo $r[0]; ?></td>
        </tr>
    </table>
    <?php }
?>

```

Lampiran E Tampilan Data Barang

```

<?php include '../admin/header.php'; ?>
<h3><span class="glyphicon glyphicon-briefcase"></span> Data Barang</h3>
<form action="../barang/tambah_barang.php" method="post" >
    <button style="margin-bottom:20px" data-toggle="modal" class="btn btn-info col-
md-2"><span class="glyphicon glyphicon-plus"></span>Tambah Barang</button>
</form>
<br/>
<br/>
<form action="cari_act.php" method="get">
    <div class="input-group col-md-5 col-md-offset-7">
        <span class="input-group-addon" id="basic-addon1"><span class="glyphicon
glyphicon-search"></span></span>
        <input type="text" class="form-control" placeholder="Cari barang di sini .." aria-
describedby="basic-addon1" name="cari">
    </div>
</form>
<br/><table class = "table table-hover"> <tr>
    <th class = "col-md-2">Kode Barang</th>

```

```

<th class = "col-md-2">Nama Barang</th>
<th class = "col-md-1">Stok</th>
<th class = "col-md-2">Harga Beli</th>
<th class = "col-md-2">Harga Jual</th>
<th class = "col-md-3">Aksi</th></tr><?php
include './inc/config.php';
if (!$connect) {
    die('Gagal terhubung MySQL: ' . mysqli_connect_error());
}
if (isset($_GET['cari'])) {
    $cari = $_GET['cari'];
    // $sql = 'select * from detail_pembelian where id_beli_detail = ' . $id;
    $sql = "select * from daftar_barang where nama_barang like '%" . $cari . "%'";
    $query = mysqli_query($connect, $sql);
}
else {
    $sql = 'select * from daftar_barang';
    $query = mysqli_query($connect, $sql);
}
if (!$query) {
    die('SQL Error: ' . mysqli_error($connect));
}
while ($row = mysqli_fetch_array($query)) {
    ?> <tr>
        <td><?php echo $row['kode_barang'] ?></td>
        <td><?php echo $row['nama_barang'] ?></td>
        <td><?php echo $row['stok'] ?></td>
        <td><?php echo $row['harga_beli'] ?></td>
        <td><?php echo $row['harga_jual'] ?></td>

```

```

        <td>
            <a href="edit_barang.php?id=?php echo $row['id']; ?>" class="btn btn-
warning">Edit</a>
            <a onclick="if (confirm('Apakah anda yakin ingin menghapus data ini ??')) {
                location.href = 'hapus_barang.php?id=?php echo $row['id']; ?>'
            }" class="btn btn-danger">Hapus</a>
        </td>
    </tr>

```

Lampiran F Data Supplier

```

<?php include '../admin/header.php'; ?>
<h3><span class="glyphicon glyphicon-briefcase"></span> Data Supplier</h3>
<form action="../supplier/tambah_supplier.php" method="post" >
    <button style="margin-bottom:20px" data-toggle="modal" class="btn btn-info col-
md-2"><span class="glyphicon glyphicon-plus"></span>Tambah Supplier</button>
</form><br/>
<br/>
<form action="cari_act.php" method="get">
    <div class="input-group col-md-5 col-md-offset-7">
        <span class="input-group-addon" id="basic-addon1"><span class="glyphicon
glyphicon-search"></span></span>
        <input type="text" class="form-control" placeholder="Cari barang di sini .." aria-
describedby="basic-addon1" name="cari">
    </div>
</form>
<br/>
<table class="table table-hover">
    <tr>
        <th class="col-md-2">Nama Sales</th>
        <th class="col-md-2">Nama Perusahaan</th>
        <th class="col-md-3">Alamat Perusahaan</th>

```

```

<th class="col-md-1">kota</th>
<th class="col-md-2">No Telpon</th>
<th class = "col-md-2">Aksi</th>
</tr>
<?php
include '../inc/config.php';
if (!$connect) {
    die('Gagal terhubung MySQL: ' . mysqlconnect_error());
}
$sql = 'select * from supplier';
$query = mysqli_query($connect, $sql);
if (!$query) {
    die('SQL Error: ' . mysqli_error($connect));
}
while ($row = mysqli_fetch_array($query)) {
    ?>
    <tr>
        <td><?php echo $row['nama_sales']?></td>
        <td><?php echo $row['perusahaan']?></td>
        <td><?php echo $row['alamat']?></td>
        <td><?php echo $row['kota']?></td>
        <td><?php echo $row['telepon']?></td>
        <td>
            <a href="edit_supplier.php?id=<?php echo $row['id_supplier']; ?>" class="btn
btn-warning">Edit</a>
            <a onclick="if (confirm('Apakah anda yakin ingin menghapus data ini ??'))
            { location.href = 'hapus_supplier.php?id=<?php echo $row['id_supplier'];
?>
                }" class="btn btn-danger">Hapus</a>
        </td>
    </tr>
}
?>

```



```

</tr>

<?php } ?> </table>

<?php nclude '../admin/footer.php'; ?>

```

Lampiran G Transaksi Pembelian

```

<?php
include '../admin/header.php';
include '../inc/config.php'
?>

<h3><span class="glyphicon glyphicon-briefcase"></span> Transaksi Beli
Barang</h3><br/>

<table border="0" class="table">
  <colgroup>
    <col width="1%">
    <col width="1%">
    <col width="1%">
    <col width="1%">
    <col width="5%">
  </colgroup>
  <?php
$query = 'SELECT max(nomor_transaksi) as maxKode FROM detail_pembelian';
$hasil = mysqli_query($connect, $query);
$data = mysqli_fetch_array($hasil);
$kodeBarang = $data['maxKode'];
$noUrut = (int) substr($kodeBarang, 3, 3);
$noUrut++;
$char = "BRG";
$newID = $char . sprintf("%03s", $noUrut);
?>

```

```

<tr>
  <td>Nomor Transaksi</td>
  <td><input value="<?php echo $newID; ?>" name="nomor_transaksi" </td>
  <td>Tanggal Transaksi :</td>
  <td><?php
    $tgl = date('d-m-Y');
    echo $tgl;
  ?>
</td>
</tr>
<?php
include './inc/config.php';
$select = "select nama_sales from supplier";
$query = $connect->query($select);
?> <tr>  <td>Nama Sales</td>  <td>  <?php  if ($query-
>num_rows > 0) {
    echo "<select onClick='nama_sales()' name='nama' id='nama'>";
    while ($row = mysqli_fetch_array($query)) {
        echo "<option value=$row[nama_sales]>" . $row['nama_sales'] .
"</option>";    }    echo "</select>";    }    ?>  </td>
  <td>Keterangan</td>
  <td><input type="text" onkeyup="keterangan();" id="keterangan"
name="keterangan" </td>
</tr>  <tr>  <td></td>  <td></td>  <td></td>  <td></td>  </tr>
<?php ?></table<form action="insert_pembelian.php" method="post">
<table class="table table-hover" id="data_table" >  <thead>  </thead>
  <tr>    <td><input type="hidden" value="<?php echo $newID; ?>"
id="nomor_transaksi" name="nomor_transaksi" placeholder="Kode Barang" ></td>
    <td><input type="text" placeholder="Kode Barang" id="kode_barang"
name="kode_barang"></td>

```

```

        <td><input type="text" placeholder="Nama Barang" id="nama_barang"
name="nama_barang"></td>

        <td><input onkeyup="sum();" value="" type="text" placeholder="Stok"
id="qty" name="qty_barang" ></td>

        <td><input onkeyup="sum();" value="" type="text" placeholder="Harga"
id="harga_beli" name="harga_beli"></td>

        <td><input value="" type="text" placeholder="jumlah" id="sub_total"
name="sub_total" readonly></td>

        <td><input type="submit" class="add" value="Tambah"></td>    </tr>
</table></form><table class = "table table-hover" > <tr>

    <th class = "col-md-2">Kode Barang</th>
    <th class = "col-md-2">Nama Barang</th>
    <th class = "col-md-1">Qty</th>
    <th class = "col-md-2">Harga Beli</th>
    <th class = "col-md-2">Sub Total</th>
    <th class = "col-md-3">Aksi</th> </tr> <?php include '../inc/config.php';
if (!$connect) {    die('Gagal terhubung MySQL: ' . mysqli_connect_error()); }
if (isset($_GET['cari'])) {    $cari = $_GET['cari'];    // $sql = 'select * from
detail_pembelian where id_beli_detail = ' . $id;

    $sql = "select * from daftar_barang where nama_barang like '%" . $cari . "%";
    $query = mysqli_query($connect, $sql);
} else {
    $sql = 'select * from sementara_beli';
    $query = mysqli_query($connect, $sql); }
if (!$query) {
    die('SQL Error: ' . mysqli_error($connect)); }
while ($row = mysqli_fetch_array($query)) {    ?>    <tr>
    <td><?php echo $row['kode_barang'] ?></td>
    <td><?php echo $row['nama_barang'] ?></td>
    <td><?php echo $row['qty_barang'] ?></td>
    <td><?php echo $row['harga_beli'] ?></td>

```

```

        <td><?php echo $row['sub_total'] ?></td>        <td>        <a onclick="if
(confirm('Apakah anda yakin ingin menghapus data ini ??')) {

                location.href = 'hapus_transaksi.php?id=<?php echo
$row['id_pembelian']; ?>'

                }" class="btn btn-danger">Hapus</a>

        </td>
</tr>
<?php
}
?>

```

Lampiran H Transaksi Penjualan

```

<?php
include '../admin/header.php';
include '../inc/config.php'
?>
<h3><span class="glyphicon glyphicon-briefcase"></span> Transaksi Penjualan</h3>
<br/><table border="0" class="table"> <colgroup>
    <col width="1%">
    <col width="1%">
    <col width="1%">
    <col width="1%">
    <col width="5%">
</colgroup>
<?php
$query = 'SELECT max(nomor_transaksi) as maxKode FROM detail_penjualan';
$hasil = mysqli_query($connect, $query);
$data = mysqli_fetch_array($hasil);

```

```

$kodeBarang = $data['maxKode'];
$noUrut = (int) substr($kodeBarang, 3, 3);
$noUrut++;
$char = "BRG";
$newID = $char . sprintf("%03s", $noUrut);
?>
<tr>
    <td>Nomor Transaksi</td>
    <td><input value="<?php echo $newID; ?>" name="nomor_transaksi_penjualan"
readonly="" </td>
    <td>Tanggal Transaksi :</td>
    <td><?php
        $tgl = date('d-m-Y');
        echo $tgl;
    ?>
</td>
</tr>
<?php
$select = "select nama_sales from supplier";
$query = $connect->query($select);
?> <tr>
    <td>Keterangan</td>
    <td><input type="text" onkeyup="keterangan();" id="keterangan"
name="keterangan" </td>
    <td></td>
    <td>
</td>
</tr>
<tr>

```

```

<td></td>

<td></td>

<td></td>

<td></td>

</tr>

<?php ?>
</table><form action="insert_penjualan.php" method="post">
  <table class="table table-hover" id="data_table" >
    <thead>

    </thead>
    <tr>
      <?php
        include '../inc/config.php';
        $result = mysqli_query($connect, "select * from daftar_barang");
        $jsArray = "var prdName = new Array();\n";
        echo '<td><select name="prdlid" onchange="changeValue(this.value)">';
        echo '<option>Kode Barang</option> ';
        while ($row = mysqli_fetch_array($result)) {
          echo '<option value="" . $row['kode_barang'] . ""> . $row['kode_barang'] .
'</option>';
          $jsArray .= "prdName[" . $row['kode_barang'] . "] = {name:" .
addslashes($row['nama_barang']) . ",coba:" . addslashes($row['stok']) . ",hargaBli:" .
"",desc:" . addslashes ($row['harga_jual']) . ""};\n";
        }
        echo '</select> </td>';
      ?>
      <td><input type="hidden" value="<?php echo $newID; ?>"
id="nomor_transaksi" name="nomor_transaksi_penjualan" placeholder="Kode
Barang" ></td>

```

```

        <td><input value="" type="text" placeholder="Nama Barang" id="namaBrg"
name="namaBrg" required oninvalid="this.setCustomValidity('Nama Barang Tidak
Boleh Kosong')" oninput="setCustomValidity('')"></td>

        <td><input value="" type="hidden" placeholder="Stok Barang" id="stok"
name="stok" readonly></td>

        <td><input onkeyup="sum();" value="" type="text" placeholder="Stok"
id="jumlahBrg" name="jumlahBrg" required
oninvalid="this.setCustomValidity('Jumlah Barang Tidak Boleh Kosong')"
oninput="setCustomValidity('')"></td>

        <td><input onkeyup="sum();" value="" type="text" placeholder="Harga"
id="hargaJual" name="hargaJual" readonly></td>

        <td><input value="" type="text" placeholder="jumlah" id="total" name="total"
readonly></td>

        <td><input type="submit" class="add" value="Tambah"></td>

</tr>
</table>
</form>
<table class = "table table-hover" >
<tr> <th class = "col-md-2">Kode Barang</th>
<th class = "col-md-2">Nama Barang</th>
<th class = "col-md-1">Qty</th>
<th class = "col-md-2">Sub Total</th> <th class = "col-md-3">Aksi</th>
</tr> <?php include '../inc/config.php'; if (!$connect) {
die('Gagal terhubung MySQL: ' . mysqli_connect_error());
}
if (isset($_GET['cari'])) {
$cari = $_GET['cari'];
// $sql = 'select * from detail_pembelian where id_beli_detail = ' . $id;
$sql = "select * from daftar_barang where nama_barang like '%" . $cari . "%'";
$query = mysqli_query($connect, $sql);

```

```

} else {
    $sql = 'select * from sementara_jual';
    $query = mysqli_query($connect, $sql); } if (!$query) {
    die('SQL Error: ' . mysqli_error($connect));
}
while ($row = mysqli_fetch_array($query)) {
    ?> <tr>
        <td><?php echo $row['kode_barang'] ?></td>
        <td><?php echo $row['nama_barang'] ?></td>
        <td><?php echo $row['qty_barang'] ?></td>
        <td><?php echo number_format($row['sub_total']) ?></td>
        <td>
            <a onclick="if (confirm('Apakah anda yakin ingin menghapus data ini ??')) {
                location.href = 'hapus_transaksi.php?kode_barang=<?php echo
                $row['kode_barang']; ?>&qty=<?php echo $row['qty_barang']; ?>'
                }" class="btn btn-danger">Hapus</a>
        </td>
    </tr>
    <?php
}
?>
</table>
<form action="simpan_transaksi.php" method="post">
    <table class="table table-hover" id="data_table" >
        <thead>
            <tr>
                <th class="col-md-2"></th>

```



```

        <th class="col-md-2"></th>
        <th class="col-md-1"></th>
        <th class="col-md-1"></th>
        <th class="col-md-1"></th>
        <th class="col-md-1"></th>
        <th class="col-md-1"></th>      </tr>      </thead>      <tr>      </tr>
<?php
    include '../inc/config.php';
    if (!$connect) {        die('Gagal terhubung MySQL: ' . mysqli_connect_error());
    }    $sql = "select sum(sub_total) as total from sementara_jual";
    $to2 = mysqli_query($connect, $sql);    if (!$to2) {        die('SQL Error: ' .
mysqli_error($connect));    }
    $to = mysqli_fetch_array($to2);
    $tot = $to['total'];    ?>    <tr>        <th>TOTAL HARGA</th>
        <th></th>        <th><td>Rp :</td></th>
        <th><input value="<?php echo number_format($tot) ?>" type="text"
id="totalHarga" name="totalHarga" readonly></th>
        <th></th>    </tr>    <tr>        <th></th>
        <th></th>
        <th></th>
        <th></th>
        <th></th>
        <th></th>
        <th><td><input type="submit" class="btn btn-info"
value="Simpan"></td></th>
        <th></th>
    </tr>
</table>
</form>

```

```

<script type="text/javascript">
<?php echo $jsArray; ?>
    function changeValue(id) {
        document.getElementById('namaBrg').value = prdName[id].name;
        document.getElementById('stok').value = prdName[id].coba;
        document.getElementById('hargaJual').value = prdName[id].desc;
        document.getElementById('kodeBrg').value =
document.getElementById('kodeBrg1').value;
    }</script><script>
    function sum() {
        var a = document.getElementById('jumlahBrg').value;
        var b = document.getElementById('hargaJual').value;
        var result = parseInt(a) * parseInt(b);
        if (!isNaN(result)) {
            document.getElementById('total').value = result;
        }
    }
    //mrngsmbil keterangan
    function keterangan()
    {
        var ket = document.getElementById('keterangan').value;
document.getElementById('ket').value = ket; }
    function ambilData() {
        var kode_barang = document.getElementById('kode_barang').value;
        document.form1.media.value = kode_barang; }
    //mengambil nama sales
    function nama_sales() {
        var nama = document.getElementById('nama');
        var namaS = nama.options[nama.selectedIndex].text;
        document.getElementById('nama_seles').value = namaS; }</script><script
rc="//code.jquery.com/jquery-1.12.4.min.js"></script>

```

```
<script src="//code.jquery.com/ui/1.12.0/jquery-ui.min.js"></script>
<script type="text/javascript">
    $(function () {    $("#kode_barang").autocomplete({        source: 'coba.php'
        });    });</script><?phpinclude '../admin/footer.php';
?>
```