

DAFTAR PUSTAKA

- ADA. (2012). *Diagnosis and Classification of Diabetes Mellitus*. *Diabetes Care*, 35 (1).care.diabetesjournals.org.
- Abdullah, M.A. (1996). *Studi Agama: Normativitas atau Historisitas*, Yogyakarta: Pustaka Pelajar.
- Abredari, H., Bolourchifard, F., Rassouli, M., Nasiri, N., Taher, M., & Abedi, A. (2015). Health locus of control and self-care behaviors in diabetic foot patients. *Medical Journal of the Islamic Republic of Iran*, 29, 283.
- Afiyanti, Y., & Rachmawati, I.N. (2014). *Metodelogi Penelitian Kualitatif Dalam Riset Keperawatan*. Jakarta: Rajawali Pers.
- Alligood,M.R., Tomey, A.M. (2010). *Nursing theorists and their work*. Mosby
- Al rayyan, H. (2012). *Peranan Keagamaan di Kalimantan Selatan*. Banjarmasin.
- Andyani, I.A.P.S., Widyanthari, D.M, & Saputra, K. (2015). Hubungan Health Locus of Control Dengan Kepatuhan Penatalaksanaan Diet DM tipe 2 di Paguyupan DM Puskesmas Lii Denpasar Utara. *Coping Ners (Community of Publishing in Nursing)*, 3(3).
- Ariani, Y., Sitorus, R., & Gayatri, D. (2012). Motivasi dan Efikasi Diri Pasien Diabetes Melitus Tipe 2 Dalam Asuhan Keperawatan. *Jurnal Keperawatan Indonesia*, 15(1).

- Ayele, K., Tesfa, B., Abebe, L., Tilahun, T., & Girma, E. (2012). Self-care behavior among patients with diabetes in harari, eastern ethiopia: The health belief model perspective. *PLoS ONE*, 7(4). <http://doi.org/10.1371/journal.pone.0035515>.
- Bandura, A. (1997). *Self-Efficacy (The Exercise Of Control)*. New York: W. H. Freeman and Company.
- Bilous, R. (2014). *Buku Pegangan Diabetes Edisi ke 4*. Jakarta: Bumi Medika.
- Black & Hawks. (2005). Medical Surgical Nursing Clinical Management for Positive Outcomes (Ed.7). St. Louis: Missouri Elsevier Saunders.
- Bodenheimer, T., Wagner, E. H., & Grumbach, K. (2002). Improving primary care for patients with chronic illness. *JAMA : The Journal of the American Medical Association*, 288(14), 1775–1779. <http://doi.org/10.1001/jama.288.14.1775>.
- Bodenheimer, T. (2005). Helping patients improve their health-related behaviors: what system changes do we need? *Disease Management : DM*, 8(5), 319–330. <http://doi.org/10.1089/dis.2005.8.319>
- Bohanny, W., Wu, S.-F. V., Liu, C.-Y., Yeh, S.-H., Tsay, S.-L., & Wang, T.-J. (2013). Health literacy, self-efficacy, and self-care behaviors in patients with type 2 diabetes mellitus. *Journal of the American Association of Nurse Practitioners*, 25(9), 495–502. <http://doi.org/10.1111/1745-7599.12017>.

- Caulfield, K. J. (2012). *Relationships among Self-Efficacy, Health Beliefs and the Self-Management Behaviors of Healthy Eating and Physical Activity among Adults with Type 2 Diabetes*. George Mason University.
- Chao, J., Nau, D. P., Aikens, J. E., & Taylor, S. D. (2005). The mediating role of health beliefs in the relationship between depressive symptoms and medication adherence in persons with diabetes. *Research in Social & Administrative Pharmacy*, 1,508–525. doi:10.1016/j.sapharm.2005.09.002.
- Chen, S. R., Chien, Y. P., Kang, C. M., Jeng, C., & Chang, W. Y. (2014). Comparing self-efficacy and self-care behaviours between outpatients with comorbid schizophrenia and type 2 diabetes and outpatients with only type 2 diabetes. *Journal of psychiatric and mental health nursing*, 21(5), 414-422.
- Chourdakis, M., Kontogiannis, V., Malachas, K., Pliakas, T., & Kritis, A. (2014). Self-Care Behaviors of Adults with Type 2 Diabetes Mellitus in Greece. *Journal of Community Health*, 39(5), 972–979. <http://doi.org/10.1007/s10900-014-9841-y>.
- Creswell, J.W. (2014). *Qualitative inquiry and research design: Choosing among five tradition*. London:Sage Publication Inc.
- Dempsey, A. & Dempsey, P. (2002). *Riset keperawatan*. (4th Ed.). Jakarta: Penerbit Buku Kedokteran EGC.
- Damayanti, S. (2015). *Diabetes Mellitus dan Peatalaksanaan Keperawatan*.Ed.1. Nuha Medika: Indonesia.

- Daud, A.(1997).*Islam Masyarakat Banjar: Diskripsi dan Analisa Kebudayaan Banjar*. Jakarta: Raja Grafindo Persada.
- DeMello, L. R., & Imms, T. (1999). Self-esteem, locus of control and coping styles and their relationship to school attitudes of adolescents. *Psychological Studies*, 44(1–2), 24–34. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=1999-03991-001&site=ehost-live>
- Firmansyah.M.R. (2015). Pengaruh Self Care dan Self Efficacy Terhadap Kadar Glukosa Darah Pada Pasien Diabetes Melitus Tipe 2. Tesis Universitas Muhammadiyah, Yogyakarta.
- Gao, J., Wang, J., Zheng, P., Haardorfer, R., Kegler, M.C., Zhu, Y., & Fu, H. (2013). Effects of self-care, self-efficacy, social support on glycemic control in adults with type 2 diabetes. *BMC family practice*, 14(1), 66.
- Glasgow RE, Toobert DJ, Hampson SE, Brown JE, Lewinsohn PM, Donnelly J: *Improving self-care among older patients with type II diabetes: the “Sixty Something...” study*. Patient Educ Counsel 19:61– 74, 1992.
- Goggin, K., Malcarne, V. L., Murray, T. S., Metcalf, K. A., & Wallston, K. A. (2007). Do religious and control cognitions predict risky behavior? II. Development and validation of the Sexual Risk Behavior-related God Locus of Control Scale for Adolescents (SexGLOC-A). *Cognitive Therapy and Research*, 31(1), 123–139. <http://doi.org/10.1007/s10608-006-9090-1>.

- Gomersall, T., Madill, A., & Summers, L. K. M. (2011). A metasynthesis of the self-management of type 2 diabetes. *Qualitative Health Research*, 21(6), 853–871. <http://doi.org/10.1177/1049732311402096>
- Hakim, A.A., & Mubarak, J. (2000). *Metodologi Studi Islam*, Bandung: Remaja Rosdakarya.
- Hasanat, N.U.(2010). Emotions and Diabetes Self-Management in Diabetic Patients at Jogjakarta: *An Exploratory Study , To Be Presented at The 4th Asian Congress of Health Psychology, 27-31 Agustus 2010,Taipei, Taiwan*
- Herliana, E. (2013). *Diabetes Kandas Berkat Herbal*. Jakarta: Fmedia.
- Hussein, R. N., Khther, S. A., Al - Hadithi, T. S. (2010). Impact of diabetes on physical and psychological aspects of quality of life of diabetics in Erbil city, Iraq. *Duhok Med J.* 4 (2), 45-59, November, 2, 2010. http://www.uod.ac/articles_files/no6.9.pdf
- IDF. (2015). *IDF Diabetes Atlas*. <http://www.idf.org/atlasmap/atlasmap>. 15 Januari 2016.
- Javanbakht, M., Abolhasani, F., Mashayekhi, A., Baradaran, H. R., Jahangirinoudeh. (2012). Health related quality of life in patients with type 2 diabetes mellitus in Iran: a national survey. *Plos One Journal*, 7 (8), 1-9. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0044526>
- Kaplan & Saddock. (2007). *Synopsis of Psychiatry Behavioral Sciences and Clinical Psychiatry*. Philadelphia: Lippincot Williams and Wilkins

- Kaur, H. (2014). Effectiveness of structured teaching programme regarding self care management in relation to prevention of complications among diabetics. *Asian Journal of Nursing Education and Research*, 4(3), 279-283.
- Kemenkes, R.I. (2014). Riset Kesehatan Dasar. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kemenkes RI
- King, D. K., Glasgow, R. E., Toobert, D. J., Strycker, L. A., Estabrooks, P. A., Osuna, D., & Faber, A. J. (2010). Self-efficacy, problem solving, and social-environmental support are associated with diabetes self-management behaviors. *Diabetes Care*, 33(4), 751–753. <http://doi.org/10.2337/dc09-1746>
- Komar-Samardzija, M., Braun, L. T., Keithley, J. K., & Quinn, L. T. (2012). Factors associated with physical activity levels in African-American women with type 2 diabetes. *Journal of the American Academy of Nurse Practitioners*, 24(4), 209-217.
- Koentjaraningrat.(2002). *Pengantar Ilmu Antropologi*. Rineka Cipta : Jakarta.
- Krause, N., & Stryker, S. (1984). Stress and well-being: The buffering role of locus of control beliefs. *Social Science and Medicine*, 18(9), 783–790. [http://doi.org/10.1016/0277-9536\(84\)90105-9](http://doi.org/10.1016/0277-9536(84)90105-9).
- Kreitner dan Kinicki.(2005). *Perilaku Organisasi*. Jakarta : Salemba Empat.
- Kusniawati. (2011). Analisis Faktor Yang Berkontribusi Terhadap Selfcare Diabetes Pada Klien Diabetes Melitus

- Tipe 2 Di Rumah Sakit Umum Tangerang [serial online].<http://lib.ui.ac.id>. [14 Maret 2016].
- Kusuma, H., & Hidayati. W.(2013). Hubungan Antara Motivasi Dengan Efikasi Diri Pada Pasien Diabetes Mellitus Tipe 2 Di Persadia Salatiga. Jurnal Keperawatan Medikal Bedah . Volume 1, No. 2, November 2013; 132-141.
- Leaks, B.W.(2008). *The Influence of Fatalistic Control, God Locus of Health Control, and Religious Coping on Prostate Cancer Screening*. (Doctoral dissertation, Fuller Theological Seminary, Scholl of Psychology).
- Lestari. (2014). *Hubungan tipe kepribadian dan health locus of control terhadap tingkat kepatuhan berobat penderita TB paru di RSUP Sanglah tahun 2014*. Skripsi Tidak Diterbitkan. Denpasar: Program Studi Ilmu Keperawatan Fakultas Kedokteran Universitas Udayana
- Levenson, H. (1981). Differentiating Among Internality, Powerful Others, and Chance. In *Research with the locus of control construct: Vol. 1. Assessment methods* (Vol. 1, pp. 15–63). <http://doi.org/10.1016/B978-0-12-443201-7.50006-3>.
- Lincoln, Y.S & Guba, E.G.(1985). Naturalistic Inquiry. Beverly Hills, California:Sage.
- Listiana, D.Y. (2005). Hubungan antara ketegaran dan dukungan sosial dengan depresi pada penderita diabetes mellitus. Tesis tidak dipublikasikan. Yogyakarta: Program Pascasarjana, Universitas Gadjah Mada.
- Livingstone, W., van de Mortel, T. F., & Taylor, B. (2011). A path of perpetual resilience: Exploring the experience of

- a diabetes-related amputation through grounded theory. *Contemporary Nurse*, 39(1), 20–30. <http://doi.org/10.5172/conu.2011.39.1.20>
- Longo, D. R., Schubert, S. L., Wright, B. A., LeMaster, J., Williams, C. D., & Clore, J. N. (2010). Health information seeking, receipt, and use in diabetes self-management. *The Annals of Family Medicine*, 8(4), 334-340.
- Lorig, K., Ritter, P. L., Laurent, D. D., Plant, K., Green, M., Jernigan, V. B. B., & Case, S. (2010). Online Diabetes Self-Management Program: A randomized study. *Diabetes Care*, 33(6), 1275–1281. <http://doi.org/10.2337/dc09-2153>.
- Martiningsih (2012). Hubungan Self-Care Dengan Derajat Hipertensi Pada Pasien Hipertensi Primer Di Poliklinik Penyakit Dalam Rsud Bima Ditinjau Perspektif Keperawatan Self-Care Orem. *Jurnal kesehatan prima* vol. 6 no. 1, pebruari 2012
- Mashburn, D. D. (2012). *Self efficacy, self reliance, adherence to self care, and glycemic control among Cherokee with type 2 diabetes* (Doctoral dissertation, University Of Minnesota).
- Miller, S.T., & Elasy, T.A. (2008). Psychometric evaluation of the problem areas in diabetes (PAIDS) survey in Southern, rural African American women type 2 diabetes. *BMC Public Health*, 8 (7), 1186-1192.

- Mishali, M., Omer, H., & Heymann, A. D. (2010). The importance of measuring self-efficacy in patients with diabetes. *Family Practice, cmq086*.
- Mistra. (2004). *3 Jurus Melawan Diabetes Mellitus*. Jakarta : Puspa Swara.
- Moore, E. W. (2014). Assessing God Locus of Control as a Factor in College Students' Alcohol Use and Sexual Behavior. *Journal of American College Health, 62*(8), 578–587. <http://doi.org/10.1080/07448481.2014.947994>.
- Moss-Morris, R., Weinman, J., Petrie, K. J., Horne, R., Cameron, L. D., & Buick, D. (2002). The revised Illness Perception Questionnaire (IPQ-R). *Psychology & Health, 17*(1), 1–16. <http://doi.org/10.1080/08870440290001494>.
- Murray, T.S., Malcarne, V.L. & Goggin, K. (2003). Alcohol-Related God/Higher Power Control Beliefs, Locus of Control, and Recovery Within the Alcoholics Anonymous Paradigm. *Alcoholism Treatment Quarterly, 21*(3), 23–39. <http://doi.org/10.1300/J020v21n03>.
- Nakamura, M. (1984). *The Cultural and Religious Identity of Javanese Muslims: Problem of Conceptualization and Approach*, dalam Prisma, No.31. Nasr, S.H (1977). *Ideals and Realities of Islam*. London: George Allen & Unwin LTD.
- Nelson, K.M., McFarland, L., & Reiber, G. (2007). Factors influencing disease self-management among veterans with diabetes and poor glycemic control. *Society of General Internal Medicine*. 22. 442-446.

- Ngurah, I.G. (2014). Efikasi Diri Pada Pasien Diabetes Melitus Tipe 2. *Skripsi Keperawatan Politeknik Kesehatan, Denpasar.*
- Nuraini, A (2013). Hubungan antara self-efficacy dengan health locus of control pada penderita diabetes mellitus tipe 2 anggota perkumpulan senam diabetes di puskesmas pakis surabaya. *Journal Universitas Airlangga, Surabaya.*
- Nursalam, & Effendi, F. (2008). *Pendidikan dalam keperawatan.* Jakarta: Salemba Medika.
- O'Brian, M.E. (1998). Spirituality in nursing: standing on holy ground. 1st ed. Sudbury: Jones and Bartlett.
- O'Shaughnessy, M. (2014). Application of dorothea orem's theory of self-care to the elderly patient on peritoneal dialysis. *Nephrology Nursing Journal*, 41(5), 495-498. Retrieved from <http://search.proquest.com/docview/1617932423?accountid=38628>
- Pargament, K. I., Kennell, J., Hathaway, W., Grevengoed, N., Newman, J., & Jones, W. (1988). Religion and the Problem-Solving Process: Three Styles of Coping. *Source Journal for the Scientific Study of Religion*, 27(1), 90–104. <http://doi.org/10.2307/1387404>.
- Pargament, K. I., Koenig, H. G., & Perez, L. M. (2000). The many methods of religious coping: Development and initial validation of the RCOPE. *Journal of Clinical Psychology*, 56(4), 519–543. [http://doi.org/10.1002/\(SICI\)1097-4679\(200004\)56:4<519::AID-JCLP6>3.0.CO;2-1](http://doi.org/10.1002/(SICI)1097-4679(200004)56:4<519::AID-JCLP6>3.0.CO;2-1)

- Parhani, I. (2016). *Nilai Budaya Urang Banjar (Dalam Perspektif Teori Troopenaar)*. Skripsi IAIN Antasari, Banjarmasin.
- Peirano, A. H., & Franz, R. W. (2012). Spirituality and quality of life in limb amputees. *International Journal of Angiology*, 21(1), 47–52. <http://doi.org/10.1055/s-0032-1304275>
- PERKENI. (2011). *Konsensus pengelolaan diabetes melitus tipe 2 di indonesia 2011*. Semarang: PB PERKENI.
- Permana, I., & Try Harbiyan, M. (2015). Javanese Muslim with Diabetes in Yogyakarta Managing The Daily Self-Care Activity. *International Journal of Public Health Science (IJPHS)*, 4(4), 241–249. Retrieved from <http://iaesjournal.com/online/index.php/IJPHS>.
- Pervin, L. A. (1985). Personality: Current Controversies, Issues, and Directions. *Annual Review of Psychology*, 36(1), 83–114.
<http://doi.org/10.1146/annurev.ps.36.020185.000503>.
- Pollit, D.F., & Beck, C.T. (2006). *Essentials of nursing research: Methods, appraisal, and utilization* (6th Ed.). Philadelphia: Lippincott Williams & Walkins.
- Polzer-Casarez, R. L., & Miles, M. S. (2008). Spirituality. A Cultural Strength for African America Mothers With HIV. *Clinical Nursing Research*, 17(2), 118–132. <http://doi.org/10.1177/1054773808316735>
- Powers, S.K., Jackson, M.J. (2008). *Exercise-Induced Oxidative Stress: Cellular Mechanisms and Impact on Muscle Force Production*. Physiol Rev, 88, 1243-76.

- Prawitasari, J. E. (2015). Manajemen Diri Diabetes Analisis Kuantitatif Faktor-Faktor Psikososial Pada Pasien Diabetes Melitus Tipe II. *Doctoral dissertation, Universitas Gadjah Mada*. Yogyakarta.
- Ranting, J., Yetti, K., & Herawati, T. (2015) Hubungan self-care dengan kualitas hidup pasien diabetes melitus (dm) di persatuan diabetes indonesia (persadia) cabang cimahi, 1(1), 38–51.
- Reisi, M., Mostafavi, F., Javadzade, H., Mahaki, B., Tavassoli, E., & Sharifirad, G. (2016). Impact of health literacy, self-efficacy, and outcome expectations on adherence to self-care behaviors in iranians with type 2 diabetes. *Oman Medical Journal*, 31(1), 52–59. <http://doi.org/10.5001/omj.2016.10>
- Riani, Asri Laksmi. 2011. Budaya Organisasi. Cetakan Pertama, Edisi Pertama. Yogyakarta: Graha Ilmu.
- Ricklefs, M. C. (1974). *Jokjakarta Under Sultan Mangkubumi 1749-1792*. London: Oxford University Pres.
- Rotter, J. B., & Mulry, R. C. (1965). Internal versus external control of reinforcement and decision time. *Journal of Personality and Social Psychology*, 2(4), 598–604. <http://doi.org/10.1037/h0022473>.
- Safitri, I.N. (2013). *Kepatuhan penderita diabetes tipe II ditinjau dari locus of control*. *Jurnal Ilmiah Psikologi Terapan*, 1 (2), (online) (<http://ejournal.umm.ac.id>), diakses 25 Juni 2016
- Sahriansyah. (2015). *Sejarah Kesultanan dan Budaya Banjar*. Banjarmasin : Antasari Press.

- Saleh, M.I. (1986). *Sekilas Mengenal Daerah Banjar dan Kebudayaan Sungainya Sampai Dengan Akhir Abad 19*. Banjarbaru: Museum Negeri Lambung Mangkurat Provinsi Kalimantan Selatan.
- Salehi, S., Ghodousi, A., & Ojaghloo, K. (2012). The spiritual experiences of patients with diabetes- related limb amputation. *Iran J Nurs Midwifery Res*, 17(3), 225–228.
- Sari, C. W. M. (2012). Pengaruh Program Edukasi Perawatan kaki Berbasis Keluarga Terhadap Perilaku Perawatan Kaki Pada Pasien Diabetes Mellitus Tipe 2 di Wilayah Kerja Puskesmas Pasirkaliki Kota Bandung. Retrieved from
http://media.unpad.ac.id/thesis/220120/2010/220120100038_1_6551.pdf
- Sari, A. S. (2015). Analisa Faktor-faktor yang Mempengaruhi Perawatan Diri Pasien Diabetes Melitus Tipe 2 di Kecamatan Medan Johor.
- Saryono. (2008). *Metodelogi Penelitian Kesehatan*. Jogjakarta: Mitra Cendekia.
- Sharoni, S. K. A., & Wu, S. F. V. (2012). Self-efficacy and self-care behavior of Malaysian patients with type 2 diabetes: A cross sectional survey. *Nursing and Health Sciences*, 14(1), 38–45. <http://doi.org/10.1111/j.1442-2018.2011.00658.x>.
- Shi, Q., Ostwald, S. K., & Wang, S. (2010). Improving glycaemic control self-efficacy and glycaemic control behaviour in Chinese patients with Type 2 diabetes mellitus: Randomised controlled trial. *Journal of Clinical*

Nursing, 19(3–4), 398–404.
<http://doi.org/10.1111/j.1365-2702.2009.03040.x>.

Sigurdardottir, A.K. (2005). Self-care in diabetes: model of factors affecting self- care. *Journal of Clinical Nursing*, 14, 301-3014.

Smalls, B. L., Gregory, C. M., Zoller, J. S., & Egede, L. E. (2015). Assessing the relationship between neighborhood factors and diabetes related health outcomes and self-care behaviors. *BMC Health Services Research*, 15(1), 445. <http://doi.org/10.1186/s12913-015-1086-7>.

Smeltzer, et al.(2008).Brunner & Suddarth's Texbook of Medical Surgical Nursing, 11th. ed. Philadelphia.Lippincott Williams & Wilkins, a wotter kluwe business.

Snoek, F.J., Pouwer, F., Garry, W.W., & Polonsky, W.H. (2000). Diabetes related emosional disstres in Dutch and U.S diabetic patients: cross cultural validity of the problem areas in diabetes scale. *Diabetes Care*, 23 (9),1305-1309.

Soegondo, S. (2007). *Prinsip dan Strategi Edukasi Diabetes*. Dalam : Soegondo S, dkk, *Penatalaksanaan Diabetes Melitus Terpadu*. Jakarta : Balai Penerbit FKUI.

Soewondo, P. (2011). Current Practice in the Management of Type 2 Diabetes in Indonesia: Results from the International Diabetes Management Practices Study (IDMPS). *J Indon Med Assoc*, 61(12), 474–81.

Strine TW, Okoro CA, Chapman DP., et al. 2005. The Impact of Formal Diabetes Education on The Preventive Health Practices and Behaviors of Persons with Type 2

Diabetes.

<http://www.ncbi.nlm.nih.gov/pubmed/15916996>

Sudoyo A, et al. (2006). Buku Ajar Ilmu Penyakit Dalam. Jakarta : FKUI

Sugiyono. (2011). *Statistika untuk Penelitian*. Bandung: Penerbit Alfabeta.

Syamsuddin, HeliusH. (2002). *Islam Perlawanan Di Kalimantan Selatan dan Tengah Pada Abad 19 dan Awal Abad 20*, Banjarmasin: PSPB.

Tandra, H., 2008. *Segala Sesuatu Yang Harus Anda Ketahui Tentang-DIABETES*. Jakarta: PT Gramedia Pustaka Utama.

Theofilou, P. (2012). Quality of life and mental health in hemodialysis and peritoneal dialysis patients: The role of health beliefs. *International Urology and Nephrology*, 44(1), 245–253. <https://doi.org/10.1007/s11255-011-9975-0>

Toobert DJ, Hampson SE, Glasgow RE: The summary of diabetes self-care activities measure: results from 7 studies and a revised scale. *Diabetes Care* 2000;23:943-950.

Tsay, S.-L., & Healstead, M. (2002). Self-care self-efficacy, depression, and quality of life among patients receiving hemodialysis in Taiwan. *International Journal of Nursing Studies*, 39(3), 245–251. [http://doi.org/10.1016/S0020-7489\(01\)00030-X](http://doi.org/10.1016/S0020-7489(01)00030-X).

- Tylor, E.B. (1974). Primitive Culture: Researches into The Development of Mythology, Philosophy, Religion, Art, and Custom. New York: Gordon Press. First published in 1871.
- Van der Heijden, M. M., Pouwer, F., Romeijnders, A. C., & Pop, V. J. (2012). Testing the effectiveness of a self-efficacy based exercise intervention for inactive people with type 2 diabetes mellitus: design of a controlled clinical trial. *BMC public health*, 12(1), 331.
- Wagner, J. A., Tennen, H., & Osborn, C. Y. (2010). Lifetime depression and diabetes self-management in women with Type 2 diabetes: A case-control study. *Diabetic Medicine*, 27(6), 713–717. <http://doi.org/10.1111/j.1464-5491.2010.02996.x>.
- Wallston, B., & Wallston, K. (1978). Locus of control and health: a review of the literature. *Health Education Monographs*, 6, 107–117. <http://doi.org/10.1177/109019817800600102>.
- Wallston, K. a, Wallston, B. S., & DeVellis, R. (1978). Development of the Multidimensional Health Locus of Control (MHLC) Scales. *Health Education Monographs*, 6(FEBRUARY), 160–170. <http://doi.org/10.1177/109019817800600107>.
- Wallston, K. a. (2005). Overview of the Special Issue on Research with the Multidimensional Health Locus of Control (MHLC) Scales. *Journal of Health Psychology*, 10(5), 619–621. <http://doi.org/10.1177/1359105305055301>.

- Wallston, K. A., Malcarne, V. L., Flores, L., Hansdottir, I., Smith, C. A., Stein, M. J., ... Clements, P. J. (1999). Does God determine your health? The God Locus of Health Control scale. *Cognitive Therapy and Research*. <http://doi.org/10.1023/A:1018723010685>
- Wattanakul, B. (2012). *Factors Influencing Diabetes Self-Management Behaviors among Patients with T2DM in Rural Thailand* (Doctoral dissertation, University of Illinois at Chicago).
- Wearden, A.J., Tarrier, N., & Davies, R. (2000b). Partner's expressed emotion and the control and management of type 1 diabetes in adult. *Journal of Psychosomatic Research*, 49, 2, 125-130. doi:10.1016/S0022-3999(00)00141-0
- Weinger, K., Butler, H.A., Wech, G.W., & La Greca, A.M. (2005). A psychometric analysis of the self-vare intentory-revised with adult. *Diabetes Care*, 28 (6), 1346-1352.
- Wong-McDonald, A., & Gorsuch, R. L. (2004). A multivariate theory of God concept, religious motivation, locus of control, coping, and spiritual well-being. *Journal of psychology and theology*, 32(4), 318.
- Wu, S. F. V., Huang, Y. C., Lee, M. C., Wang, T. J., Tung, H. H., & Wu, M. P. (2013). Self-efficacy, self-care behavior, anxiety, and depression in Taiwanese with type 2 diabetes: A cross-sectional survey. *Nursing and Health Sciences*, 15(2), 213–219. <http://doi.org/10.1111/nhs.12022>

- Xu, Y. et al., (2010). Prevalence and Control of Diabetes in Chinese Adults. *JAMA*. 2013;310(9):948-959. doi:10.1001/jama.2013.168118.
- Xu Yin, Toobert, D., Savage, C., Pan, W., & Whitmer, K. (2008). Factor influencing diabetes self-management ini Chinese people with type 2 diabetes. *Research in Nursing & Health*, 31, 613-625.
- Yuanita, A. (2014). Pengaruh Diabetes Self Management Education (DSME) terhadap Resiko Terjadinya Ulkus Diabetik pada Pasien Rawat Jalan dengan Diabetes Mellitus (DM) Tipe 2 di RSD dr . Soebandi Jember. *E-Jurnal Pustaka Kesehatan*, 2(1), 119–124.
- Yuliandri, A. (2013). *Hubungan Antara Health Locus Of Control Dengan Kepatuhan Pengobatan Pada Penderita Gagal Ginjal Kronis Yang Menjalani Terapi Hemodialisis Di Rsudza Banda Aceh*. Skripsi FK Universitas Syiah Kuala, Aceh.
- Yuniarti, K. W., Dewi, C., Ningrum, R. P., Widiastuti, M., & Asril, N. M. (2012). Illness perception, stress, religiosity, depression, social support, and self management of diabetes in Indonesia. *International Journal of Research Studies in Psychology*, 2(1).