

DAFTAR PUSTAKA

- Adams, G. R., & Vaziri, N. D. (2006). Skeletal muscle dysfunction in chronic renal failure: effects of exercise. *American Journal of Physiology-Renal Physiology*, 290(4), F753-F761.
- Al-Ameedy, W. A. (2014). insomnia in patients with renal failure undergoing hemodialysis. *Medical Journal of Babylon*, 10(3). <https://doi.org/1812-156X-10-3>
- Al-Jahdali, H., Khogeer, H.A., Al-Qadhi, W.A., et al. (2010) Insomnia in Chronic Renal Patients on Dialysis in Saudi Arabia. *Journal of Circadian Rhythms*. 8:7doi:10.1186/1740-3391-8-7. <http://www.jcircadianrhythms.com/content/> tanggal 2 Mei 2017.
- Andarmoyo, S. (2013). Konsep & proses keperawatan nyeri. EGC: Jakarta
- Barakzoy, A. S., & Moss, A. H. (2006). Efficacy of the world health organization analgesic ladder to treat pain in end-stage renal disease. *Journal of the American Society of nephrology*, 17(11), 3198-3203..
- Berwin, J. T., El-Husseiny, T., Papatsoris, A. G., Hajdinjak, T., Masood, J., & Buchholz, N. (2009). Pain in extracorporeal shock wave lithotripsy. *Urological research*, 37(2), 51-53.
- Budiman, dkk. (2011). *Joint commission international*. Gramedia : Jakarta
- Buysse, D. J. (2004). Insomnia, depression and aging. Assessing sleep and mood interactions in older adults. *Geriatrics*, 59(2), 47-51.
- Casey, K. R. (2010). Sleep disorders in chronic kidney disease. *Sleep medicine*, 11(3), 231-232.
- Cheema, B. S. B., & Gaul, C. A. (2006). Full-body exercise training improves fitness and quality of life in survivors of breast cancer. *The Journal of Strength & Conditioning Research*, 20(1), 14-21.

- Cita, E. E., Wulandari, T., & Istanti, Y. P. (2016). Terapi Islamic Self Healing Terhadap Quality of life pada Klien Gagal Ginjal Kronis dengan Terapi Hemodialisa. *Indonesian Journal Of Nursing Practices*, 3(1), 43-57.
- Diniyati. (2013). Evidence Based Practice Intradialytic exercise untuk Pengelolaan Tekanan Darah pada Pasien Chronic Kidney Diseases (CKD) Stage V. *Jurnal Keperawatan Notokusumo*, 1(1), 46-49.
- Elder, S. J., Pisoni, R. L., Akizawa, T., Fissell, R., Andreucci, V. E., Fukuhara, S., ... & Saran, R. (2008). Sleep quality predicts quality of life and mortality risk in haemodialysis patients: results from the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Nephrology Dialysis Transplantation*, 23(3), 998-1004.
- Esteve, S. V., Junqué, J. A., Moreno, G. F., Carneiro, O. J., Fulquet, N. M., Pou, P. M., ... & Ramirez, D. A. M. (2014). Benefits of a low intensity exercise programme during haemodialysis sessions in elderly patients. *Nefrologia: publicacion oficial de la Sociedad Espanola Nefrologia*, 35(4), 385-394.
- Ghonemy, T.A., Halla M. Allam, Amir M. Elokely, Yosef A. Kadry, Hesham M. Omar. 2016. Chronic pain in hemodialysis patients: Role of bone mineral metabolism. *Alexandria Journal of Medicine* (2016) 52, 337-342. Alexandria University Faculty of Medicine.
- Greenwood, S. A., Koufaki, P., Mercer, T. H., MacLaughlin, H. L., Rush, R., Lindup, H., ... & Cairns, H. S. (2015). Effect of exercise training on estimated GFR, vascular health, and cardiorespiratory fitness in patients with CKD: a pilot randomized controlled trial. *American Journal of Kidney Diseases*, 65(3), 425-434.
- Greger, R., Lang, F., & Silbernagl, S. (Eds.). (2012). *Renal transport of organic substances*. Springer Science & Business Media.

- Guyton, A.C., & Hall, J.E. (2007). *Buku Ajar Fisiologi Kedokteran*. Penerjemah: Rachman, L.Y., Hartanto H., Novrianti, A., Wulandari, N. Jakarta: EGC.
- Han, S. Y., Yoon, J. W., Jo, S. K., Shin, J. H., Shin, C., Lee, J. B., ... & Lee, K. B. (2002). Insomnia in diabetic hemodialysis patients. *Nephron*, 92(1), 127-132.
- Handayani, R. S., & Rahmayati, E. (2017). *Faktor-faktor yang berhubungan dengan kualitas hidup pasien Chronic Kidney Disease (CKD) yang menjalani hemodialisis*. Jurnal keperawatan, 9(2), 238-245.
- Huang, T. H., Lin, S. C., Chang, F. L., Hsieh, S. S., Liu, S. H., & Yang, R. S. (2003). Effects of different exercise modes on mineralization, structure, and biomechanical properties of growing bone. *Journal of applied physiology*, 95(1), 300-307.
- Indonesia, P. N. (2011). 4th Report of Indonesian renal registry.
- Johansen, K. L. (2007). Exercise in the end-stage renal disease population. *Journal of the American Society of Nephrology*, 18(6), 1845-1854.
- Jung, T. D., & Park, S. H. (2011). Intradialytic exercise programs for hemodialysis patients. *Chonnam medical journal*, 47(2), 61-65.
- Kallenbach, J.Z., Gutch, C.F., Stoner, M.H., Corea, A.L. (2006) *Review of hemodialysis for nurse and dialysis personnel*.
- Kosmadakis, G. C., & Medcalf, J. F. (2008). Sleep disorders in dialysis patients. *The International journal of artificial organs*, 31(11), 919-927.
- Knap, B., Buturovi -Ponikvar, J., Ponikvar, R., & Bren, A. F. (2005). Regular exercise as a part of treatment for patients with end-stage renal disease. *Therapeutic Apheresis and Dialysis*, 9(3), 211-213. diperoleh dari <http://www.Proquesumi.pq> pada tanggal 2 Mei 2017.

- Kosmadakis, G. C., & Medcalf, J. F. (2008). Sleep disorders in dialysis patients. *The International Journal of Artificial Organs*, 31(11), 919-927.
- KSPBJ (Kelompok Studi Psikiatri Biologi Jakarta). Insomnia Rating Scale. diperoleh dari <http://ilmukesehatan-jawa.blogspot.co.id/2015/01/insomnia-rating-scale-kpsbj.html> tanggal 25 Mei 2017.
- Kusuma, P. D. (2013). Evidence Based Practice Intradialytic exercise untuk Pengelolaan Tekanan Darah pada Pasien Chronic Kidney Diseases (CKD) Stage V. *Jurnal Keperawatan Notokusumo*, 1(1), 46-49.
- Markum, S.M.H (2006). Gagal Ginjal Akut. Buku Ajar Ilmu Penyakit Dalam. Jakarta : EGC
- Maung, S. C., El Sara, A., Chapman, C., Cohen, D., & Cukor, D. (2016). Sleep disorders and chronic kidney disease. *World journal of nephrology*, 5(3), 224.
- Merlino, G., Piani, A., Dolso, P., Adorati, M., Cancelli, I., Valente, M., & Gigli, G. L. (2006). Sleep disorders in patients with end-stage renal disease undergoing dialysis therapy. *Nephrology Dialysis Transplantation*, 21(1), 184-190.
- Murtagh, F. E., Addington-Hall, J., & Higginson, I. J. (2007). The prevalence of symptoms in end-stage renal disease: a systematic review. *Advances in chronic kidney disease*, 14(1), 82-99.
- Ouzouni, S., Kouidi, E., Sioulis, A., Grekas, D., & Deligiannis, A. (2009). Effects of Intradialytic exercise training on health-related quality of life indices in haemodialysis patients. *Clinical rehabilitation*, 23(1), 53-63.
- Painter, P., & Marcus, R. L. (2010). Assessing physical function and physical activity in patients with CKD. *Clinical Journal of the American Society of Nephrology*, CJN-06590712.

- Pampel. (2010). Socioeconomic Disparties in Health Issue. *Public Health Reseach, Practice, and policy.* Vol 4
- Patandianan, R. F., Wungouw, H. I., & Marunduh, S. (2015). Pengaruh Latihan Beban Terhadap Kekuatan Otot Lansia. *Jurnal e-Biomedik*, 3(1).
- Perhimpunan Nefrologi Indonesia. Naskah Lengkap Simposium Nasional Peningkatan Pelayanan Penyakit Ginjal Kronik Masa Kini dan Indonesian Renal Registry Joglosemar 2012. Yogyakarta: PERNEFRI; 2012
- Potter, Patricia A. Buku Ajar Fundamental Keperawatan: Konsep, Proses, dan Praktik. Edisi 4. Jakarta: EGC. 2005.
- Prevalence and risk factors by a multicenter study. *Nephron*, 92(1), 127–132.
- Price, S.A., & Wilson, L.M. (2011) *Patofisiologi konsep klinis proses penyakit* Edisi 6. Jakarta: EGC.
- Putra T.R., 2009. Hiperurisemia, Dalam : *Buku Ajar Ilmu Penyakit Dalam Jilid III*. Edisi 5. Jakarta: FKUI hal. 2550-5
- Ratnawati. (2011). Tingkat kecemasan pasien dengan tindakan hemodialisa di BLUD RSU dr. M. M. Dunda kabupaten Gorontalo. *Jurnal health and sport*.
- Robinson-Cohen, C., Littman, A. J., Duncan, G. E., Weiss, N. S., Sachs, M. C., Ruzinski, J., ... & Himmelfarb, J. (2013). Physical activity and change in estimated GFR among persons with CKD. *Journal of the American Society of Nephrology*, ASN-2013040392.
- Roehrs T, Roth T.(2008). Caffeine: sleep and daytime sleepiness. *Sleep Med Rev*.
- Romani NK, Hendarsih S, Asmarani FL. (2013). Hubungan mekanisme coping individu dengan tingkat kecemasan pada pasien gagal ginjal

- kronis di unit hemodialisa RSUP. Dr. Soeradji Tirtonegoro Klaten. *Medika respati*. 8(1):12.
- Rompas, A. B., Tangka, J., & Rottie, J. (2013). Hubungan Kadar Hemoglobin dengan Kualitas Tidur Pasien Penyakit Ginjal Kronik di Poli Ginjal Dan Hipertensi BLU RSUP Prof. Dr. RD Kandou Manado. *Jurnal Keperawatan*, 1(1).
- Rosdiana, I., Yetty, K., & Sabri, L. (2017). Kecemasan dan Lamanya Waktu Menjalani Hemodialisis Berhubungan dengan Kejadian Insomnia pada Pasien Gagal Ginjal Kronik. *Jurnal Keperawatan Indonesia*, 17(2), 39-47.
- Rustagi, T., Kohli, R., Rai, M., & Rustagi, S. (2011). Depression, insomnia and sleep apnea in patients on maintenance hemodialysis. *Indian Journal of Nephrology*, 21(4), 223. <https://doi.org/10.4103/0971-4065.83028>
- Sabbatini, M., Crispo, A., Pisani, A., Ragosta, A., Cesaro, A., Mirenghi, F., ... & Federico, S. (2003). Zaleplon improves sleep quality in maintenance hemodialysis patients. *Nephron Clinical Practice*, 94(4), c99-c103.
- Sabbatini, M., Minale, B., Crispo, A., et al. (2002) Insomnia in Maintenance Hemodialysis Patients. *Nephrology Dialysis Transplantation* 17: 852-856. <http://ndt.oxfordjournals.org/cgi/content/short/17/5/852> tanggal 2 Mei 2017.
- Sabry, A.A., Zenah, H.A., Wafa, E., Mahmoud, K., et al. (2010). Sleep Disorders in Hemodialysis Patients. *Saudy Journal of Kidney Diseases and Transplantion*. Vol.21 (2):300-305.
- Septiwi, C. (2013). Pengaruh Breathing Exercise Terhadap Level Fatigue Pasien Hemodialisis Di RSPAD Gatot Subroto Jakarta. *Jurnal Keperawatan Soedirman*, 8(1), 14-21.
- Shochat, T. (2012). Impact of lifestyle and technology developments on sleep. *Nature and science of sleep*, 4, 19.

- Smeltzer, S.C. and Bare, B.G. (2010). *Buku Ajar Keperawatan Medikal Bedah Brunner & Suddarth*. Ed.8. Vol 2. Jakarta: EGC.
- Sukandar, E. 2011. *Nefrologi Klinik*, Edisi III. *Pusat Informasi ilmiah Bagian Ilmu Penyakit Dalam*. Bandung: FK UNPAD RS Hasan Sadikun.
- Sumirta, I. N., & Laraswati, A. I. (2014). Faktor yang Menyebabkan Gangguan Tidur (Insomnia) pada Lansia. *Politeknik Kesehatan Denpasar*.
- Tamsuri, A. (2007). *Konsep dan penatalaksanaan nyeri*. Jakarta: EGC, 1-63.
- Tehupelory E.S., 2009. Artritis Pirai (Arthritis Gout), Dalam : *Buku Ajar Penyakit Dalam Jilid III*. Edisi 5. Jakarta: FKUI hal. 2556-60 .
- Tehupelory, ES 2006, *Artritis Gout dalam Buku Ajar Ilmu Penyakit Dalam*, FKUI, Jakarta.
- Thomas, N. (2010). *Renal nursing (2nd edition)*. London United Kingdom: Elsevier Science.
- Umi Lathifah, A. N. N. I. S., Yuli Kusumawati, S. K. M., Kes, M., Werdani, K. E., & SKM, M. K. (2016). *Faktor Risiko Kejadian Gagal Ginjal Kronik Pada Usia Dewasa Muda Di Rsud Dr. Moewardi*. Doctoral dissertation, Universitas Muhammadiyah Surakarta.
- Unruh, M. L., Buysse, D. J., Dew, M. A., Evans, I. V., Wu, A. W., Fink, N. E., ... & Meyer, K. B. (2006). Sleep quality and its correlates in the first year of dialysis. *Clinical Journal of the American Society of Nephrology*, 1(4), 802-810.
- Victor W.R., 2009. Metabolisme Nukleotida Purin dan Pirimidin, Dalam : *Biokimia Harper (Harper's Illustrated Biochemistry)*. Edisi 27. Jakarta: EGC hal. 311-20.

W.Kip Visculs.(2010). Smoke-Filed Room:A Ppostmortem on Tabacco Deal.*The University of Chicago Press.*

Werdhani, Retno Asti. Hubungan frekuensi dan keteraturan senam terhadap penurunan tekanan darah pada anggota klub 2006. Jantung Sehat Pondalisa with sleep problems: a systematic review. *Journal of physiotherapy*, 58(3), 157-163.

Yang, P. Y., Ho, K. H., Chen, H. C., & Chien, M. Y. (2012). Exercise training improves sleep quality in middle-aged and older adults Yemigoe, R., Syukri, M., & Hajar, S. (2017). *Hubungan Anemia dengan Kekuatan Otot Genggaman Tangan pada Pasien Hemodialisis Kronik di RSUDZA Banda Aceh*. Jurnal Ilmiah Mahasiswa Kedokteran Medisia, 2(1).

Young, H. M., Hudson, N., Clarke, A. L., Dungey, M., Feehally, J., Burton, J. O., & Smith, A. C. (2015). Patient and staff perceptions of Intradialytic exercise before and after implementation: a qualitative study. *PLoS One*, 10(6), e0128995.

Yurdalan, S. U. (2013). Physiotherapy in the Patients on Hemodialysis. In *Hemodialysis*. InTech.

Yusuf, B. B., Birowo, P., & Rasyid, N. (2013). Perception of Pain and Its Risk Factors During ESWL Session. *Journal of the Indonesian Medical Association*, 62(02).

Zhang, L., Samet, J., Caffo, B., & Punjabi, N. M. (2006). Cigarette smoking and nocturnal sleep architecture. *American Journal of Epidemiology*, 164(6), 529-537.