

Lampiran

Inputdata.php

Config.php

```
<?php
$DB_HOST = "localhost";
$DB_USER = "root";
$DB_PASS = "rootadmin";
$DB_NAME = "jualtanah";
try {
    $DB_con = new
PDO("mysql:host={$DB_HOST};d
bname={$DB_NAME}",$DB_US
ER,$DB_PASS);
    $DB_con->setAttribute
(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);
    $connect =
mysqli_connect($DB_HOST,
$DB_USER, $DB_PASS,
$DB_NAME);
} catch (PDOException $e) {
    echo $e->getMessage();
}
//$connect =
mysqli_connect($host, $user,
$password, $database)
?>
```

Index.php

```
<?php
include 'config.php';
session_start();
$pengunjung = "pengunjung";
if (!isset($_SESSION['username']))
{
    include'header_logout.php';
} else if
(isset($_SESSION[$pengunjung]))
{isset($_SESSION[$pengunjung]);
    include'header.php';
}
```

InputData.php

```
<html lang="en">
<head>
<title>Realestate Bootstrap
Theme </title>
<meta charset="UTF-8" />
<meta name="viewport"
content="width=device-width,
initial-scale=1.0"/>
<link rel="stylesheet"
href="assets/bootstrap/css/bootstrap.
css" />
<link rel="stylesheet"
href="assets/style.css"/>
<script
src="http://code.jquery.com/jquery-
1.9.1.min.js"></script>
<script
src="assets/bootstrap/js/bootstrap.js"
></script>
<script
src="assets/script.js"></script>
<style>
    input[type=text],
input[type=password] {
        width: 100%;
        padding: 12px 20px;
        margin: 8px 0;
        display: inline-block;
        border: 1px solid #ccc;
        box-sizing: border-box;
    }
    input[type=text2] {
        width: 30%;
        padding: 12px 20px;
        margin: 8px 0;
        display: inline-block;
        border: 1px solid #ccc;
        box-sizing: border-box;
    }
    textarea {
```

```

?>
<?php include'halamanAtas.php';
?>
<div class="container">
  <div class="spacer blog">
    <div class="row">
      <div class="col-lg-10 col-sm-12 " >
        <!-- blog list -->
        <?php
          function
          convert_to_rupiah($angka,$status)
          {
            if($status ==
'Permeter'){
              return 'Rp.
'.strrev(implode('.',str_split(strev(st
rval($angka)),3))).'/m2';
            }else{
              return 'Rp.
'.strrev(implode('.',str_split(strev(st
rval($angka)),3)));
            }
          }
          $limit = 5;
          $page =
(isset($_GET['page'])) ?
$_GET['page'] : 1;
          $limit_start = ($page - 1)
* $limit;
          $sql =
mysql_query($connect, "select
data_produk.iddata_produk,
data_produk.judul,
data_produk.status_harga,
data_produk.harga,
data_produk.deskripsi,
gambar.gambar
from data_produk inner join
gambar on
data_produk.iddata_produk =
gambar.iddata_produk group by
data_produk.judul LIMIT
$limit_start, $limit")or
die(mysql_error);
          $no = $limit_start + 1;

```

```

width: 100%;
padding: 12px 20px;
margin: 8px 0;
display: inline-block;
border: 1px solid #ccc;
box-sizing: border-box;
}
</style>
<body>
  <div class="navbar-wrapper">
    <div class="navbar-inverse"
role="navigation">
      <div class="container">
        <div class="navbar-
header">
          <button type="button"
class="navbar-toggle collapsed"
data-toggle="collapse" data-
target=".navbar-collapse">
            <span class="sr-only">Toggle
navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
          </button>
        </div>
        <!-- Nav Starts -->
        <div class="navbar-collapse
collapse">
          <ul class="nav navbar-nav navbar-
right">
            <li class="active"><a
href="index.php">Home</a></li>
            <li><a
href="kpr.php">Kpr</a></li>
            <li><a
href="about.php">Solusi</a></li>
            <li><a
href="logout.php">Logout</a></li>
          </ul>
        </div>
        <!-- #Nav Ends -->
      </div>
    </div>
  </div>

```

```

        while ($data =
mysqli_fetch_array($sql)) {
            $data['iddata_produk']
            ?>
            <div class="row">
                <div class="col-lg-4
col-sm-4" >
                    <a
href="propertydetail.php?iddata_pr
oduk=<?php echo
$data['iddata_produk'] ?>"
class="thumbnail " alt="blog title"
><?php echo "<img
src='user_data/' . $data['gambar'] .
'''' ?>alt="blog title"> </a> </div>
                    <div class="info">
                        <div class="col-
lg-8 col-sm-8 ">
                            <h4><?php
echo $data['judul']; ?></h4>
                            </div> </div>
                        <div class="col-lg-8
col-sm-8 ">
                            <div
class="info">
                                <h5
style="color: red"> <?php echo
convert_to_rupiah($data['harga'],$d
ata['status_harga']) ?> </h5>
                                </div> </div>
                            <div class="col-lg-8
col-sm-8 ">
                                <div
class="thumbnail" id="Deskripsi"
name="deskripsi" style="font-
family: sans-serif" > <?php echo
substr($data['deskripsi'], 0, 200) .
"... <a
href='propertydetail.php?iddata_pro
duk=" . $data['iddata_produk'] .
''''>Detail</a></td>"; ?></div>
                                </div>
                            </div>
                                <?php
                                $no++;
                            }

```

```

<div class="header"
align="center">
    <a href="index.php"></a>
</div>
<div class="container">
<nav class="navbar navbar-inverse"
role="navigation">
    <div class="container-fluid">
        <div class="navbar-header">
            <a class="navbar-brand" href="#"
style="color: white;"><b>Masukkan
Data</b></a>
        </div>
        <p class="navbar-text navbar-
right hidden-xs" style="color:
white;padding-right: 10px;">
            <a target="_blank"
style="background: #72b70f;
padding: 0 5px; border-radius: 4px;
color: #f7f7f7; text-decoration:
none;" href="crud.php">Edit
Data</a>
        </p>
    </div>
</nav>
<!-- banner -->
<div class="searchbar">
    <div class="row">
        <div class="col-lg-12 col-sm-12">
            <?php
                if ($_POST) {
                    $judulproduk =
$_POST['judul_produk'];
                    $statusHarga =
$_POST['nominal'];// user name
                    $harga =
$_POST['harga_']; // user email
                    $kategori =
$_POST['kategori'];
                    $luas =
$_POST['luas_'];
                    $deskripsi =
$_POST['deskripsi_'];

```

```

        ?>
        <!-- blog list -->
    </div>
</div>
</div>
<div class="center">
    <div class="pagination">
        <?php
            if ($page == 1) { // Jika
page adalah pake ke 1, maka
disable link PREV
                ?>
                <li class="disabled"><a
href="#">First</a></li>
                <li class="disabled"><a
href="#">&laquo;</a></li>
                <?php
                    } else { // Jika buka page ke
1
                        $link_prev = ($page > 1)
? $page - 1 : 1;
                        ?>
                        <li><a
href="index.php?page=1">First</a
></li>
                        <li><a
href="index.php?page=<?php echo
$link_prev; ?>">&laquo;</a></li>
                        <?php
                            }
                        ?>
                        <?php
                            // Buat query untuk
menghitung semua jumlah data
                            $sql2 =
mysqli_query($connect, "SELECT
COUNT(*) AS jumlah FROM
data_produk");
                            // Eksekusi querynya
                            $get_jumlah =
mysqli_fetch_assoc($sql2);
                            $jumlah_page =
ceil($get_jumlah['jumlah'] / $limit);
// Hitung jumlah halamannya
                            $jumlah_number = 3; //
Tentukan jumlah link number

```

```

        $alamat =
$_POST['alamat_'];
        $sertifikat =
$_POST['sertifikat_'];
        $agen =
$_POST['agen_'];
        $lat =
$_POST['latt'];
        $lng =
$_POST['lng'];
        $imgFile =
$_FILES['user_image']['name'];
        $tmp_dir =
$_FILES['user_image']['tmp_name'];
        $imgSize =
$_FILES['user_image']['size'];
        $error = array();
        if
(empty($judulproduk)) {
$error['judul_produk'] = 'Nama tidak
boleh kosong';
        }
        if (empty($harga))
{
            $error['harga_'] =
'Email tidak boleh kosong';
        }
        if
(empty($kategori)) {
            $error['kategori']
= 'Alamat tidak boleh kosong';
        }
        if (empty($luas)) {
            $error['luas_'] =
'Kota tidak boleh kosong';
        }
        if
(empty($deskripsi)) {
$error['deskripsi_'] = 'Kode pos tidak
boleh kosong';
        }
        if (empty($alamat))
{

```

```

sebelum dan sesudah page yang
aktif
    $start_number = ($page >
$jumlah_number) ? $page -
$jumlah_number : 1; // Untuk awal
link member
    $end_number = ($page <
($jumlah_page - $jumlah_number))
? $page + $jumlah_number :
$jumlah_page; // Untuk akhir link
number
    for ($i = $start_number; $i
<= $end_number; $i++) {
        $link_active = ($page ==
$i) ? 'class="active"' : "";
        ?>
        <li <?php echo
$link_active; ?>><a
href="index.php?page=<?php echo
$i; ?>"><?php echo $i; ?></a></li>
        <?php
        }
        ?>
        <?php
        // Jika page sama dengan
jumlah page, maka disable link
NEXT nya
        // Artinya page tersebut
adalah page terakhir
        if ($page == $jumlah_page)
{ // Jika page terakhir
        ?>
        <li class="disabled"><a
href="#">&raquo;</a></li>
        <li class="disabled"><a
href="#">Last</a></li>
        <?php
        } else { // Jika bukan
page terakhir
        $link_next = ($page <
$jumlah_page) ? $page + 1 :
$jumlah_page;
        ?>
        <li><a
href="index.php?page=<?php echo
$link_next; ?>">&raquo;</a></li>

```

```

        $error['alamat_']
= 'Kode pos tidak boleh kosong';
        }
        if
(empty($sertifikat)) {
$Error['sertifikat_'] = 'Kode pos tidak
boleh kosong';
        }
        if (empty($agen)) {
            $Error['agen_'] =
'Kode pos tidak boleh kosong';
        }
        if (empty($lat)) {
            $Error['latt'] =
'Kode pos tidak boleh kosong';
        }
        if (empty($lng)) {
            $Error['lngg'] =
'Kode pos tidak boleh kosong';
        } else if
(empty($imgFile)) {
            $errMSG =
"Please Select Image File.";
        } else {
            $upload_dir =
'sertifikat/'; // upload directory

            $imgExt =
strtolower(pathinfo($imgFile,
PATHINFO_EXTENSION)); // get
image extension
            // valid image
extensions
            $valid_extensions = array('jpeg',
'jpg', 'png', 'gif'); // valid extensions
            // rename
uploading image
            $userpic =
rand(1000, 1000000) . "." . $imgExt;
            // allow valid
image file formats

```

```

        </li><a
href="index.php?page=<?php echo
$jumlah_page; ?>">Last</a></li>
        <?php
        }
        ?>
    </div>
</div>
<?php include'footer.php'; ?>

```

Fotosertifikat.php

```

<?php
include 'config.php';
session_start();
$pengunjung = "pengunjung";
if (!isset($_SESSION['username']))
{
    include'header_logout.php';
} else if
(!isset($_SESSION[$pengunjung]))
{
    isset($_SESSION[$pengunjung]);
    include'header.php';
}
?>
<div class="container">
    <nav class="navbar"
role="navigation"
style="background-color:
lightseagreen">
        <div class="container-fluid">
            <div class="navbar-
header">
                <a class="navbar-brand"
href="#" style="color:
white;"><b>Foto
Sertifikat</b></a>
            </div>
        </div>
    </nav>
    <div class="center">
        <?php

```

```

        if
(in_array($imgExt,
$valid_extensions)) {
            // Check file
            size '5MB'
            if ($imgSize <
5000000) {
                move_uploaded_file($tmp_dir,
$upload_dir . $userpic);
            } else {
                $errMsg =
"Sorry, your file is too large.";
            }
            } else {
                $errMsg =
"Sorry, only JPG, JPEG, PNG & GIF
files are allowed.";
            }
        }
        if (empty($error)) {
            require_once
'config.php';
            $sertifikat=
"INSERT INTO
sertifikat(`sertifikat`,`gmbrsertifikat`)
VALUE ('$sertifikat','$userpic')";
            $datasertifikat=mysqli_query($conne
ct, $sertifikat);
            $idsertifikat =
mysqli_insert_id($connect);
            $saa =
str_replace(".", "", $harga);
            $sqryy =
"INSERT INTO data_produk
(`kategori`, `judul`, `harga`, `luas`,
`deskripsi`, `alamat`, `agen`, `lat`,
`lng`, `status_harga`, `id_sertifikat`)
VALUES('$kategori','$judulproduk',
'$saa','$luas','$deskripsi','$alamat','$ag
en','$lat','$lng','$statusHarga','$idserti
fikat')";

```

```

include 'config.php';
$id = $_GET['id'];
$produk =
mysqli_query($connect, "SELECT
* FROM jualanah.sertifikat where
id_sertifikat=$id")or
die(mysql_error);
while ($dat =
mysqli_fetch_array($produk)) {
    ?>
    " />
    </div>
</div>
    <?php } ?>
<?php include'footer.php'; ?>

```

Header.php

```

<!DOCTYPE html>
<html lang="en">
<head>
<title>Realestate Bootstrap Theme
</title>
<meta charset="UTF-8" />
<meta name="viewport"
content="width=device-width,
initial-scale=1.0"/>
<link rel="stylesheet"
href="assets/bootstrap/css/bootstrap
.css" />
<link rel="stylesheet"
href="assets/style.css"/>
<script
src="http://code.jquery.com/jquery-
1.9.1.min.js"></script>
<script
src="assets/bootstrap/js/bootstrap.js
"></script>
<script
src="assets/script.js"></script>
<!-- Owl stylesheet -->
<link rel="stylesheet"
href="assets/owl-
carousel/owl.carousel.css">

```

```

$query =
mysqli_query($connect, $qry);
$idproduk =
mysqli_insert_id($connect);
if
(isset($_FILES['files'])) {
    $errors =
array();
    foreach
($_FILES['files']['tmp_name'] as
$key => $tmp_name) {
        $string =
time() . " . rand(1000, 10000);

        $file_name
= $key .
$_FILES['files']['name'][$key];
        $file_size =
$_FILES['files']['size'][$key];
        $file_tmp =
$_FILES['files']['tmp_name'][$key];
        $file_type =
$_FILES['files']['type'][$key];

        $image_name = sha1($string) . ' .
explode("/", $file_type)[1];
        if ($file_size
> 2097152) {
            $errors[]
= 'File size must be less than 2 MB';
        }
        $qry =
"INSERT into gambar
(`iddata_produk`,`gambar`)
VALUES('$idproduk','$image_name'
); ";
        $desired_dir = "user_data";
        if
(empty($errors) == true) {
            if
(is_dir($desired_dir) == false) {
                mkdir("$desired_dir", 0700); //
                Create directory if it does not exist
            }
        }
    }
}

```



```

        </div>
        <!-- Nav Starts -->
        <div class="navbar-collapse
collapse">
        <ul class="nav navbar-nav
navbar-right">
        <li class="active"><a
href="index.php">Home</a></li>
        <li><a
href="kpr.php">Kpr</a></li>
        <li><a
href="about.php">Solusi</a></li>
        <li><a
href="inputData.php">Tambah
Data</a></li>
        <li><a
href="logout.php">Logout</a></li>
        >
        </ul>
        </div>
        <!-- #Nav Ends -->

```

```

        </div>
        </div>
        </div>
        <!-- #Header Starts -->
        <!-- Header Starts -->
        <div class="header"
align="center">
        <a href="index.php"></a>
        </div>
        <!-- #Header Starts -->

```

Headerlogout.php

```

<!DOCTYPE html>
<html lang="en">
<head>
<title>Realestate Bootstrap Theme
</title>
<meta charset="UTF-8" />

```

```

oninput="setCustomValidity("")"><br
/>

        <strong>Kategori :
</strong><br/>
        <select
class="form-control"
name="kategori" id="kategori"
required
oninvalid="this.setCustomValidity('
Nama Kategori Tidak Boleh
Kosong')"
oninput="setCustomValidity("")">
        <option>pilih
kategori</option>
        <?php
include
'config.php';
        $q =
mysqli_query($connect, 'select *
from kategori order by kategori
asc;');
        ?>
        <?php if
(mysqli_num_rows($q) > 0) { ?>
        <?php while
($row = mysqli_fetch_array($q)) {
?>
        <option><?php echo $row['kategori']
?></option>
        <?php } ?>
        <?php } ?>
        </select>
        <br/>
        <input type="file"
name="files[]" multiple required
oninvalid="this.setCustomValidity('
Nama File Tidak Boleh Kosong')"
oninput="setCustomValidity("")"/>
        <strong> Harga
:</strong><br/>
        <input type="radio"
name="nominal"
value="TotalHarga"
checked="checked" id="rupiah"

```

```

<meta name="viewport"
content="width=device-width,
initial-scale=1.0"/>
    <link rel="stylesheet"
href="assets/bootstrap/css/bootstrap
.css" />
    <link rel="stylesheet"
href="assets/style.css"/>
    <script
src="http://code.jquery.com/jquery-
1.9.1.min.js"></script>
        <script
src="assets/bootstrap/js/bootstrap.js
"></script>
        <script
src="assets/script.js"></script>
<!-- slitslider -->
</head>
<body>
<!-- Header Starts -->
<div class="navbar-wrapper">

    <div class="navbar-inverse"
role="navigation">
        <div class="container">
            <div class="navbar-
header">
                <button type="button"
class="navbar-toggle collapsed"
data-toggle="collapse" data-
target=".navbar-collapse">
                    <span class="sr-
only">Toggle navigation</span>
                    <span class="icon-
bar"></span>
                    <span class="icon-
bar"></span>
                    <span class="icon-
bar"></span>
                </button>
            </div>
            <!-- Nav Starts -->
            <div class="navbar-collapse
collapse">
                <ul class="nav navbar-nav
navbar-right">

```

```

onclick="checkbox()" > Total Harga
<br/>
        <input type="radio"
name="nominal" value="Permeter"
id="permeter" onclick="checkbox()"
> Permeter<br/>
        <input class =
"text" type="text2" id="harga_"
name="harga_" size="50"
maxlength="10000"
onClick="return checkbox();"
value="" required
oninvalid="this.setCustomValidity('
Nama Harga Tidak Boleh Kosong')"
oninput="setCustomValidity("")"><br
/>
                <strong>Luas
:</strong><br/>
        <input class =
"text" type="text2" name="luas_"
size="50" maxlength="10000"
value="" onkeypress="return
hanyaAngka(event)" required
oninvalid="this.setCustomValidity('
Nama Luas Tidak Boleh Kosong')"
oninput="setCustomValidity("")"
>/m2<br/>
                <strong>Deskripsi
:</strong><br/>
        <textarea
cols="157" rows="7"
name="deskripsi_"
maxlength="100000" value=""
required
oninvalid="this.setCustomValidity('
Nama Deskripsi Tidak Boleh
Kosong')"
oninput="setCustomValidity("")"></t
extarea> <br/>
                <strong>Alamat
:</strong><br/>
        <input type="text"
name="alamat_"
maxlength="100000" value=""
required
oninvalid="this.setCustomValidity('

```

```

        <li class="active"><a
href="index.php">Home</a></li>
        <li><a
href="kpr.php">KPR</a></li>
        <li><a
href="about.php">Solusi</a></li>

        <li><a
href="login.php">Login</a></li>
    </ul>
</div>
<!-- #Nav Ends -->
</div>
</div>
</div>
<div class="header"
align="center">
    <a href="index.php"></a>
<!--      <ul class="pull-right">
        <li><a
href="buysalerent.php">Cari
Tanah</a></li>
        </ul>-->
</div>
<!-- #Header Starts -->

```

Loggin.php

```

<?php
include 'config.php';
$username = $_POST['username'];
$password = $_POST['password'];
$login = mysqli_query($connect,
"select * from admin where
username='$username' and
password='$password'");
$result =
mysqli_num_rows($login);
if($result>0){
    $user =
mysqli_fetch_array($login);
    session_start();

```

```

Nama Deskripsi Tidak Boleh
Kosong')"
oninput="setCustomValidity("")"><br
/>
        <strong>Pilih
Sertifikat Properti : </strong><br/>
        <select
class="form-control"
name="sertifikat_" id="sertifikat"
required
oninvalid="this.setCustomValidity('
Nama Sertifikat Tidak Boleh
Kosong')"
oninput="setCustomValidity("")">
            <option>Pilih
Sertifikat</option>
            <?php
include
'config.php';
            $q =
mysqli_query($connect, 'select *
from sertif order by sertif asc;');
            ?>
            <?php if
(mysqli_num_rows($q) > 0) { ?>
                <?php while
($row = mysqli_fetch_array($q)) {
?>
<option><?php echo $row['sertif']
?></option>
                <?php } ?>
            <?php } ?>
            </select>
            <strong> Pilih File
: </strong><br/>
            <input
class="input-group" type="file"
name="user_image"
accept="sertifikat/*" required
oninvalid="this.setCustomValidity('
Nama File Sertifikat Tidak Boleh
Kosong')"
oninput="setCustomValidity("")"/>

```

```

$_SESSION['username'] =
$username;
header("location:index.php");

}else{
echo "Maaf Login anda
GAGAL!";
}
?>

Sendemail.php

<?php
use
PHPMailer\PHPMailer\PHPMailer;
require_once
"vendor/autoload.php";
include 'config.php';
$mail = new PHPMailer;
//Enable SMTP debugging.
$mail->SMTPDebug = 3;
//Set PHPMailer to use SMTP.
$mail->isSMTP();
$mail->SMTPOptions = array(
'ssl' => array(
'verify_peer' => false,
'verify_peer_name' => false,
'allow_self_signed' => true
)
);
//Set SMTP host name
$mail->Host = "smtp.gmail.com";
//Set this to true if SMTP host
requires authentication to send
email
$mail->SMTPAuth = true;
//Provide username and password
$mail->Username =
"rara1996@gmail.com";
$mail->Password = "*****";
//If SMTP requires TLS encryption
then set it
$mail->SMTPSecure = "tls";
//Set TCP port to connect to
$mail->Port = 587;

```

```

<strong>No Telp.
:</strong><br/>
<input class =
"text" type="text2" name="agen_"
size="50" maxlength="10000"
value="" onkeypress="return
hanyaAngka(event)" required
oninvalidonkeypress="return
hanyaAngka(event)"id="this.setCust
omValidity("Telepon Tidak Boleh
Kosong')"
oninput="setCustomValidity("")"><br
/>
<input
id="searchInput" class="controls"
type="text" placeholder="Enter a
location">
<div
id="map"></div>
<ul id="geoData">
<li>Full
Address: <span
id="location"></span></li>
<li>Postal Code:
<span
id="postal_code"></span></li>
<li>Country:
<span id="country"></span></li>
<input id="lat"
class = "text" type="text"
name="latt" size="50"
maxlength="10000" value=""><br/>
<input id="lng"
class = "text" type="text"
name="lngg" size="50"
maxlength="10000" value=""><br/>
</ul>
<script>
function
initMap() {
var map = new
google.maps.Map(document.getElem
entById('map'), {
center: {lat:
-33.8688, lng: 151.2195},
zoom: 13

```

```

$mail->From =
"rara1996@gmail.com";
$mail->FromName = "rara indi";
$mail-
>addAddress("anggie@gmail.com"
, "anggie sukma");
$mail->isHTML(true);
$send= mysqli_query($connect,
"select * from admin");
while ($row =
mysqli_fetch_array($send)) {
    $passw = $row['password'];
$mail->Subject = "password ";
$mail->Body = "<i> password anda
: $passw </i>";
$mail->AltBody = "This is the
plain text version of the email
content";
}

if(!$mail->send())
{
    echo "Mailer Error: " . $mail-
>ErrorInfo;
    print ("<br>Coba cek Internet");
}
else
{
    echo "Message has been sent
successfully";
    ?>
<meta http-equiv="Refresh"
content="0;url=login.php">
<form id="main" method="post"
name="main" action=""
onsubmit="redirect(this);">

    <input type="submit"
name="submit"/> </form> function
redirect(elem){
elem.setAttribute("action","login.p
hp"); elem.submit();
<script>alert("berhasil")</script>;}
<?php
}
?>

```

```

});
var input =
document.getElementById('searchIn
put');

map.controls[google.maps.ControlPo
sition.TOP_LEFT].push(input);

var
autocomplete = new
google.maps.places.Autocomplete(in
put);

autocomplete.bindTo('bounds', map);

var
infowindow = new
google.maps.InfoWindow();
var marker =
new google.maps.Marker({
    map: map,

    anchorPoint: new
google.maps.Point(0, -29)
});

autocomplete.addListener('place_cha
nged', function () {

    infowindow.close();

    marker.setVisible(false);
    var place =
autocomplete.getPlace();
    if
(!place.geometry) {

        window.alert("Autocomplete's
returned place contains no
geometry");

        return;
    }
}

```

Search.php

```
<html lang="en">

<body>
  <?php
    include 'header.php';
    include 'halamanAtas.php';
    include 'config.php';
    $bagianWhere = "";
    if
    (isset($_POST['iddata_produk'])) {
        $id =
        $_POST['iddata_produk'];
        if (empty($bagianWhere)) {
            $bagianWhere .=
            "iddata_produk = '$id'";
        }
        else {
            echo 'Kosong';
        }
    }
    if (isset($_POST['judul'])) {
        $judul = $_POST['judul'];
        if (empty($bagianWhere)) {
            $bagianWhere .= "judul
            LIKE '%$judul%'";
        } else {
            $bagianWhere .= " AND
            judul LIKE '%$judul%'";
        }
    }
    if (isset($_POST['harga'])) {
        $harga = $_POST['harga'];
        if (empty($bagianWhere)) {
            $bagianWhere .= "harga
            LIKE '%$harga%'";
        } else {
            $bagianWhere .= " AND
            harga LIKE '%$harga%'";
        }
    }
    if (isset($_POST['alamat'])) {
```

```
        // If the
        place has a geometry, then present it
        on a map.
        if
        (place.geometry.viewport) {
            map.fitBounds(place.geometry.viewp
            ort);
        } else {
            map.setCenter(place.geometry.locati
            on);
            map.setZoom(17);
        }
        marker.setIcon(((
            url:
            place.icon,
            size: new
            google.maps.Size(71, 71),
            origin:
            new google.maps.Point(0, 0),
            anchor:
            new google.maps.Point(17, 34),
            scaledSize: new
            google.maps.Size(35, 35)
        )));
        marker.setPosition(place.geometry.lo
        cation);
        marker.setVisible(true);
        var address
        = ";
        if
        (place.address_components) {
            address =
            [
            (place.address_components[0] &&
            place.address_components[0].short_
            name || "],
```

```

    $alamat =
$_POST['alamat'];
    if (empty($bagianWhere)) {
        $bagianWhere .= "alamat
LIKE '%$alamat%'";
    } else {
        $bagianWhere .= " AND
alamat LIKE '%$alamat%'";
    }
}
if (isset($_POST['kategori']))
{
    $kategori =
$_POST['kategori'];
    if (empty($bagianWhere)) {
        $bagianWhere .=
"kategori LIKE '%$kategori%'";
    } else {
        $bagianWhere .= " AND
kategori LIKE '%$kategori%'";
    }
}
$hasil =
mysqli_query($connect, "select
data_produk.iddata_produk,
data_produk.judul,
data_produk.status_harga,
data_produk.harga,
data_produk.deskripsi,
gambar.gambar
from data_produk inner join
gambar on
data_produk.iddata_produk =
gambar.iddata_produk WHERE "
. $bagianWhere . " group by
data_produk.judul ")or
die(mysql_error());
while ($data =
mysqli_fetch_array($hasil)) {
    ?>
    <div class="container">
        <div class="spacer
blog">
            <div class="row">
                <div class="col-lg-
10 col-sm-12 " >

```

```

(place.address_components[1] &&
place.address_components[1].short_
name || "),

(place.address_components[2] &&
place.address_components[2].short_
name || ")
        ],join(' ');
    }

infowindow.setContent('<div><stron
g>' + place.name + '</strong><br>' +
address);

infowindow.open(map, marker);

//Location
details
        for (var i =
0; i <
place.address_components.length;
i++) {
            if
(place.address_components[i].types[
0] == 'postal_code') {

document.getElementById('postal_c
ode').innerHTML =
place.address_components[i].long_n
ame;
            }
            if
(place.address_components[i].types[
0] == 'country') {

document.getElementById('country').
innerHTML =
place.address_components[i].long_n
ame;
            }
        }

document.getElementById('location')

```

```

        <!-- blog list -->

        <div
class="row">
            <div
class="col-lg-4 col-sm-4" >
                <a
href="propertydetail.php?iddata_pr
oduk=<?php echo
$data['iddata_produk'] ?>"
class="thumbnail " alt="blog title"
><?php echo "<img
src='user_data/' . $data['gambar'] .
'''' ?>alt="blog title"> </a> </div>

                <div class="info">
                <div class="col-lg-8 col-sm-8
">
                    <a
href="propertydetail.php?iddata_pr
oduk=<?php echo
$data['iddata_produk'] ?>">
<h4><?php echo $data['judul'];
?></h4></a>
</div> </div>
                <div class="col-lg-8 col-sm-8
">
                    <div class="info">
                    <h6 style="color: red"> Rp. <?php
echo $data['harga']; ?></h6>
                    </div>
                </div>
                <div class="col-lg-8 col-sm-8 ">
                    <div class="thumbnail"
id="Deskripsi" name="deskripsi"
style="font-family: sans-serif">
                    <?php echo
substr($data['deskripsi'], 0, 200) .
"... <a
href='propertydetail.php?iddata_pro
duk=' . $data['iddata_produk'] .
''>Detail</a></td>"; ?></div>
                    </div>
                </div>
        </div>
    </php
}

```

```

.innerHTML =
place.formatted_address;

document.getElementById('lat').valu
e = place.geometry.location.lat();

document.getElementById('lng').valu
e = place.geometry.location.lng();
});
}
</script>
<script
type="text/javascript">
    /* Tanpa Rupiah
*/

tanpa_rupiah.addEventListener('keyd
own', function (event)
{
    limitCharacter(event);
});
/* Fungsi */
function
formatRupiah(bilangan, prefix)
{
    var
number_string =
bilangan.replace(/[\^,\d]/g,
").toString(),
    split =
number_string.split(','),
    sisa =
split[0].length % 3,
    rupiah =
split[0].substr(0, sisa),
    ribuan =
split[0].substr(sisa).match(/\d{1,3}/gi
);

    if (ribuan) {
        separator =
sisa ? ':' : ";
        rupiah +=
separator + ribuan.join('.');
    }
}

```



```

?>
        <!-- blog list -->
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</body>
</html>

```

SearchEdit.php

```

<html lang="en">
<head>
<style>
table {
border-collapse: collapse;
width: 100%; }
th, td { text-align: left;
padding: 8px; }
tr:nth-
child(even){background-color:
#f2f2f2}
th {
background-color: #222;
color: white; }
</style>
</head>
<body>
<?php
session_start();
$pengunjung = "pengunjung";

if(!isset($_SESSION['username']))
{
include'header_logout.php';
} else if
(!isset($_SESSION[$pengunjung]))
{
isset($_SESSION[$pengunjung]);
include'header.php';
}
include 'config.php';
$bagianWhere = "";
if (isset($_POST['id'])) {

```

```

        rupiah =
split[1] != undefined ? rupiah + ',' +
split[1] : rupiah;
        return prefix
== undefined ? rupiah : (rupiah ? 'Rp.
'+ rupiah : "");
    }

function
limitCharacter(event)
{
    key =
event.which || event.keyCode;
    if (key != 188
// Comma
        && key
!= 8 // Backspace
        && key
!= 17 && key != 86 & key != 67 //
Ctrl c, ctrl v
        && (key
< 48 || key > 57) // Non digit
        // Dan
        masih banyak lagi seperti tombol del,
        panah kiri dan kanan, tombol tab, dll
        )
    {
event.preventDefault();
        return false;
    }
}
</script>
<script>
function
hanyaAngka(evt) {
    var charCode
= (evt.which) ? evt.which :
event.keyCode
        if (charCode >
31 && (charCode < 48 || charCode >
57))
        return false;
        return true;
    }

```

```

        $id = $_POST['id'];
        if (empty($bagianWhere)) {
            $bagianWhere .= "id =
'Sid'";
        }
    }
    if (isset($_POST['judul'])) {
        $judul = $_POST['judul'];
        if (empty($bagianWhere)) {
            $bagianWhere .= "judul
LIKE '%$judul%'";
        } else {
            $bagianWhere .= " AND
judul LIKE '%$judul%'";
        }
    }
    if (isset($_POST['harga'])) {
        $harga = $_POST['harga'];
        if (empty($bagianWhere)) {
            $bagianWhere .= "harga
LIKE '%$harga%'";
        } else {
            $bagianWhere .= " AND
harga LIKE '%$harga%'";
        }
    }
    if (isset($_POST['alamat'])) {
        $alamat =
$_POST['alamat'];
        if (empty($bagianWhere)) {
            $bagianWhere .= "alamat
LIKE '%$alamat%'";
        } else {
            $bagianWhere .= " AND
alamat LIKE '%$alamat%'";
        }
    }

    if (isset($_POST['kategori']))
    {
        $kategori =
$_POST['kategori'];
        if (empty($bagianWhere)) {
            $bagianWhere .=
"kategori LIKE '%$kategori%'";
        } else {

```

```

function
huruf(evt) {
    var charCode
= (evt.which) ? evt.which :
event.keyCode
    if ((charCode
< 65 || charCode > 90) &&
(charCode < 97 || charCode > 122)
&& charCode > 32)
        return false;
        return true;
    }

function
Rupiah(obj)
    {
        var
tanpa_rupiah =
document.getElementById('harga_');

tanpa_rupiah.addEventListener('keyu
p', function (e)
        {

tanpa_rupiah.value =
formatRupiah(this.value);
        });
    }

function
Permeter(obj)
    {
        var
tanpa_rupiah =
document.getElementById('harga_');

tanpa_rupiah.addEventListener('keyu
p', function (e)
        {

tanpa_rupiah.value =
formatRupiah(this.value);
        });
    }

function
checkbox()

```

```

        $bagianWhere .= " AND
kategori LIKE '%$kategori%'";
    }
}
?>
    <div class="container" >
        <nav class="navbar"
role="navigation"
style="background-color:
#222222">
            <div class="container-
fluid">
                <div class="navbar-
header">
                    <a class="navbar-
brand" href="#" style="color:
white;"><b>Edit Data</b></a>
                </div>
                <p class="navbar-text
navbar-right hidden-xs"
style="color: white;padding-right:
10px;">
                    <a target="_blank"
style="background: yellowgreen;
padding: 0 6px; border-radius: 5px;
color: #f7f7f7; text-decoration:
none;"
href="inputData.php">+Tambah
Data</a>
                </p>
            </div>
        </nav>
        <div class="container" >

            <div class="table-
responsive"><table border="1"
class="table"
><tr><th>gambar</th><th>Judul
Produk</th><th>kategori</th>
<th>Harga</th>
                <th>Luas</th>
                <th>Deskripsi</th>
                <th>Alamat</th>
                <th>Sertifikat</th>

```

```

        {
            var elements =
document.getElementsByName('nom
inal');

            var Rupiah =
document.getElementById("rupiah").
checked;

            var Permeter =
document.getElementById("permeter
").checked;

            var my_string
= "This is a string";
            for (i = 0; i <
elements.length; i++) {
                if (Rupiah)
                {
                    var
tanpa_rupiah =
document.getElementById('harga_');

tanpa_rupiah.addEventListener('keyu
p', function (e)
                    {

tanpa_rupiah.value =
formatRupiah(this.value);
                    });
                } else
                {
                    (Permeter)
                    {
                        var
tanpa_rupiah =
document.getElementById('harga_');

tanpa_rupiah.addEventListener('keyu
p', function (e)
                            {

tanpa_rupiah.value =
formatRupiah(this.value);
                            });
                        }
                    }
                return false;
            }

```

```

                <th>No
Telp.</th>
            </tr>
        <tr>
            <td>
                <?php
                $hasil =
                mysqli_query($connect, "select
                data_produk.iddata_produk,
                data_produk.judul,data_produk.kat
                egori, data_produk.agen,
                data_produk.status_harga,data_pro
                duk.luas,data_produk.alamat,data_
                produk.harga,
                data_produk.deskripsi,
                gambar.gambar
                from data_produk inner join
                gambar on
                data_produk.iddata_produk =
                gambar.iddata_produk WHERE "
                . $bagianWhere . " group by
                data_produk.judul ")or
                die(mysqli_error());
                $hasil1= mysqli_query($connect,
                "select sertifikat.sertifikat,
                data_produk.id_sertifikat
                from sertifikat inner join
                data_produk on
                sertifikat.id_sertifikat=
                data_produk.id_sertifikat WHERE
                " . $bagianWhere . " group by
                data_produk.judul ")or
                die(mysqli_error());

                while ($data =
                mysqli_fetch_assoc($hasil)) {
                    $datt =
                    mysqli_fetch_array($hasil1)
                    ?>
                    <td>" style=" height:
                    100px"/></td>
                    <td><?php echo $data['judul'];
                    ?></td>
                    <td><?php echo $data['kategori'];
                    ?></td>

```

```

                }
                function
                enableDisableInputs() {
                    var
                    checkedRadioValue =
                    $('input:radio[name="choose"]:check
                    ed').val();

                    $('<div>.enabledfor').attr('disabled',
                    'disabled');

                    $('<div>.enabledfor.choice' +
                    checkedRadioValue).removeAttr('dis
                    abled');

                    }

                    $(function () {

                    $('input:radio[name="choose"]').chan
                    ge(enableDisableInputs);

                    enableDisableInputs();

                    clarifyElementIdsJustForThisDemo()
                    ;

                    });

                    function
                    clarifyElementIdsJustForThisDemo()
                    {

                    $('input[type="text"].enabledfor').eac
                    h(function () {

                    $(this).attr('placeholder',
                    $(this).attr('id'));

                    });

                    $('<div>.select.enabledfor').each(function ()
                    {

                    $(this).append('<option>' +
                    $(this).attr('id') + '</option>');

                    });

                    }

```

```

<td><?php echo $data['harga'];
?></td> <td><?php echo
$data['luas']; ?></td>
<td><?php echo $data['deskripsi'];
?></td>
<td><?php echo $data['alamat'];
?></td>
<td><?php echo $data['sertifikat'];
?></td>
<td><?php echo $data['agen'];
?></td>
<td>
<p class="navbar-text navbar-right
hidden-xs" style="color:
white;padding-right: 10px;">
<a target="_blank"
style="background: yellowgreen;
padding: 0 5px; border-radius: 4px;
color: #f7f7f7; text-decoration:
none;"
href="edit.php?iddata_produk=<?p
hp echo $data['iddata_produk'];
?>">Edit</a>
</p>
<p class="navbar-text navbar-
right hidden-xs" style="color:
white;padding-right: 10px;">
<a style="background:
yellowgreen; padding: 0 5px;
border-radius: 4px; color: #f7f7f7;
text-decoration: none;"
href="deletedata.php?iddata_produ
k=<?php echo
$data['iddata_produk'];
?>">Hapus</a>
</p>
</td>
</tr>
<?php } ?>
</table>
</div>
</div>
</body>
</html>

```

```

</script>
<script
src="//ajax.googleapis.com/ajax/libs/
jquery/1.11.1/jquery.min.js"></script
>
<script
src="https://maps.googleapis.com/ma
ps/api/js?key=AIzaSyDPhUeefCIRf8
yVgxbY1aFpX4etZ0SXTg&librarie
s=places&callback=initMap" async
defer></script>
<button
type="submit" class="btn btn-
default">
<span
class=""></span> &nbsp; save
</button>
</form>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</body>
</html>

```