

DAFTAR PUSTAKA

- Agarwal, R., and Light, R.P. 2010. Intradialytic Hypertension is a Marker of Volume Excess. *Nephrol Dial Transplant*, 25(10): 3355–61.
- Arikunto, S. (2005). *Manajemen Penelitian*. Jakarta : Rineka Cipta
- Arikunto, S. (2010). *Prosedur Penelitian: Suatu Pendekatan Praktik*. Jakarta : Rineka Cipta
- Ayoub, A. M., & Hijazi1, K., H. (2013). Quality of life in dialysis patients from the United Arab Emirates. *Journal of Family and Community Medicine*. 20 (2): 106-112. DOI:10.4103/2230-8229.114772
- Bele, S., Bodhare, T., Mudgalkar, N., Saraf, A., Valsangkar, S., (2012). Health related quality of life and existential concern among patients with end stage renal disease. *Indian Journal of Palliative Care*, 18 (2), 103-108. DOI 10.4103/0973-1075.100824.
- Bucurescu G. Neurological Manifestations of Uremic Encephalopathy. 13 Februari 2014. <http://bit.ly/1UVb1yv> diakses pada tanggal 11 Juni 2016 pukul 22.10
- Bugnicourt, J.-M., Godefroy, O., Chillon, J.-M., Choukroun, G., & Massy, Z. A. (2013). Cognitive Disorders and Dementia in CKD: The Neglected Kidney-Brain Axis. *American Society of Nephrology*.
- Cahyani, Novita Dwi.(2015). Hubungan Antara Tingkat Kecemasan Dengan Kualitas Hidup Pada Pasien Chronic Kidney Disease (CKD) Yang Menjalani Terapi Hemodialisis Di RSD dr. Soebandi Jember. <http://bit.ly/1OqHU6U> diakses pada tanggal 12 Juni 2016 pukul 14.00
- CKD in the United States: An Overview of the USRDS Annual Data Report, Volume 1.* (2014). In; United State.
- Daugirdas, J.T., Blake, P.G. and Ing, T.S. eds., (2007). *Handbook of dialysis* (Vol. 236). Lippincott Williams & Wilkins. <http://bit.ly/1WOkNpQ> diakses pada tanggal 7 Mei 2016 pukul 13.00.
- De Haan R.J. 2002. Measuring Quality of Life After Stroke Using the SF-36. *Stroke*. 33:1176-1177.
- Doerflinger, D. M. C. (2012). Mental status assesment in older adults: montreal cognitive assesment: moca version 7.1 (original version). *The Hartford Institute for Geriatric Nursing*. Diambil dari <http://bit.ly/1wl7hKt> pada tanggal 16 Juni 2016.
- Fayers P.M., Machin D. (eds). 2007. *Quality of Life: the assessment, analysis, and interpretation of patient-reported outcomes*. 2nd ed. England: Jhon Wiley & Sons Ltd, pp: 4-5.
- Freitas, S., Simoes, M. R., Alves, L., et al. 2012. Montreal Cognitive Assessment: Influence of Sociodemographic and Health Variables. *Archives of Clinical Neuropsychology*. 27; 165–175.
- Gay L.R., Diehl P. L.(1992). *Research Methods for Business and Managements*. <http://bit.ly/1roZvB3> diakses pada tanggal 14 Juni 2016 pukul 11.07

- Golomb J, Alan K, Steven HF. Diagnosis of MCI in: Clinician Manual on Mild Cognitive Impairment. 2001; 13(2): p.9-20.
- Harasyid, Ayu Mianda. (2012). Hubungan Lamanya Hemodialisis dengan Kualitas Hidup Pasien Penyakit Ginjal Kronik di RSUP H. Adam Malik. Diakses <http://bit.ly/1Uk5ilE> diakses pada tanggal 12 Juni 2016 pukul 13.00
- Himmelfarb, Jonathan. 2005. Core Curriculum In Nephrology Hemodialysis Complications.National Kidney Foundation. *N Eng J M.* Doi : 10.1053 <http://bit.ly/28IjEuW> diakses tanggal 13 Juni 2016
- Hurmaini. (2006). *Uji Keandalan dan Keahlilan Formulir European Quality of Life – 5 Dimensions (EQ – 5D) untuk Mengukur Kualitas Terkait Kesehatan pada Usia Lanjut di RSUPNCM.* Jakarta: Universitas Indonesia.
- Husein, N. (2009). Uji validitas dan reabilitas montreal cognitive assesment versi Indonesia (moca-Ina) untuk skrining gangguan fungsi kognitif. *Crid-Trophid.* Diperoleh dari <http://bit.ly/263mOjn> diakses tanggal 12 Juni 2016 pukul 15.00
- Ignatavicius, D.D. and Workman, M.L., (2015). Medical-surgical nursing: Patient-centered collaborative care. *Elsevier Health Sciences.* <http://bit.ly/1Vg2M21> diakses pada tanggal 9 Mei 2016 pukul 20.00
- Indonesian Renal Registry (IRR). *7th Report of Indonesian Renal Registry.* In; (2013): Perhimpunan Nefrologi Indonesia (Pernefri).
- Indonesian Renal Registry (IRR). *8th Report of Indonesian Renal Registry.* In; (2015): Perhimpunan Nefrologi Indonesia (Pernefri).
- Instrumen kualitas hidup diambil dari <http://bit.ly/1sNJc22>
- Jennifer J. Clinch, Deborah Dudgeon dan Harvey Schipper (1999). *Kualitas hidup*
- Jung, S., Lee, Y.-K., Hwang, S.-H., & Noh, J.-W. (2013). Relationship between Cognitive Impairment and Depression in Dialysis Patients. *Yonsei Med Journal.*
- Kalirao, MD, P., Pederson, MD, S., Foley, MB, R. N., Kolste, BS, A., Tupper, PhD, D., Zaun, MS, D., et al. (2011). Cognitive Impairment in Peritoneal Dialysis Patients. *National Institutes of Health (NIH) Public Access.*
- Kemp, B. J. (2000). *Research report: maintaining quality of life.* <http://www.getriil.com> diakses pada tanggal 11 Juni 2016 pukul 22.00
- Kidney Disease Improving Global Outcomes (KDIGO). (2012). KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. *National Kidney Foundation.*
- Kizilcik, z., Sayiner, F., D., Unsal, A., Ayrancı, U., Kosgeroglu, N., et al. (2012). Prevalence of depression in patients on hemodialysis and its impact on quality of life. *Journal Medical Science*, 28 (4), 695-699.

- Krančiukaitė D. and Rastenytė D. 2006. Measurement Of Quality Of Life In Stroke Patients. *Medicina (Kaunas)*. 2006; 42(9).
- Kurella, M., Chertow, G.M., Fried, L.F., Cummings, S.R., Harris, T., Simonsick, E., Satterfield, S., Ayonayon, H. and Yaffe, K., 2005. Chronic kidney disease and cognitive impairment in the elderly: the health, aging, and body composition study. *Journal of the American Society of Nephrology*, 16(7), pp.2127-2133.
- Mailani, F. *Kualitas Hidup Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisis: Systematic Review*. (2015). Ners Jurnal Keperawatan.
- Manus, S, Moeis, E, Mandang, V. (2015). *Perbandingan Fungsi Kognitif Sebelum dan Sesudah Dialisis Pada Subjek Penyakit Ginjal Kronik Yang Menjalani Hmeodialisis*. Jurnal e-Clinic (eCl).
- Maryati H, Bhakti D, Dwiningtyas M. (2013). *Gambaran Fungsi Kognitif Pada Lansia Di UPT Panti Werdha Mojopahit Kabupaten Mojokerto*.
- Mazaya, C., (2016). *Hubungan Lama Hemodialisis Dengan Skor Mini-Mental State Examination (MMSE) Pada Pasien Penyakit Ginjal Kronik di RSUDZA Banda Aceh*. Karya Tulis Ilmiah strata satu, Universitas Syiah Kuala Darussalam Banda Aceh, Banda Aceh.
- Melati S. Faktor-Faktor yang Berhubungan dengan Fungsi Kognitif pada Pasien Gagal Ginjal Terminal yang Menjalani Hemodialisis. Neurona. 2014;35:1-7.
- Murray AM. Cognitive impairment in the aging dialysis and chronic kidney disease populations: an occult burden. *Adv Chronic Kidney Dis*. 2008; 15:123–132. [PubMed: 18334236]
- Nasser ME, Shawki S, Shahawy Y, Sany D. 2012. Assessment of Cognitive Dysfunction in Kidney Disease. *Saudi J Kidney Dis Transpl*. 23(6):1208–14.
- Nofitri. Kualitas Hidup Penduduk Dewasa di Jakarta. [Online].;2009. <http://www.lontar.ui.ac.id> diakses pada 14 Juni 2016
- Notoatmodjo, S. 2005. *Pendidikan dan Perilaku Kesehatan*. Jakarta:Rineka Cipta.
- Novicki, Donald. (2007). *Hemodialysis for Kidney Failure: Is it Right for You*. <http://mayocl.in/28Izv0r>, diakses tanggal 12 Juni 2016
- Odagiri, G., Sugawara, N., Kikuchi, A., Takahashi, I., Umeda, T., Saitoh, H., Yasui-Furukori, N. and Kaneko, S., (2011). Cognitive function among hemodialysis patients in Japan. *Annals of general psychiatry*, 10(20), pp.1-5.
- Opara J and Jaracz K. Quality of Life of Post Stroke Patients and Their Caregivers. *Journal of Medicine and Life*. 2010July-Setember; 3(3).
- Pakpour, A., H., Saffari, M.,Yekaninejad, M., S., Panahi, D., Harrison, A., P., ET AL.(2010). Health related quality of life in a sample of iranian patients on hemodialysis. *International journal kidney disease*,4,50-59.
- Paraskevi, T. (2011). The role of sociodemographic factor in health related quality of life of patients with end stage renal disease. *International Journal of caring science*, 4 (1), 40-50.
- Pasiak, Taifiq, *Revolusi IQ/EQ/SQ antara Neurosains dan Al-Qur'an* (Bandung:Mizan, 2004)

- Peng, Y. S., Huang, J. W., Hung, K. Y., Lin, B. S., Lin, C. Y., Yang, C..Chen, W. Y. (2013). Women on hemodialysis have lower self-reported Healthrelated Quality of Life scores but better survival than men. *Journal of Nephrology*, 26, 366-374.
- Perhimpunan Dokter Spesialis Saraf Indonesia (PERDOSSI). 2008. Modul Neurobehaviour. Kolegium Neurologi Indonesia.
- Plantinga, L., C., Fink, N., E., Jaar, B., G., Huang, I., Wu, A., W., et al. (2007). Relation between level or change of hemoglobin and generic and disease specific quality of life measure in hemodialysis. *Quality Of life Research Springer*, 16, 755-765. DOI 10.1007/s11136-007-9176-6.
- Pranay, K., Stoppler, M.C. (ed), 2010. Chronic Kidney Disease. <http://bit.ly/1Q8OTC6> diakses pada tanggal 15 Mei 2016 pukul 16.52
- Ragil Romly. (2012) .MOCA-InA (Instruksi Dan Penilaian) <http://bit.ly/1UtSE50> diakses pada tanggal 11 Juni 2016 pukul 15.00
- Rahardjo, Pudji; Suhardjono; Susalit, Endang; 2006. *Hemodialisis*. Buku Ajar Ilmu Penyakit Dalam. Jilid I, Edisi IV, Jakarta. Pusat Penerbitan Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia. Hal : 590-591.
- Roesli, Rully M.A. (2006). *Terapi Pengganti Ginjal Berkesinambungan (CRRT)*. Buku Ajar Ilmu Penyakit Dalam. Jilid I, Edisi IV, Jakarta Pusat: Penerbitan Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia
- Sangkereng, Sheila.(2014). *Uji Diagnostik MoCA-Ina Terhadap MMSE Dalam Skrining MCI Dan Demensia Pada Populasi Usia Lanjut*. Karya Tulis Ilmiah Program Pendidikan Dokter Spesialis, Universitas Hasanuddin Makassar.
- Sagala, D. S. P. (2015). Analisa Faktor-Faktor Yang Mempengaruhi Kualitas Hidup Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisa Di Rumah Sakit Umum Pusat Haji Adam Malik Medan. *Jurnal Ilmiah Keperawatan Vol, 1(1)*.
- Sarnak, MD, MS, M. J., Tighiouart, H., Scott, PhD, T. M., Lou, MS, MPH, K. V., Sorenses, E. P., Giang, L. M., et al. (2013). Frequency of and risk factors for poor cognitive performance in hemodialysis patients. *American Academy of Neurology*.
- Sathvik, B. S., Parthasarathi, G., Narahari, M. G., & Gurudev, K. C. (2008). An assessment of the quality of life in hemodialysis patients using the WHOQOL-BREF questionnaire. *Indian Journal of Nephrology*, 18(4), 141–149. <http://doi.org/10.4103/0971-4065.45288>
- Schiffel H, Lang sM, Fischer R. Daily Hemodialysis and The Outcome of Acute Renal Failure. *The New England Journal of Medicine*. 2002; 346(5): p. 305-310 diakses pada tanggal 30 April 2016 pukul 11.00.
- Seica, A., Segall, L. Verzan C., Vaduva, N., Madincea, M., Rusoiu, S., Covic, A. (2009). Factors affecting the quality of life of hemodialysis patients from Romania: a multicentric study. *Nephrology, Dialysis, Transplant*, 24, 626-629. Diakses pada tanggal 30 April 2016 pukul 12.00.

- Smeltzer, Suzanne C., Brenda, G. Bare. (2008). *Buku Ajar Keperawatan Medikal Bedah Brunner & Suddart*. Edisi 8. Jakarta:EGC
- Smith, T. Gildeh, N., Holmes, C. May 2007. The Montreal Cognitive Assessment: Validity and Utility in A Memory Clinical Setting. *Can J Psych.* Vol 52, no 5.
- Son, Y.J., Choi, K.S., Park, Y.R., Bae, J.S. and Lee, J.B., (2008). Depression, symptoms and the quality of life in patients on hemodialysis for end-stage renal disease. *American journal of nephrology*, 29(1), pp.36-42. 18 20:19 <http://bit.ly/1Rluu6z> diakses pada tanggal 8 Mei 2016 pukul 17.01.
- Sorensen, E. P., Sarnak, M. J., Tighiouart, H., Scott, T., Giang, L. M., Kirkpatrick, B., et al. (2012). The Kidney Disease Quality of Life Cognitive Function Subscale and Cognitive Performance in Maintenance Hemodialysis Patients. *American Journal of Kidney Diseases*. <http://bit.ly/1UecvXG> diakses pada tanggal 11 Juni 2016 pukul 21.00
- Standbert et al, 2006.Older People's Quality of Life of the Elderly Can It Be Measured, The Journal page: 4203-4207.
- Stuart, W. Gail. 2007. *Buku Saku Keperawatan Jiwa Edisi 5*. Jakarta : EGC
- Suhardjono. Hemodialisis;Prinsip Dasar dan Pemakaian Kliniknya. In: *Buku Ajar Penyakit Dalam Jilid II. Ed 5*. Jakarta: Departemen Ilmu Penyakit dalam, (2014);
- Suharnan. Psikologi Kognitif. Surabaya: Srikandi, 2005.
- Sukandar E. 2006. *Terapi Pengganti Ginjal dengan Dialisis*. Dalam: Nefrologi Klinik. Edisi III. FK UNPAD. Hal : 536-642.
- Sukandar, Endav. 2006. *Gagal Ginjal Dan Panduan Terapi Dialisis*. Fakultas Kedokteran UNPAD. Bandung
- Suwitra Ketut. Gagal Ginjal Kronik. In: *Buku Ajar Penyakit Dalam Jilid II. Ed 5*. Jakarta: Departemen Ilmu Penyakit dalam, (2006); p.1035-40.
- Suwitra Ketut. Gagal Ginjal Kronik. In: *Buku Ajar Penyakit Dalam Jilid II. Ed 5*. Jakarta: Departemen Ilmu Penyakit dalam, (2010)
- Swartzendrubber, Donna; Smith Lyle; Peacock; Eilen; Mc Dillon, Debra. (2005). *Hemodialysis Procedures and Complications*. <http://bit.ly/28IEx9H> diakses tanggal 13 Juni 2016
- Taher, T. (2009). Proses Kognitif dan Prespektif Al-Qur'an dalam Pemahaman Bacaan. *AlFikra:Jurnal Ilmiah Keislaman*, Vol. 8, No. 1, Januari-Juni 2009. <http://bit.ly/1PwmQGU> diakses pada tanggal 10 Juni 2016 pukul 22.15
- Tel H & Tel H.(2011). Quality of life and social support in Hemodialysis patients. *Pak J Med Sci.* 27(1):64-67.
- Thomas, C., J. & Washington, T., A. (2012). Religiosity and social support: implications for the health-related quality of life of african american hemodialysis patients. *J relig health.* 51: 1375-1385. DOI: 10.1007/s10943-011-9483-7.
- Torisson, G., Minthon, L., Stavenow, L. and Londos, E., (2012). Cognitive impairment is undetected in medical inpatients: a study of mortality and recognition amongst healthcare professionals. *BMC geriatrics*, 12(1), p.1.

- United States Renal Data System (USRDS). (2013). Annual Data Report Volume two:Atlas of Chronic Kidney Disease and End-Stage Renal Disease in United States. In: ;Bethesda: *Natinonal Institues of Health, National Institute of Diabetes and Digestive and Kidney Disease*.
- Veerappan I., Arvind R. M., & Ilayabharthi V. (2012). Predictors of quality of life of hemodialysis patients in India. *Indian Journal of Nephrology*. 22 (01), 18-25.DOI10.4103/0971-4065.91185
- Wreksoatmodjo, B. R. (2013). Beberapa Kondisi Fisik dan Penyakit yang Merupakan Faktor Risiko Gangguan Fungsi Kognitif. In. Jakarta: Bagian Neurologi Fakultas Kedokteran Universitas Atmajaya.
- Zhang Y, QU B, Lun Ss, Guo Y, Liu J. The 36-Item Short Form Health Survey: Reliability and Validity in Chinese Medical Students. *Int J Med Sci* 2012; 9(7):521-526. doi:10.7150/ijms.4503. Available from <http://www.medsci.org/v09p0521.htm>
- Zhang, Q.L. and Rothenbacher, D., (2008). Prevalence of chronic kidney disease in population-based studies: systematic review. *BMC public health*, 8(1), p.1. <http://bit.ly/1s5J11N> diakses pada tanggal 9 Mei 2016 pukul 19.15.