

DAFTAR PUSTAKA

Alves, R. D., Bezstarosti, K., Demmers, J. A. A., Eerden, B. C. J., Eijken, M., Leeuwen, J., dkk. (2011). Unraveling the human bone microenvironment beyond the classical extracellular matrix proteins : a human bone protein library. *Journal of Proteome Research*, vol. 10, pp. 4725–4733.

Baeyens, W., Glineur, R. & Avrard, L. (2010). The use of platelet concentrates: platelet-rich plasma (PRP) and platelet-rich fibrin (PRF) in bone reconstruction prior to dental implant surgery. pp. 521-527.

Bahmanpour, S., Ghasemi, M., Sadeghi-Naini, M. & Khasani, I. R. (2016). Effects of platelet-rich plasma & platelet-rich fibrin with and without stromal cell-derived factor-1 on repairing full-thickness cartilage defects in knees of rabbits. *Iran Journal Medical Science*, vol.41(6), November.

Becker, W., C, Clokie., L, Sennerby., Urist, M., BE, B. (1998). Histologic finding after implantation and evaluation of different grafting materials and titanium miro screws into extraction socket : case reports. *Journal Periodontal*, Volume 69. pp. 414-21.

Carrico, Ana Claudia., Farracho, Marta., Nunes, Cecilia., Ruela, Ana Margarida., Semedo, Joao. (2007). Bone tissue engineering: production of scaffolds.

Fawcett, D. W. (2002). *Buku Ajar Histologi*. EGC.

Fisher, J. P. & Reddi, A. H. (2003). Functional Tissue Engineering of Bone: Signals and Scaffolds.

Foster, T. E., Gerhardt, Michael B., Mandelbaum, Bert R., Puskas, Brian L., Rodeo, Scott A. (2009). Platelet-rich plasma from basic science to clinical applications. *The American Journal of Sports Medicine*, Vol. 37(11).

Boden, S. D., Greenwald, A. S., Goldberg, V. M., Khan, Y., Laurencin, C. T., Roiser, R. N. (2003). Bone-graft substitutes: facts, fictions, & applications. *The Journal of Bone and Joint Surgery*, Volume. 83. Pp 98-103.

Griffith, L. G. & Swartz, M. A. (2006). Capturing complex 3D tissue physiology in vitro.

Hung, N. N. (2012). Basic knowledge of bone grafting.

Fathima, G., Kumar, P., Vinitha, B. (2013). Bone graft in dentistry. *Journal Pharmacy Bioallied Science*. Pp 125-127.

Kumar, P., Vinitha, B., & Fathima, G. (2013). Bone grafts in dentistry. *Journal of Pharmacy & Bioallied Sciences*. , 125-127.

Mahanani, E. S. (2013). Perancah hidogel untuk aplikasi rekayasa jaringan tulang hydrogel scaffold for bone tissue engineering application .

Mescher, A. L. (2012). *Histologi Dasar Junqueira*. EGC.

Ganong, W. F. (2005). *Buku Ajar Fisiologi Kedokteran*. EGC.

Narang, I., Mittal, N., & Mishra, N. (2015). A comparative evaluation of the blood clot, platelet-rich plasma, and platelet-rich fibrin in regeneration of necrotic immature permanent teeth: A clinical study. *Contemporary Clinical Dentistry*, 63-68.

Preeja, c., & Arun, S. (2014). Platelet-rich fibrin: its role in periodontal regeneration.

Knezevic, M., Marot, D., Novakovic, G. V. (2010). Bone tissue engineering with human stem cells. *Stem Cell Research & Therapy*.

Miron, Richard J., Kobayashi, M. Fujioka., Bishara, Mark., Zhang, Y., Munar, M. D. L. (2006). Study of the physical and biological properties of three dimensional hydroxyapatite and α -tricalcium phosphate foam with interconnected pores.

Murphy, C. M., O'brien, F. J., Little, D. G., Schindeler, A. (2013). Cell-scaffold interactions in the bone tissue engineering triad. *European Cells and Materials*, Vol.26. pp. 120 – 132.

Raja, V. S. & Naidu, E. M. (2008). Platelet-rich fibrin: evolution of a second-generation platelet concentrate.

Ratner, B. D., Hoffman, A. S., Schoen, F. J. & Lemons, J. E. (2013). Biomaterials science: An introduction to materials in medicine. *Elsevier*.

Reynolds, M. A., Aichelman-Reidy, M. E. & Branch-Mays, G. L. (2010). Regeneration of periodontal tissue: bone replacement grafts.

Serra, T. (2014). Development of 3d-printed biodegradable composite scaffolds for tissue engineering applications.

Shimojo, A. A. M., Marcel, A. G., Brissac, I. C. D. S. & Santana, M. H. A. (2015). Performance of prp associated with porous chitosan as a composite scaffold for regenerative medicine. *Hindawi Publishing Corporation The Scientific World Journal*. Vol. 2015.

Sheikh, Z., Sima, C., & Glogauer, M. (2015). Bone Replacement Materials and Techniques Used for Achieving Vertical Alveolar Bone Augmentation . *Materials* , 2953-2993.

Matsui, M., Tabata, Y. (2012). Enhanced angiogenesis by multiple release of platelet-rich plasma contents and basic fibroblast growth factor from gelatin hydrogels. *Elsevier. Pp. 1792-1801*.

Tandelilin, R. TC., Sofro, A. S. M., Santoso, A. S., Soesatyo, M. HNE., Asmara, W. (2006). The density of collagen fiber in alveolus mandibular bone of rabbit after augmentation with powder demineralized bone matrix postincisus extraction. *Majalah kedokteran gigi(Dent J)*. Vol.39(2). Pp. 43-47.

Tatullo, (2012). Platelet rich fibrin (PRF.) In reconstructive surgery of atrophied maxillary bones: clinical and histological evaluations.

Toffler, M., Toscano, N., Holtzclaw, D., Corso, M. D., Ehrenfest, D. D. (2009). Introducing choukroun's platelet rich fibrin (prf) to the reconstructive surgery milieu. *The Journal of Implant & Advanced Clinical Dentistry*.

Tommila, M. (2010). Granulation tissue formation: the effect of hydroxyapatite coating of cellulose on cellular differentiation.

Wan, Y., Yu, A., Wu, H. & Wang, Z. (2005). Porous-conductive chitosan scaffolds for tissue engineering ii. In vitro and in vivo degradation. *Journal Of Materials Science: Materials In Medicine*. Pp. 1017-1028.

Wattanuchariya, W. & Changkowchai, W. (2014). Characterization of porous scaffold from chitosan-gelatin/hydroxyapatite for bone grafting. *International Multi Conference of Engineers and Computer Scientists*. Vol. 2.

Wu, L. & Ding, J. (2004). In vitro degradation of three-dimensional porous poly (d,l-lactide-co-glycolide) scaffold for tissue engineering. *Elsevier*. pp. 5821-5830.

Fernandes, G., & Yang, S. (2016). Application of platelet-rich plasma with stem cells in bone and periodontal tissue engineering. *Nature* .

O'Brien, F. J. (2011). Biomaterials & scaffolds for tissue engineering.

Guillemin, G., & Patat, J. L. (1987). The use of coral as a bone graft substitute.

Giannini, S., Cielo, A., Bonanome, L., Rastelli, C., Derla, C., Corpaci, F., & Falisi, G. (2015). Comparison between PRP, PRGF and PRF: lights and shadows in three similar but different protocols.

He, L., Lin, Y., Hu, X., Zhang, Y., & Wu, H. (2009). A comparative study of platelet-rich fibrin (PRF) and platelet-rich plasma (PRP) on the effect of proliferation and differentiation of rat osteoblasts in vitro.

Li, Q., Reed, D. A., Min, L., Gopinatha, G., Li, S., Dangaria, S. J., Li, L., Geng, Y., Galang, M. T., Gajendrareddy, P., Zhou, Y., Luan, X., and Diekwisch, T. G. H. (2014). Lyophilized Platelet-Rich Fibrin (PRF) Promotes Craniofacial Bone Regeneration through Runx2.

S'anchez-Gonz'alez, D. J., M'endez-Bolaina, E., & Trejo-Bahena, N. I. (2012). Platelet-Rich Plasma Peptides: Key for Regeneration.

Hernandez, M., Choukroun, J. (2017). Platelet-Rich Fibrin ans Soft Tissue Wound Healing: A systematic review.

Sam, G., Vadakkekuttical, R. J., & Amol, N. V. (2015). *In vitro* evaluation of mechanical properties of platelet-rich fibrin membrane and scanning electron microscopic examination of its surface characteristics.

Dohan, D. M., Bielecki, T., Jimbo, R., Barbé, G., Corso, M. D., Inchingolo, F., & Sammartino, G. (2012). Do the Fibrin Architecture and Leukocyte Content Influence the Growth Factor Release of Platelet Concentrates? An Evidence-based Answer Comparing a Pure Platelet-Rich Plasma (P-PRP) Gel and a Leukocyte- and Platelet-Rich Fibrin (L-PRF).