

DAFTAR PUSTAKA

- Ahuja, S., & Scypinski, S. (2001). 139. *Handbook of Modern Pharmaceutical Analysis.*
- Alen, Y., Agresa, F. L., & Yuliandra, Y. (2017). Thin layer chromatography (TLC) analysis and antihyperuricemic activity of bamboo shoots extract *\$\$Schizostachyum brachycladum Kurz (Kurz)\$\$* in male white mice. *Jurnal Sains Farmasi dan Klinis*, 3(2), 146–152.
- Alonso, H., Bliznyuk, A. A., & Gready, J. E. (2006). Combining docking and molecular dynamic simulations in drug design. *Medicinal Research Reviews*, 26(5), 531–568. <https://doi.org/10.1002/med.20067>
- Arsito, P. N., dan Nafila, S. (2016). Uji Aktivitas Antagonisme Senyawa 1- (2,5-dihidroksifenil) - (3-piridin-2-il) -propenon pada Reseptor Ach-M3 Uterus Marmut Terisolasi: Studi di Vitro dan di Silico, skripsi, Universitas Muhammadiyah Yogyakarta.
- Aznan Lelo, D. S. (2004). *Penggunaan Anti-Inflamasi Non-Steroid yang Rasional.* Universitas Sumatera Utara.
- Bernard-Savary, P., & Poole, C. F. (2015). Instrument platforms for thin-layer chromatography. *Journal of Chromatography A*, 1421, 184–202. <https://doi.org/10.1016/j.chroma.2015.08.002>
- Bhosale, R. S., Sarda, S. R., Ardhapure, S. S., Jadhav, W. N., Bhusare, S. R., & Pawar, R. P. (2005). An efficient protocol for the synthesis of quinoxaline derivatives at room temperature using molecular iodine as the catalyst. *Tetrahedron Letters*, 46(42), 7183–7186. <https://doi.org/10.1016/j.tetlet.2005.08.080>
- Cabrera, M., Simoens, M., Falchi, G., Lavaggi, M. L., Piro, O. E., Castellano, E. E., González, M. (2007). Synthetic chalcones, flavanones, and flavones as antitumoral agents: Biological evaluation and structure–activity relationships. *Bioorganic & Medicinal Chemistry*, 15(10), 3356–3367. <https://doi.org/10.1016/j.bmc.2007.03.031>
- Caddick, S. (1995). Microwave assisted organic reactions. *Tetrahedron*, 51(38), 10403–10432.

England, R. (2003). Microwave Synthesis: a new wave of synthetic organic chemistry. *LabPlus international.* Diambil dari <http://pns.phosworks.se/general/graphics/599.pdf>

Epstein, W. W., & Sweat, F. W. (1967). Dimethyl sulfoxide oxidations. *Chemical reviews*, 67(3), 247–260.

Granjar, A.G dan Rohman, A 2007, Kimia Farmasi Analisis, Pustaka Pelajar, Yogyakarta, pp. 360-368

Hanif, F. P. (2017). Uji Aktivitas Analgesik Senyawa Aew1 pada Mencit (Mus Musculus) Terinduksi Asam Asetat, Skripsi, Universitas Muhammadiyah Yogyakarta.

Hoffmann, E. de, & Stroobant, V. (2007). *Mass spectrometry: principles and applications* (3rd ed). Chichester, West Sussex, England ; Hoboken, NJ: J. Wiley.

Lidström, P., Tierney, J., Wathey, B., & Westman, J. (2001). Microwave assisted organic synthesis—a review. *Tetrahedron*, 57(45), 9225–9283.

Lin, Y.-M., Zhou, Y., Flavin, M. T., Zhou, L.-M., Nie, W., & Chen, F.-C. (2002). Chalcones and flavonoids as anti-tuberculosis agents. *Bioorganic & Medicinal Chemistry*, 10(8), 2795–2802.

Malainey, M. E. (2011). *A Consumer's Guide to Archaeological Science*. New York, NY: Springer New York. <https://doi.org/10.1007/978-1-4419-5704-7>

Mardjan, M. I. D., Ambarwati, R., Matsjeh, S., Wahyuningsih, T. D., & Haryadi, W. (2012). Synthesis ff Flavanone-6-Carboxylic Acid Derivatives From Salicylic Acid Derivative. *Indonesian Journal of Chemistry*, 12(1), 70–76.

Meija, J., Coplen, T. B., Berglund, M., Brand, W. A., De Bièvre, P., Gröning, M., ... Prohaska, T. (2016). Atomic weights of the elements 2013 (IUPAC Technical Report). *Pure and Applied Chemistry*, 88(3). <https://doi.org/10.1515/pac-2015-0305>

- Menezes, M. J., Manjrekar, S., Pai, V., Patre, R. E., & Tilve, S. G. (2009). A facile microwave assisted synthesis of flavones. *Indian journal of chemistry. Section B, Organic including medicinal*, 48(9), 1311.
- Mintarsih. (1990). Penentapan kadar Alkaloid Kinninda dalam Akar, Batang, dan Daun Chinchona Succirubra Pavon et Klotzsch dari Dearah Kalijurang Secara Spektrodensitometri, PubMed US National Library of Medicine National Institutes of health. (TLC Scanner), Skripsi, Universitas Gadjah mada Yogyakarta
- Parshall, G. W., & Ittel, S. D. (1980). *Homogeneous catalysis: the applications and chemistry of catalysis by soluble transition metal complexes*. Wiley New York.
- Patil, B. S., Jayaprakasha, G. K., Chidambara Murthy, K. N., & Vikram, A. (2009). Bioactive Compounds: Historical Perspectives, Opportunities, and Challenges. *Journal of Agricultural and Food Chemistry*, 57(18), 8142–8160. <https://doi.org/10.1021/jf9000132>
- Pridiyanto. (2016). Uji Toksisitas Akut Senyawa 1-(2,5-Dihidroksifenil)-(3-Piridin-2-II)-Propenon Pada Mencit Betina Galur Balb/C., Skripsi, Universitas Gadjah Mada
- Rizal, R. R. (2017). Optimasi Massa Katalis K₂CO₃ ada Sintesis Senyawa AEW1, Skripsi, Universitas Muhammadiyah Yogyakarta.
- Saputra, A. K. (2017). Sintesis dan Optimasi Senyawa 1- (2,5-Dihidroksifenil)-(3-Piridin-2 II) Propenon sebagai Agen Anti-Inflamasi dengan Aplikasi Response Surface Methodology, , Skripsi, Universitas Muhammadiyah Yogyakarta
- Sashidhara, K. V., Kumar, M., & Kumar, A. (2012). A novel route to synthesis of flavones from salicylaldehyde and acetophenone derivatives. *Tetrahedron Letters*, 53(18), 2355–2359. <https://doi.org/10.1016/j.tetlet.2012.02.108>
- Schanche, J.-S. (2003). Microwave synthesis solutions from personal chemistry. *Molecular diversity*, 7(2), 291–298.

Smith, R. J., & Webb, M. L. (Ed.). (2007). *Analysis of drug impurities*. Oxford ; Ames, Iowa: Blackwell.

Susidarti, R.A., Puspitasari, I., 2016. Uji Toksisitas Akut Senyawa 1-(2,5-Dihidroksifenil)-3-Piridin-2-il-Propenon Pada Mencit Betina (unpublished report). Universitas Gadjah Mada.

Tigor, N. (2002). Estimate the Chemical Formula of Organic Compounds from Mass Spectrometry Data.

Utami, D., & Supardjan. (2007). *Sintesis senyawa Kalkon dan turunannya serta uji antiproliferasi terhadap sel HeLa*. Yogyakarta.

Wall, P. E. (2005). *Thin-layer chromatography: a modern practical approach*. Cambridge: Royal Society of Chemistry.

Wulandari, L., Retnaningtyas, Y., & Mustafidah, D. (2013). Development and Method Validation Densitometry Thin Layer Chromatography for The simultaneous Determination of Theophylline and Ephedrinehydrochloride in Tablet Dosage Form. *Jurnal Kimia Terapan Indonesia*, 15(1).

Wibowo, A.E., 2013. Sintesis dan Uji Aktifitas Antiinflamasi Senyawa 1-(2,5-dihidroksifenil)-(3-piridin-2-il)-propenon, Thesis, Universitas Gadjah Mada, Yogyakarta.