

LAMPIRAN

UJI REGRESI DI RS X

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X1, x2, x3, x4 ^b	.	Enter

- a. Dependent Variable: y
b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,400 ^a	,160	,052	18,01641

- a. Predictors: (Constant), xi, x2, x3, x4

ANOVA^a

Model		Sum of Squares	Df	Mean Square	F	Sig.
1	Regression	1920,136	4	480,034	1,479	,232 ^b
	Residual	10062,322	31	324,591		
	Total	11982,458	35			

- a. Dependent Variable: profit
b. Predictors: (Constant), xi,x2,x3,x4

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	T	Sig.	95,0% Confidence Interval for B	
	B	Std. Error	Beta			Lower Bound	Upper Bound
	1 (Constant)	16,618	6,159				2,698
X1	6,142	3,876	,266	1,585	,123	-1,763	14,047
x2	54,735	30,766	,298	1,779	,085	-8,012	117,482
X3	,065	6,332	,002	,010	,992	-12,849	12,980
X4	14,383	13,263	,181	1,084	,287	-12,667	41,432

a. Dependent Variable: y

UJI REGRESI DI RS Y

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X1,x2,x3,x4, x5	.	Enter

- a. Dependent Variable: profit
 b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,821 ^a	,675	-,139	6,26543

- a. Predictors: (Constant), x1, x2, x3, x4

ANOVA^a

Model		Sum of Squares	Df	Mean Square	F	Sig.
1	Regression	162,726	5	32,545	,829	,626 ^b
	Residual	78,511	2	39,256		
	Total	241,237	7			

- a. Dependent Variable: y
 b. Predictors: (Constant), x1, x2, x3, x4, x5

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B	
	B	Std. Error	Beta			Lower Bound	Upper Bound
1 (Constant)	28,335	27,134		1,044	,406	-88,413	145,083
X1	13,949	10,034	-,693	-1,390	,299	-57,120	29,222
X2	,553	1,811	,162	,305	,789	-7,241	8,347
X3	-,304	1,904	-,160	-,160	,888	-8,497	7,888
X4	15,297	88,100	-,184	-,174	,878	-394,360	363,767
X5	10,377	7,491	,684	1,385	,300	-21,852	42,607

a. Dependent Variable: y

UJI REGRESI RS Z

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X1,x2,x3,x4 ^b	.	Enter

a. Dependent Variable: profit

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,242 ^a	,059	-,046	26,40896

a. Predictors: (Constant), ido, flebitis

ANOVA^a

Model		Sum of Squares	Df	Mean Square	F	Sig.
1	Regression	780,698	2	390,349	,560	,581 ^b
	Residual	12553,800	18	697,433		
	Total	13334,497	20			

a. Dependent Variable: y

b. Predictors: (Constant), x1, x2, x3, x4

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	T	Sig.	95,0% Confidence Interval for B	
	B	Std. Error	Beta			Lower Bound	Upper Bound
	1 (Constant)	19,748	16,711				1,182
X1	26,526	33,947	,179	,781	,445	-44,794	97,845
X2	9,821	12,753	,177	,770	,451	-16,972	36,614

a. Dependent Variable: y

UJI REGRESI BERSAMA RS X,Y,Z

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X1, x2, x3, x4 ^b	.	Enter

- a. Dependent Variable: y
 b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,096 ^a	,009	-,057	20,94032

- a. Predictors: (Constant), x1, x2, x3, x4

ANOVA^a

Model		Sum of Squares	Df	Mean Square	F	Sig.
1	Regression	246,715	4	61,679	,141	,966 ^b
	Residual	26309,817	60	438,497		
	Total	26556,531	64			

- a. Dependent Variable: y
 b. Predictors: (Constant),x1, x2, x3, x4

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B	
	B	Std. Error	Beta			Lower Bound	Upper Bound
1 (Constant)	27,769	4,645		5,978	,000	18,477	37,062
X1	2,296	3,622	,084	,634	,529	-4,950	9,541
X2	-1,029	19,401	-,007	-,053	,958	-39,837	37,780
X3	,584	2,820	,029	,207	,837	-5,057	6,225
X4	-,732	2,175	-,045	-,336	,738	-5,083	3,619

a. Dependent Variable: y