

DAFTAR PUSTAKA

- [1] Raghavendra L Girijala¹ BS, Ryan R Riahi² MD, Philip R Cohen³ MD
Platelet-rich plasma for androgenic alopecia treatment: A comprehensive review *Volume 24 Number 7/ July 2018/*
- [2] R. Lukas and H. T. Sibero, "Vitiligo," *Juke Unila*, vol. 5, no. 9, pp. 94–103, 2015.
- [3] Dhvani M. Lakhani, Ashwini S. Deshpande. Various Treatments for Vitiligo: Problems Associated and Solutions. *J App Pharm Sci*, 2014; 4 (11): 101-105.
- [4] Diana Nurhayati Uji Banding Efektivitas Kalsipotriol Topikal, *Suction Blister Grafting* dan Kombinasi Keduanyapada Terapi Repigmentasi Lesi Vitiligo Stabil *Volume 46, 114 Nomor 2, Tahun 2012*
- [5] S. Huriyah and A. Budiyanto, "Targeted Phototherapy For Skin Diseases," vol. 44, no. 1, pp. 117–124, 2012.
- [6] Bayu Setyawan, "Simulator Double Surface Phothotherapy", Tugas Akhir, " Universitas Muhammadiyah Yogyakarta, 2016.
- [7] Sry Cahyo Endry, "Rancang Bangun Alat Terapi Jerawat Komedo Menggunakan Bluelight, Tugas Akhir, " Universitas Muhammadiyah Yogyakarta, 2017.
- [8] R. Estri, S. Hananti, A. Murwaningsih, and A. Budiyanto, "Terapi kombinasi fototerapi narrow band ultraviolet B (NBUVB), takrolimus 0 , 1 % ointment dan alfa tokoferol pada vitiligo segmental," *Berk. Ilmu Kesehat. Kulit Kelamin*, vol. 23, no. 3, pp. 248–252, 2011.
- [9] *Pengaruh Penyinaran Sinar UV – Arinda, dkk i Vol. 3 No 4 p.1337-1344, September 2015*
- [10] UsmanUmar , "Alat Terapi Vetilligo" *Teknik Elektromedik Makasar vol.2, no 2, oktober 2017*
- [11] Zuly Budiarmo dan Agung Prihandono, Implementasi Sensor Ultrasonik Untuk Mengukur Panjang Gelombang Suara Berbasis Mikrokontroler *Volume 20, No.2, Juli 2015 : 171-177*

- [12] M. Hariansyah¹, Setiawan R.P.A², Desrial³. Made D.S⁴ .Asep Sapei⁵ The Application of Ultrasonic Sensor and Atmega 328 Arduino to Measure the Ploughing Depth Elevation of Drainage Channel, Volume 3 Issue 8, August 2014