

UJI VALIDITAS KUESIONER

	X1.1	X1.2	X1.3	X1.4	X1.5	X1.6	X1.7	X1.8	X1.9	X1.10	X1.11	X1.12	X1.13	X1.14	X1.15	X1.16	X1.17	X1.18	X1.19	X1.20	X1	
X1.1	Pearson Correlation	1	.491 [*]	.612 ^{**}	.357	.375	.419	.452 [*]	.218	-.153	.681 ^{**}	.419	.375	.491 [*]	.612 ^{**}	.289	.157	.302	.357	.357	.419	.762 ^{**}
	Sig. (2-tailed)		.028	.004	.122	.103	.066	.045	.355	.519	.001	.066	.103	.028	.004	.217	.508	.196	.122	.122	.066	.000
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.2	Pearson Correlation	.491 [*]	1	.356	.089	.491 [*]	.206	.154	.286	.134	.206	.435	.218	.286	.134	.378	.206	.066	.356	.356	.206	.538 [*]
	Sig. (2-tailed)	.028		.123	.709	.028	.384	.518	.222	.574	.384	.055	.355	.222	.574	.100	.384	.783	.123	.123	.384	.014
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.3	Pearson Correlation	.612 ^{**}	.356	1	.375	.357	.257	.328	.134	-.250	.471 [*]	.471 [*]	.357	.134	.375	.000	.043	.698 ^{**}	.375	.167	.471 [*]	.630 ^{**}
	Sig. (2-tailed)	.004	.123		.103	.122	.274	.158	.574	.288	.036	.036	.122	.574	.103	1.000	.858	.001	.103	.482	.036	.003
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.4	Pearson Correlation	.357	-.089	.375	1	.102	.257	.328	.356	-.250	.257	.257	.102	.356	.375	.236	.043	.287	.375	.167	.257	.487 [*]
	Sig. (2-tailed)	.122	.709	.103		.669	.274	.158	.123	.288	.274	.274	.669	.123	.103	.317	.858	.220	.103	.482	.274	.029
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.5	Pearson Correlation	.375	.491 [*]	.357	.102	1	.157	.201	.491 [*]	-.153	.157	.419	.375	.491 [*]	.102	.577 ^{**}	-.105	.050	.357	.102	.157	.511 [*]
	Sig. (2-tailed)	.103	.028	.122	.669		.508	.395	.028	.519	.508	.066	.103	.028	.669	.008	.660	.833	.122	.669	.508	.021
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.6	Pearson Correlation	.419	.206	.257	.257	.157	1	.242	.206	.043	.341	.560 [*]	.681 ^{**}	.206	.685 ^{**}	.303	.121	.179	.257	.471 [*]	.341	.645 ^{**}
	Sig. (2-tailed)	.066	.384	.274	.274	.508		.303	.384	.858	.142	.010	.001	.384	.001	.195	.612	.450	.274	.036	.142	.002
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.7	Pearson Correlation	.452 [*]	.154	.328	.328	.201	.242	1	.154	-.082	.453 [*]	.242	.201	.592 ^{**}	.533 [*]	.522 [*]	-.179	.414	.533 [*]	.123	.664 ^{**}	.647 ^{**}
	Sig. (2-tailed)	.045	.518	.158	.158	.395	.303		.518	.731	.045	.303	.395	.006	.015	.018	.450	.069	.015	.605	.001	.002
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.8	Pearson Correlation	.218	.286	.134	.356	.491 [*]	.206	.154	1	.356	-.023	.663 ^{**}	-.055	.286	.134	.378	.206	.066	.356	-.089	-.023	.472 [*]

	Sig. (2-tailed)	.355	.222	.574	.123	.028	.384	.518		.123	.924	.001	.819	.222	.574	.100	.384	.783	.123	.709	.924	.035
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.9	Pearson Correlation	-.153	.134	-.250	.250	-.153	.043	-.082	.356	1	.043	.257	-.408	-.089	-.042	.000	.257	-.123	.167	-.250	-.171	.037
	Sig. (2-tailed)	.519	.574	.288	.288	.519	.858	.731	.123		.858	.274	.074	.709	.862	1.000	.274	.605	.482	.288	.471	.878
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.10	Pearson Correlation	.681**	.206	.471*	.257	.157	.341	.453*	-.023	.043	1	.341	.419	.206	.471*	.061	.121	.179	.257	.257	.341	.582**
	Sig. (2-tailed)	.001	.384	.036	.274	.508	.142	.045	.924	.858		.142	.066	.384	.036	.800	.612	.450	.274	.274	.142	.007
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.11	Pearson Correlation	.419	.435	.471*	.257	.419	.560*	.242	.663**	.257	.341	1	.419	.206	.471*	.303	.121	.390	.471*	.257	.341	.750**
	Sig. (2-tailed)	.066	.055	.036	.274	.066	.010	.303	.001	.274	.142		.066	.384	.036	.195	.612	.089	.036	.274	.142	.000
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.12	Pearson Correlation	.375	.218	.357	.102	.375	.681**	.201	-.055	-.408	.419	.419	1	.218	.357	.289	.157	.050	.102	.357	.419	.511*
	Sig. (2-tailed)	.103	.355	.122	.669	.103	.001	.395	.819	.074	.066	.066		.355	.122	.217	.508	.833	.669	.122	.066	.021
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.13	Pearson Correlation	.491*	.286	.134	.356	.491*	.206	.592**	.286	-.089	.206	.206	.218	1	.356	.882**	-.023	.066	.579**	-.089	.663**	.625**
	Sig. (2-tailed)	.028	.222	.574	.123	.028	.384	.006	.222	.709	.384	.384	.355		.123	.000	.924	.783	.007	.709	.001	.003
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.14	Pearson Correlation	.612**	.134	.375	.375	.102	.685**	.533*	.134	-.042	.471*	.471*	.357	.356	1	.236	-.171	.492*	.375	.583**	.471*	.712**
	Sig. (2-tailed)	.004	.574	.103	.103	.669	.001	.015	.574	.862	.036	.036	.122	.123		.317	.471	.027	.103	.007	.036	.000
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.15	Pearson Correlation	.289	.378	.000	.236	.577**	.303	.522*	.378	.000	.061	.303	.289	.882**	.236	1	.061	-.058	.471*	.000	.545*	.590**
	Sig. (2-tailed)	.217	.100	1.000	.317	.008	.195	.018	.100	1.000	.800	.195	.217	.000	.317		.800	.808	.036	1.000	.013	.006
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.16	Pearson Correlation	.157	.206	.043	.043	-.105	.121	-.179	.206	.257	.121	.121	.157	-.023	-.171	.061	1	-.242	-.171	-.171	-.099	.120

	Sig. (2-tailed)	.508	.384	.858	.858	.660	.612	.450	.384	.274	.612	.612	.508	.924	.471	.800		.303	.471	.471	.678	.615
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.17	Pearson Correlation	.302	.066	.698**	.287	.050	.179	.414	.066	-.123	.179	.390	.050	.066	.492*	-.058	-.242	1	.492*	.082	.390	.461*
	Sig. (2-tailed)	.196	.783	.001	.220	.833	.450	.069	.783	.605	.450	.089	.833	.783	.027	.808	.303		.027	.731	.089	.041
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.18	Pearson Correlation	.357	.356	.375	.375	.357	.257	.533*	.356	.167	.257	.471*	.102	.579**	.375	.471*	-.171	.492*	1	-.042	.471*	.671**
	Sig. (2-tailed)	.122	.123	.103	.103	.122	.274	.015	.123	.482	.274	.036	.669	.007	.103	.036	.471	.027		.862	.036	.001
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.19	Pearson Correlation	.357	.356	.167	.167	.102	.471*	.123	-.089	-.250	.257	.257	.357	-.089	.583**	.000	-.171	.082	-.042	1	.043	.344
	Sig. (2-tailed)	.122	.123	.482	.482	.669	.036	.605	.709	.288	.274	.274	.122	.709	.007	1.000	.471	.731	.862		.858	.138
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1.20	Pearson Correlation	.419	.206	.471*	.257	.157	.341	.664**	-.023	-.171	.341	.341	.419	.663**	.471*	.545*	-.099	.390	.471*	.043	1	.645**
	Sig. (2-tailed)	.066	.384	.036	.274	.508	.142	.001	.924	.471	.142	.142	.066	.001	.036	.013	.678	.089	.036	.858		.002
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X1	Pearson Correlation	.762**	.538*	.630**	.487*	.511*	.645**	.647**	.472*	.037	.582**	.750**	.511*	.625**	.712**	.590**	.120	.461*	.671**	.344	.645**	1
	Sig. (2-tailed)	.000	.014	.003	.029	.021	.002	.002	.035	.878	.007	.000	.021	.003	.000	.006	.615	.041	.001	.138	.002	
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20

*. Correlation is significant at the 0.05 level (2-tailed).

** Correlation is significant at the 0.01 level (2-tailed).

Reliability Statistics

Cronbach's Alpha	N of Items
.894	17

	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X2.8	Pearson Correlation Sig. (2-tailed)	.105	.206	-.023	.524 ⁺	.314	.419	.314	1	.341	.061	.043	.303	.206	.341	.257	.242	.043	.206	.664 ⁺	.105	.319	.453 ⁺	.530 ⁺
		.660	.384	.924	.018	.177	.066	.177		.142	.800	.858	.195	.384	.142	.274	.303	.858	.384	.001	.660	.171	.045	.016
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X2.9	Pearson Correlation Sig. (2-tailed)	.314	.435	.206	.314	-.105	.419	.314	.341	1	.545 ⁺	.257	.545 ⁺	.206	.780 ^{**}	.471 ⁺	.242	.471 ⁺	.663 ⁺	.664 ⁺	.314	.538 ⁺	.453 ⁺	.765 ⁺
		.177	.055	.384	.177	.660	.066	.177	.142		.013	.274	.013	.384	.000	.036	.303	.036	.001	.001	.177	.014	.045	.000
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X2.10	Pearson Correlation Sig. (2-tailed)	.346	.378	.126	.115	-.115	.000	.346	.061	.545 ⁺	1	.236	.467 ⁺	.378	.545 ⁺	.236	.290	.000	.378	.290	.346	.182	.290	.523 ⁺
		.135	.100	.597	.628	.628	1.000	.135	.800	.013		.317	.038	.100	.013	.317	.215	1.000	.100	.215	.135	.444	.215	.018
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X2.11	Pearson Correlation Sig. (2-tailed)	.204	.356	.579 ⁺	.000	.204	.357	.408	.043	.257	.236	1	.236	.356	.043	.167	.123	.167	.134	.123	.612 ⁺	-.257	.123	.447 ⁺
		.388	.123	.007	1.000	.388	.122	.074	.858	.274	.317		.317	.123	.858	.482	.605	.482	.574	.605	.004	.274	.605	.048
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X2.12	Pearson Correlation Sig. (2-tailed)	.577 ⁺	.630 ⁺	.378	.115	.115	.000	.115	.303	.545 ⁺	.467 ⁺	.236	1	.378	.303	.000	.290	.236	.378	.522 ⁺	.346	.182	.058	.582 ⁺
		.008	.003	.100	.628	.628	1.000	.628	.195	.013	.038	.317		.100	.195	1.000	.215	.317	.100	.018	.135	.444	.808	.007
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X2.13	Pearson Correlation Sig. (2-tailed)	.218	.524 ⁺	.286	.218	.218	-.055	.436	.206	.206	.378	.356	.378	1	.206	.134	.373	.134	-.190	.154	.655 ⁺	.023	.373	.514 ⁺
		.355	.018	.222	.355	.355	.819	.054	.384	.384	.100	.123	.100		.384	.574	.105	.574	.421	.518	.002	.924	.105	.021
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X2.14	Pearson Correlation Sig. (2-tailed)	.105	.206	-.023	.105	-.105	.419	.524 ⁺	.341	.780 ^{**}	.545 ⁺	.043	.303	.206	1	.685 ^{**}	.453 ⁺	.471 ⁺	.663 ⁺	.664 ⁺	.105	.538 ⁺	.453 ⁺	.693 ⁺
		.660	.384	.924	.660	.660	.066	.018	.142	.000	.013	.858	.195	.384		.001	.045	.036	.001	.001	.660	.014	.045	.001
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
X2.15	Pearson Correlation	.000	.134	.134	.000	.000	.357	.612 ^{**}	.257	.471 ⁺	.236	.167	.000	.134	.685 ^{**}	1	.328	.167	.356	.328	.204	.171	.328	.500 ⁺

X2	Pearson Correlation	.491*	.720*	.551*	.457*	.147	.565**	.595**	.530*	.765*	.523*	.447*	.582**	.514*	.693**	.500*	.581*	.552*	.589*	.737*	.595*	.482*	.599*	1
	Sig. (2- tailed)	.028	.000	.012	.043	.538	.010	.006	.016	.000	.018	.048	.007	.021	.001	.025	.007	.012	.006	.000	.006	.032	.005	
	N	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Reliability Statistics

Cronbach's Alpha	N of Items
.899	21

NILAI MEAN

Statistics

		Pengetahuan_ prekontrol	Pengetahuan_ preintervensi	Skill_prekontrol	Skill_preintervensi	Pengetahuan_ _postkontrol	Pengetahuan_ postintervensi	Skill_postkontrol	Skill_postintervensi
N	Valid	21	21	21	21	21	21	21	21
	Missing	0	0	0	0	0	0	0	0
Mean		8.71	10.05	7.67	8.10	11.05	14.33	9.67	16.90

Statistics

		PRE_TESTKONTROL	PRE_TESTINTERVENSI	POST_TESTKONTROL	POST_TESTINTERVENSI
N	Valid	21	21	21	21
	Missing	0	0	0	0
Mean		16.38	18.14	20.71	31.24

KARAKTERISTIK RESPONDEN KELOMPOK INTERVENSI

Statistics

	JENIS KELAMIN	USIA	PENDIDIKAN	PENGALAMAN	PEKERJAAN
N Valid	21	21	21	21	21
Missing	0	0	0	0	0

Frequency Table

JENIS KELAMIN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	PEREMPUAN	19	90.5	90.5	90.5
	LAKI-LAKI	2	9.5	9.5	100.0
	Total	21	100.0	100.0	

USIA

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	17-25 tahun	5	23.8	23.8	23.8
	26-35 tahun	7	33.3	33.3	57.1
	36-45 tahun	6	28.6	28.6	85.7
	46-55 tahun	2	9.5	9.5	95.2
	56-65 tahun	1	4.8	4.8	100.0
	Total	21	100.0	100.0	

PENDIDIKAN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SMA	17	81.0	81.0	81.0
	D3	3	14.3	14.3	95.2
	S1	1	4.8	4.8	100.0
	Total	21	100.0	100.0	

PENGALAMAN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK ADA	18	85.7	85.7	85.7
	ADA	3	14.3	14.3	100.0
	Total	21	100.0	100.0	

PEKERJAAN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK BEKERJA	15	71.4	71.4	71.4
	BEKERJA	6	28.6	28.6	100.0
	Total	21	100.0	100.0	

KARAKTERISTIK RESPONDEN KELOMPOK KONTROL

Statistics

		JENIS KELAMIN	USIA	PENDIDIKAN	PENGALAMAN	PEKERJAAN
N	Valid	21	21	21	21	21
	Missing	0	0	0	0	0

Frequency Table

JENIS KELAMIN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	PEREMPUAN	17	81.0	81.0	81.0
	LAKI-LAKI	4	19.0	19.0	100.0
Total		21	100.0	100.0	

USIA

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	17-25 tahun	4	19.0	19.0	19.0
	26-35 tahun	3	14.3	14.3	33.3
	36-45 tahun	7	33.3	33.3	66.7
	46-55 tahun	6	28.6	28.6	95.2
	56-65 tahun	1	4.8	4.8	100.0
	Total	21	100.0	100.0	

PENDIDIKAN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SMA	19	90.5	90.5	90.5
	S1	2	9.5	9.5	100.0
	Total	21	100.0	100.0	

PENGALAMAN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK ADA	19	90.5	90.5	90.5
	ADA	2	9.5	9.5	100.0
	Total	21	100.0	100.0	

PEKERJAAN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK BEKERJA	13	61.9	61.9	61.9
	BEKERJA	8	38.1	38.1	100.0
	Total	21	100.0	100.0	

UJI BEDA KARAKTERISTIK RESPONDEN KELOMPOK KONTROL DAN INTERVENSI

1. Pekerjaan

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kelompok * pekerjaan	42	100.0%	0	.0%	42	100.0%

kelompok * pekerjaan Crosstabulation

		pekerjaan		Total
		tidak	bekerja	
kelompok	intervensi	15	6	21
	kontrol	13	8	21
Total		28	14	42

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.429 ^a	1	.513		
Continuity Correction ^b	.107	1	.743		
Likelihood Ratio	.430	1	.512		
Fisher's Exact Test				.744	.372
Linear-by-Linear Association	.418	1	.518		
N of Valid Cases ^b	42				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.00.

b. Computed only for a 2x2 table

2. Pengalaman

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kelompok * pengalaman	42	100.0%	0	.0%	42	100.0%

kelompok * pengalaman Crosstabulation

		pengalaman		Total
		tidak	ada	
Kelompok	intervensi	18	3	21
	kontrol	19	2	21
Total		37	5	42

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.227 ^a	1	.634		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.228	1	.633		
Fisher's Exact Test				1.000	.500
Linear-by-Linear Association	.222	1	.638		
N of Valid Cases ^b	42				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 2.50.

b. Computed only for a 2x2 table

3. Pendidikan

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kelompok * pendidikan	42	100.0%	0	.0%	42	100.0%

kelompok * pendidikan Crosstabulation

		pendidikan			Total
		SMA	D3	S1	
kelompok	intervensi	17	3	1	21
	kontrol	19	0	2	21
Total		36	3	3	42

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.444 ^a	2	.179
Likelihood Ratio	4.610	2	.100
Linear-by-Linear Association	.075	1	.785
N of Valid Cases	42		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 1.50.

4. Usia

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kelompok * usia	42	100.0%	0	.0%	42	100.0%

kelompok * usia Crosstabulation

		Usia					Total
		17-25 tahun	26-35 tahun	36-45 tahun	46-55 tahun	56-65 tahun	
kelompok	intervensi	5	7	6	2	1	21
	kontrol	4	3	7	6	1	21
	Total	9	10	13	8	2	42

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.788 ^a	4	.435
Likelihood Ratio	3.927	4	.416
Linear-by-Linear Association	1.746	1	.186
N of Valid Cases	42		

a. 6 cells (60.0%) have expected count less than 5. The minimum expected count is 1.00.

5. Jenis Kelamin

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kelompok * jenis_kelamin	42	100.0%	0	.0%	42	100.0%

kelompok * jenis_kelamin Crosstabulation

		jenis_kelamin		Total
		perempuan	laki-laki	
Kelompok	intervensi	19	2	21
	kontrol	17	4	21
Total		36	6	42

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.778 ^a	1	.378		
Continuity Correction ^b	.194	1	.659		
Likelihood Ratio	.791	1	.374		
Fisher's Exact Test				.663	.331
Linear-by-Linear Association	.759	1	.384		
N of Valid Cases ^b	42				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 3.00.

b. Computed only for a 2x2 table

**KESIAPAN PENGETAHUAN DAN SKILL SEBELUM DAN
SETELAH INTERVENSI PADA KELOMPOK KONTROL
DAN INTERVENSI**

Statistics

	pengetahuan pretest kontrol	pengetahuan pretest intervensi	skill pretest kontrol	skill pretest intervensi	pengetahuan posttest kontrol	pengetahuan posttest intervensi	skill posttest kontrol	skill posttest intervensi
N Valid	21	21	21	21	21	21	21	21
Missing	0	0	0	0	0	0	0	0

Frequency Table

PENGETAHUAN PRETEST KONTROL

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	13	61.9	61.9	61.9
	SIAP	8	38.1	38.1	100.0
	Total	21	100.0	100.0	

PENGETAHUAN PRETEST INTERVENSI

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	11	52.4	52.4	52.4
	SIAP	10	47.6	47.6	100.0
	Total	21	100.0	100.0	

SKILL PRETEST KONTROL

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	10	47.6	47.6	47.6
	SIAP	11	52.4	52.4	100.0
	Total	21	100.0	100.0	

SKILL PRETEST INTERVENSI

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	10	47.6	47.6	47.6
	SIAP	11	52.4	52.4	100.0
	Total	21	100.0	100.0	

PENGETAHUAN POSTTEST KONTROL

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	15	71.4	71.4	71.4
	SIAP	6	28.6	28.6	100.0
	Total	21	100.0	100.0	

PENGETAHUAN POSTTEST INTERVENSI

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	6	28.6	28.6	28.6
	SIAP	15	71.4	71.4	100.0
	Total	21	100.0	100.0	

SKILL POSTTEST KONTROL

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	19	90.5	90.5	90.5
	SIAP	2	9.5	9.5	100.0
	Total	21	100.0	100.0	

SKILL POSTTEST INTERVENSI

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	3	14.3	14.3	14.3
	SIAP	18	85.7	85.7	100.0
	Total	21	100.0	100.0	

HASIL KESIAPAN

1. Kelompok Intervensi

KESIAPAN PRETEST

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK SIAP	12	57.1	57.1	57.1
	SIAP	9	42.9	42.9	100.0
	Total	21	100.0	100.0	

KESIAPAN POSTTEST

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK SIAP	2	9.5	9.5	9.5
	SIAP	19	90.5	90.5	100.0
	Total	21	100.0	100.0	

2. Kelompok Kontrol

KESIAPAN PRETEST

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK SIAP	15	71.4	71.4	71.4
	SIAP	6	28.6	28.6	100.0
	Total	21	100.0	100.0	

KESIAPAN POSTTEST

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK SIAP	14	66.7	66.7	66.7
	SIAP	7	33.3	33.3	100.0
	Total	21	100.0	100.0	

HASIL UJI WILCOXON

1. Kelompok Intervensi

		Ranks		
		N	Mean Rank	Sum of Ranks
POST_TEST - PRE_TEST	Negative Ranks	0 ^a	.00	.00
	Positive Ranks	10 ^b	5.50	55.00
	Ties	11 ^c		
	Total	21		

a. POST_TEST < PRE_TEST

b. POST_TEST > PRE_TEST

c. POST_TEST = PRE_TEST

Test Statistics ^b	
	POST_TEST - PRE_TEST
Z	-3.162 ^a
Asymp. Sig. (2-tailed)	.002

a. Based on negative ranks.

b. Wilcoxon Signed Ranks Test

2. Kelompok Kontrol

Ranks

	N	Mean Rank	Sum of Ranks
POST_TEST - PRE_TEST Negative Ranks	0 ^a	.00	.00
Positive Ranks	1 ^b	1.00	1.00
Ties	20 ^c		
Total	21		

a. POST_TEST < PRE_TEST

b. POST_TEST > PRE_TEST

c. POST_TEST = PRE_TEST

Test Statistics^b

	POST_TEST - PRE_TEST
Z	-1.000 ^a
Asymp. Sig. (2-tailed)	.317

a. Based on negative ranks.

b. Wilcoxon Signed Ranks Test

HASIL UJI MANN WHITNEY TEST

Ranks

KELOMPOK		N	Mean Rank	Sum of Ranks
HASIL PRETEST	INTERVENSI	21	23.00	483.00
	KONTROL	21	20.00	420.00
	Total	42		

Test Statistics^a

	HASIL PRETEST
Mann-Whitney U	189.000
Wilcoxon W	420.000
Z	-.955
Asymp. Sig. (2-tailed)	.340

Ranks

KELOMPOK		N	Mean Rank	Sum of Ranks
HASIL POSTTEST	INTERVENSI	21	27.50	577.50
	KONTROL	21	15.50	325.50
	Total	42		

Test Statistics^a

	HASIL POSTTEST
Mann-Whitney U	94.500
Wilcoxon W	325.500
Z	-3.767
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: KELOMPOK

