


LAMPIRAN

Lampiran 1 Foto kondisi jalan untuk survey lalu lintas harian rata – rata.






Lampiran 2 Hasil program *Kenpave* Lgraph Metode Analisa Komponen Bina Marga 1987



Lampiran 3 Hasil program *Kenpave* Lgraph Metode *AUSTROADS*



Lampiran 4 Tabel Data Input pada Menu Load (Putri, 2014)

Jenis Kendaraan	Beban 1 Roda (Pd)	Load	CR (a)																		CP kPa	YW	XW (Sd)	NR or NPT	
	Kg		Cm	Tire Spacing																					
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17					18
Sedan	500	0	7,67	0	0	0	3,83	0	7,67												265,65	0		3	
Pick up	1.310	0	12,41	0	0	0	6,21	0	12,41												265,65	0		3	
Pick up	2.545	0	10,45	0	0	0	5,22	0	10,45												728,64	0		3	
Mini Bus	1.410	0	6,96	0	0	0	3,48	0	6,96												910,80	0		3	
Bus Kecil	1.370	1	7,67	0	0	0	7,67	0	15,24												728,64	30,48		3	
Bus Sedang	1.530	0	7,25	0	0	0	3,62	0	7,25												728,64	0		3	
Bus Besar	1.485	1	7,98	0	0	0	7,98	0	15,24												728,64	30,48		3	
Truk 2 sumbu 4 Roda	2.740	0	10,84	0	0	0	5,42	0	10,84												728,64	0		3	
Truk 2 sumbu 6 Roda	2.575	0	10,51	0	0	0	5,25	0	10,51												728,64	0		3	
Truk 2 sumbu 6 Roda	2.500	1	10,36	0	0	0	10,36	0	15,24												728,64	30,48		3	
Truk 3 sumbu Roda Tunggal	3.125	0	11,58	0	0	0	5,79	0	11,58												728,64	0		3	
Truk 3 sumbu Roda Ganda	2.345	2	8,97	0	0	0	8,97	0	65,53	0	32,77	32,77	8,97	32,77	65,53	0	65,53	65,53	8,97	65,53	65,53	910,80	30,48	131,0 64	9
Truk Gandeng Roda Tunggal	2.823	0	9,84	0	0	0	4,92	0	9,84												910,80	0		3	
Truk Gandeng Roda Ganda	2.198	1	8,68	0	0	0	8,68	0	15,24												910,80	30,48		3	
Truk Gandeng Roda Ganda	2.120	1	8,53	0	0	0	8,53	0	15,24												910,80	30,48		3	
Truk Semi Trailer Roda Tunggal	1.505	0	7,19	0	0	0	3,59	0	7,19												910,80	0		3	
Truk Semi Trailer Roda Ganda	2.500	2	9,26	0	0	0	9,26	0	65,53	0	32,77	32,77	9,26	32,77	65,53	0	65,53	65,53	9,26	65,53	65,53	910,80	30,48	131,0 64	9
Truk Semi Trailer Roda Ganda	1.805	2	7,87	0	0	0	7,87	0	65,53	0	32,77	32,77	7,87	32,77	65,53	0	65,53	65,53	7,87	65,53	65,53	910,80	30,48	131,0 64	9