

Daftar Pustaka

- Andini F., (2015). Risk factors of low back pain in workers. *J.Majority. Universitas Lampung.* 4(1):12-19.
- Arikunto., (2010). *Prosedur penelitian.* Jakarta : Rineka cipta.
- Asrinah., (2010). *Asuhan kebidanan masa kehamilan.* Yogyakarta: Graha Ilmu.
- Bobak, I. M., Lowdermilk, D. L., & Jense, M. D. (2015). *Buku ajar keperawatan maternitas.* Edisi 4. Jakarta: EGC.
- Clammy., (2007). *Pregnancy and low back pain.* Triangle spine and back care Centre.
- Catherine Y. Spong., Cunningham, M D., Jodi S. Dashe., Kenneth J. Leveno., Steve L. Bloom., (2014). *William Obstetrics (24th Edition ed.).* United States: Mc Graw Hills.
- Dahlan., Sopiyudin (2009). *Besar sampel dan cara pengambilan sampel.* Jakarta: Salemba Medika.
- Department of Physiotherapy Royal Hallamshire Hospital., (2014) *Back Care in Pregnancy.* Sheffield : Teaching Hospital Publishers.
- Dørheim, S.K., Bjorvatn, B., Eberhard-Gran, M., (2013). Sick leave during pregnancy: a longitudinal study of rates and risk factors in a Norwegian population. *BJOG: An International Journal of Obstetrics Gynaecology,* 521–530.<http://dx.doi.org/10.1111/1471-0528.12035>.
- Ganer and Raj., (2017). Integrated manual therapy management of acute mechanical low back pain: A Case Report.
- Granath and Gunnarsson., “Water aerobics reduces sick leave due to low back pain during pregnancy,” *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, vol.35,no.4.
- Hales and Dianne., (2000). *Pregnancy and birth.* Philadelphia : Chelsea House Publishers.
- Hidayat., (2007). *Metode penelitian keperawatan dan teknik analisis data.* Jakarta : Salemba medika.
- Hippokratia., (2011). Pregnancy-related low back pain. Department of orthopaedics, Faculty of Medicine, University of Crete, Heraklion, Crete, Greece.
- Ibanez et al., Prim Health Care., (2017). Back pain during pregnancy and quality of life of pregnant women.
- Kartikasari, dan Isma., (2013). Hubungan senam hamil dengan nyeri punggung pada ibu hamil di Polindes Desa Tlanak Kecamatan Kedungpring Kabupaten Lamongan. *Jurnalsurya, Vol.01,No.XIV.*
- Kementerian Kesehatan RI. Laporan Riset Kesehatan Dasar (Rskesdas) (2013) Jakarta: Badan Penelitian dan Pengembangan Kesehatan. 2013. p.13-14.

- Latifah N., (2012). Hubungan frekuensi kunjungan ANC selama kehamilan dengan kejadian kematian neonatal (Analisis data SDKI 2007). *Tesis. Jakarta: Fakultas Kesehatan Masyarakat Universitas Indonesia. 2012.*
- Li, Liu, and Herr., (2014). Post operatif pain intensity assesment: acomparison of four scale in Chinese adult. <http://www.ncbi.nlm.nih.gov/>
- Magda, Morsy and Bigawy., (2017). *International jurnal of chemtech research:* Effect of acupuncture on LBP during pregnancy. Vol 10 No 2, PP 319- 331, 2017.
- Megasari., (November 2015). hubungan senam hamil dengan nyeri punggung pada ibu hamil trimester III,. Prodi Ilmu Kebidanan STIKes Hang Tuah Pekanbaru. *Jurnal Kesehatan Komunitas, Vol. 3, No. 1.*
- Mogren, I., (2006) Perceived health, sick leave, psychosocial situation, and sexual lifein women with low-back pain and pelvic pain during pregnancy. *Acta Obstetricia et Gynecologica Scandinavica* 85, 647656.<http://dx.doi.org/10.1080/00016340600607297>
- Muhimah & Safe'i., (2010). *Panduan lengkap senam sehat khusus ibu hamil.* Power Books: Yogyakarta.
- Munch S, dkk. (2011). Health-related quality of life in women with nausea and vomiting of pregnancy: importance of Psychossocial context. *Journal of Perinatology, Vol. 31, 10-20.*
- Notoatmodjo, (2010) *Metodologi penelitian kesehatan.* Jakarta: Rineka cipta.
- Noer, R. I., Ermawati, & Afdal. (2016). "Karakteristik Ibu pada Penderita Abortus dan Tidak Abortus di RS. Dr. M. Djamil Padang Tahun 2011-2012." *Jurnal Kesehatan Andalas , 5 (3), 575-83.*
- Pennick and Liddle S. D., (2015) "Interventions for preventing and treating pelvic and back pain in pregnancy," *Cochrane Databaseof Systematic Reviews, no. 8.,*
- Purwaningrum, E. D., & Fibriyana, A. I. (2017). "Faktor Risiko Terjadinya Abortus Spontan." *Higeia Journal Of Public Health Research and Development , 1 (3), 84-94.*
- Rinta., (2013). Pengaruh Back Exercise terhadap pengurangan nyeri punggung bawah pada petugas instalasi rekam medik RSUP H. Adam Malik Medan. *Jurnal Universitas Sumatra Utara, 2013*
- Riskesdas., (2013). *Laporan hasil riset kesehatan dasar (RISKESDAS) Nasional.* Jakarta : Badan Penelitian dan Pengembangan Kesehatan.
- Sekaran, Uma (2006). *Research methods for business.* Jakarta Salemba Medika.
- Sugiyono., *Metode penelitian kuantitatif kualitatif dan R & D.* Jawa Barat: Alfabeta.

- The Patient Education institute Inc., (2013) *X-plain Back Exercise. Systematic Reviews.*
- Ummah, Faizatul. (2012). Nyeri punggung pada ibu hamil ditinjau dari body mekanik dan paritas di Desa Ketanen. *Penelitian Gersik.*
- Van De Pol, G., Van Brummen, H.J., Bruinse, H.W., Heintz, A.P., Van Der Vaart, C.H., (2007). Pregnancy-related pelvic girdle pain in the Netherlands. *Acta Obstetricia et Gynecologica Scandinavica 86, 416–422.*
- Vermani, E., Mittal, R., Weeks, A., 2010. *Pelvic girdle pain in pregnancy: a systematic review.*
- Wahyuni dan Prabowo., (2012). Manfaat kinesiotapping untuk mengurangi nyeri punggung belakang pada kehamilan trimester III. *Jurnal Kesehatan, ISSN 1979-7621, Vol. 5, No. 2, Desember 2012:119 – 129*
- Yosefa, Febriana, Misrawati. Hasneli., (2013). Efektifitas senam hamil terhadap penurunan nyeri punggung pada ibu hamil. *Jurnal Online Keperawatan, Vol 1*
- Yudha., (2014). Gambaran health-related quality of life pada ibu hamil di Yogyakarta. *Jurnal Kesehatan, Vol. 3 Oktober 2014.*