

## LAMPIRAN

kelompok		Statistic	Std. Error	
Penilaian 1	Mean	8.8000	.20000	
	95% Confidence Interval for Mean	Lower Bound Upper Bound	8.2447 9.3553	
	5% Trimmed Mean	8.8333		
	Median	9.0000		
	Variance	.200		
	Std. Deviation	.44721		
	Minimum	8.00		
	Maximum	9.00		
	Range	1.00		
	Interquartile Range	.50		
	Skewness	-2.236	.913	
	Kurtosis	5.000	2.000	
	2	Mean	8.2000	.37417
		95% Confidence Interval for Mean	Lower Bound Upper Bound	7.1611 9.2389
5% Trimmed Mean		8.2222		
Median		8.0000		
Variance		.700		
Std. Deviation		.83666		
Minimum		7.00		
Maximum		9.00		
Range		2.00		
Interquartile Range		1.50		
Skewness		-.512	.913	
Kurtosis		-.612	2.000	
3		Mean	7.2000	.37417

95% Confidence Interval for Mean	Lower Bound	6.1611	
	Upper Bound	8.2389	
5% Trimmed Mean		7.2222	
Median		7.0000	
Variance		.700	
Std. Deviation		.83666	
Minimum		6.00	
Maximum		8.00	
Range		2.00	
Interquartile Range		1.50	
Skewness		-.512	.913
Kurtosis		-.612	2.000

### Tests of Normality

kelompok	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Penilaian 1	.473	5	.001	.552	5	.000
2	.231	5	.200*	.881	5	.314
3	.231	5	.200*	.881	5	.314

a. Lilliefors Significance Correction

\*. This is a lower bound of the true significance.

### Test of Homogeneity of Variances

Penilaian

Levene Statistic	df1	df2	Sig.
1.143	2	12	.351

## ANOVA

Penilaian

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	6.533	2	3.267	6.125	.015
Within Groups	6.400	12	.533		
Total	12.933	14			

## Multiple Comparisons

Penilaian

LSD

(I) kelompok	(J) kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
1	2	.60000	.46188	.218	-.4064	1.6064
	3	1.60000*	.46188	.005	.5936	2.6064
2	1	-.60000	.46188	.218	-1.6064	.4064
	3	1.00000	.46188	.051	-.0064	2.0064
3	1	-1.60000*	.46188	.005	-2.6064	-.5936
	2	-1.00000	.46188	.051	-2.0064	.0064

\*. The mean difference is significant at the 0.05 level.