

LAMPIRAN SPSS

Pendarahan

Paritas

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Primipara	8	30.8	30.8	30.8
	Multipara	17	65.4	65.4	96.2
	Grandemultipara	1	3.8	3.8	100.0
	Total	26	100.0	100.0	

Hamil Kembar

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	26	100.0	100.0	100.0

Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	< 20 Tahun	1	3.8	3.8	3.8
	20-35 Tahun	21	80.8	80.8	84.6
	> 35 Tahun	4	15.4	15.4	100.0
	Total	26	100.0	100.0	

Bayi Besar

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Bayi Besar	26	100.0	100.0	100.0

Normal

Paritas

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Primipara	10	31.3	31.3	31.3
Multipara	22	68.8	68.8	100.0
Total	32	100.0	100.0	

Hamil Kembar

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	32	100.0	100.0	100.0

Usia

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 20 Tahun	3	9.4	9.4	9.4
20-35 Tahun	24	75.0	75.0	84.4
> 35 Tahun	5	15.6	15.6	100.0
Total	32	100.0	100.0	

Bayi Besar

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Bayi Besar	32	100.0	100.0	100.0

Bivariate

Kejadian Perdarahan Post Partum * Anemia Pada Ibu Hamil Trimester II

Crosstab

			Anemia Pada Ibu Hamil Trimester II		Total
			Tidak Anemia	Anemia	
Kejadian Perdarahan Post Partum	Tidak Pendarahan	Count	22	10	32
		% of Total	37.9%	17.2%	55.2%
	Pendarahan	Count	9	17	26
		% of Total	15.5%	29.3%	44.8%
Total		Count	31	27	58
		% of Total	53.4%	46.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6.718 ^a	1	.010		
Continuity Correction ^b	5.416	1	.020		
Likelihood Ratio	6.838	1	.009		
Fisher's Exact Test				.017	.010
Linear-by-Linear Association	6.602	1	.010		
N of Valid Cases	58				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 12.10.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.322	.010
N of Valid Cases		58	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kejadian Perdarahan Post Partum (Tidak Pendarahan / Pendarahan)	4.156	1.382	12.493
For cohort Anemia Pada Ibu Hamil Trimester II = Tidak Anemia	1.986	1.115	3.539
For cohort Anemia Pada Ibu Hamil Trimester II = Anemia	.478	.266	.858
N of Valid Cases	58		

Kejadian Perdarahan Post Partum * Anemia Pada Ibu Hamil Trimester III

Crosstab

			Anemia Pada Ibu Hamil Trimester III		Total
			Tidak Anemia	Anemia	
Kejadian Perdarahan Post Partum	Tidak Pendarahan	Count	11	21	32
		% of Total	19.0%	36.2%	55.2%
	Pendarahan	Count	5	21	26
		% of Total	8.6%	36.2%	44.8%
Total	Count	16	42	58	
	% of Total	27.6%	72.4%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.647 ^a	1	.199	.246	.162
Continuity Correction ^b	.976	1	.323		
Likelihood Ratio	1.684	1	.194		
Fisher's Exact Test					
Linear-by-Linear Association	1.619	1	.203		
N of Valid Cases	58				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.17.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.166	.199
N of Valid Cases		58	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kejadian Perdarahan Post Partum (Tidak Pendarahan / Pendarahan)	2.200	.651	7.436
For cohort Anemia Pada Ibu Hamil Trimester III = Tidak Anemia	1.788	.711	4.493
For cohort Anemia Pada Ibu Hamil Trimester III = Anemia	.813	.594	1.111
N of Valid Cases	58		

LAMPIRAN SPSS

Uji Univariat

Tidak Perdarahan

Anemia Pada Ibu Hamil Trimester II

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	22	68.8	68.8	68.8
Valid Anemia	10	31.3	31.3	100.0
Total	32	100.0	100.0	

Anemia Pada Ibu Hamil Trimester III

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	11	34.4	34.4	34.4
Valid Anemia	21	65.6	65.6	100.0
Total	32	100.0	100.0	

Perdarahan

Anemia Pada Ibu Hamil Trimester II

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	9	34.6	34.6	34.6
Valid Anemia	17	65.4	65.4	100.0
Total	26	100.0	100.0	

Anemia Pada Ibu Hamil Trimester III

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	5	19.2	19.2	19.2
Valid Anemia	21	80.8	80.8	100.0
Total	26	100.0	100.0	

Keseluruhan

Anemia Pada Ibu Hamil Trimester II

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	31	53.4	53.4	53.4
Valid Anemia	27	46.6	46.6	100.0
Total	58	100.0	100.0	

Anemia Pada Ibu Hamil Trimester III

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	16	27.6	27.6	27.6
Valid Anemia	42	72.4	72.4	100.0
Total	58	100.0	100.0	

Kejadian Perdarahan Post Partum

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Pendarahan	32	55.2	55.2	55.2
Valid Pendarahan	26	44.8	44.8	100.0
Total	58	100.0	100.0	

Uji Bivariat

Anemia Pada Ibu Hamil Trimester II * Kejadian Perdarahan Post Partum

Crosstab

			Kejadian Perdarahan Post Partum		Total
			Tidak Perdarahan	Perdarahan	
Anemia Pada Ibu Hamil Trimester II	Tidak Anemia	Count	22	9	31
		% of Total	37.9%	15.5%	53.4%
	Anemia	Count	10	17	27
		% of Total	17.2%	29.3%	46.6%
Total	Count	32	26	58	
	% of Total	55.2%	44.8%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	6.718 ^a	1	.010	.017	.010
Continuity Correction ^b	5.416	1	.020		
Likelihood Ratio	6.838	1	.009		
Fisher's Exact Test					
Linear-by-Linear Association	6.602	1	.010		
N of Valid Cases	58				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 12.10.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.322	.010
N of Valid Cases		58	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Anemia Pada Ibu Hamil Trimester II (Tidak Anemia / Anemia)	4.156	1.382	12.493
For cohort Kejadian Perdarahan Post Partum = Tidak Pendarahan	1.916	1.116	3.291
For cohort Kejadian Perdarahan Post Partum = Perdarahan	.461	.248	.859
N of Valid Cases	58		

Anemia Pada Ibu Hamil Trimester III * Kejadian Perdarahan Post Partum

Crosstab

			Kejadian Perdarahan Post Partum		Total
			Tidak Perdarahan	Perdarahan	
Anemia Pada Ibu Hamil Trimester III	Tidak Anemia	Count	11	5	16
		% of Total	19.0%	8.6%	27.6%
	Anemia	Count	21	21	42
		% of Total	36.2%	36.2%	72.4%
Total		Count	32	26	58
		% of Total	55.2%	44.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	1.647 ^a	1	.199	.246	.162
Continuity Correction ^b	.976	1	.323		
Likelihood Ratio	1.684	1	.194		
Fisher's Exact Test					
Linear-by-Linear Association	1.619	1	.203		
N of Valid Cases	58				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.17.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.166	.199
N of Valid Cases		58	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Anemia Pada Ibu Hamil Trimester III (Tidak Anemia / Anemia)	2.200	.651	7.436
For cohort Kejadian Perdarahan Post Partum = Tidak Pendarahan	1.375	.879	2.152
For cohort Kejadian Perdarahan Post Partum = Pendarahan	.625	.284	1.373
N of Valid Cases	58		