

## DAFTAR PUSTAKA

- Aghamolaei, T., Tavafian, S. S., Hasani, L., & Moeini, B. (2012). Nurses' Perception of Nurse-physician Communication: A Questionnaire-based Study in Iran. *International Journal of Hospital Research*, 1(2), 77–84.
- Alvarez, G., & Coiera, E. (2006). Interdisciplinary communication: An uncharted source of medical error? *Journal of Critical Care*, 21(3), 236–242. <https://doi.org/10.1016/j.jcrc.2006.02.004>
- Anthoine, E., Delmas, C., Coutherut, J., & Moret, L. (2014). Development and psychometric testing of a scale assessing the sharing of medical information and interprofessional communication: the CSI scale. *BMC Health Services Research*, 14, 126. <https://doi.org/10.1186/1472-6963-14-126>
- Bornstein, M. H., Jager, J., & Putnick, D. L. (2013). Sampling in Developmental Science: Situations, Shortcomings, Solutions, and Standards. *Developmental Review : DR*, 33(4), 357–370. <https://doi.org/10.1016/j.dr.2013.08.003>
- Cadogan, M. P., Franzi, C., Osterweil, D., & Hill, T. (1999). Barriers to Effective Communication in Skilled Nursing Facilities: Differences in Perception between Nurses and Physicians. *Journal of the American Geriatrics Society*, 47(1), 71–75. <https://doi.org/10.1111/j.1532-5415.1999.tb01903.x>
- Cahyono, Suharjo B. (2008). *Membangun Budaya Keselamatan Pasien dalam Praktek Kedokteran* (5th ed.). Yogyakarta: Kanisius.
- Cypress, B. S. (2011). Exploring the concept of nurse-physician communication within the context of health care outcomes using the evolutionary method of concept analysis. *Dimensions of Critical Care Nursing: DCCN*, 30(1), 28–38. <https://doi.org/10.1097/DCC.0b013e3181fd02e1>
- Departemen Kesehatan Republik Indonesia. (2006). *PANDUAN NASIONAL KESELAMATAN PASIEN RUMAH SAKIT (Patient Safety)*. Jakarta: Kementerian Kesehatan.
- Etikan, I. (2016). Comparison of Convenience Sampling and Purposive Sampling. *American Journal of Theoretical and Applied Statistics*, 5(1), 1. <https://doi.org/10.11648/j.ajtas.20160501.11>

- Gilbert, J. H. V., Yan, J., & Hoffman, S. J. (2010). Interprofessional Education and Collaborative Practice, 2.
- Griffie, J., Nelson-Marten, P., & Muchka, S. (2004). Acknowledging the “elephant”: communication in palliative care. *The American Journal of Nursing, 104*(1), 48–57; quiz 58.
- Haddad, A. M. (1991). The nurse/physician relationship and ethical decision making. *AORN Journal, 53*(1), 151–156. [https://doi.org/10.1016/S0001-2092\(07\)66123-7](https://doi.org/10.1016/S0001-2092(07)66123-7)
- Haskard Zolnierek, K. B., & DiMatteo, M. R. (2009). Physician Communication and Patient Adherence to Treatment: A Meta-analysis. *Medical Care, 47*(8), 826–834. <https://doi.org/10.1097/MLR.0b013e31819a5acc>
- House, S., & Havens, D. (2017). Nurses’ and Physicians’ Perceptions of Nurse-Physician Collaboration: A Systematic Review. *JONA: The Journal of Nursing Administration, 47*(3), 165–171. <https://doi.org/10.1097/NNA.0000000000000460>
- Irfani, T., Gunawan, J., Tosepu, R., & Nuru, H. (2015). Experiences of being co-assistant: a pilot study. *International Journal of Research in Medical Sciences, 2580–2583*. <https://doi.org/10.18203/2320-6012.ijrms20150794>
- Knapp, M. L., & Daly, J. A. (2002). *Handbook of Interpersonal Communication*. SAGE.
- Kohn, L. T., Corrigan, J. M., & Donaldson, M. S. (2000). *To Err Is Human: Building a Safer Health System*. National Academies Press.
- Larson, E. (1999). The impact of physician-nurse interaction on patient care. *Holistic Nursing Practice, 13*(2), 38–46.
- Lindeke, L. L., & Sieckert, A. M. (2005). Nurse-physician workplace collaboration. *Online Journal of Issues in Nursing, 10*(1), 5.
- Maheux, B., & Lajeunesse, J. (2014). Collaboration between family physicians and nurse clinicians, 7.
- Manojlovich, M. (2010). Nurse/physician communication through a sensemaking lens: shifting the paradigm to improve patient safety.

- Medical Care*, 48(11), 941–946.  
<https://doi.org/10.1097/MLR.0b013e3181eb31bd>
- Manojlovich, M., Saint, S., Forman, J., Fletcher, C. E., Keith, R., & Krein, S. (2011). Developing and Testing a Tool to Measure Nurse/Physician Communication in the Intensive Care Unit: *Journal of Patient Safety*, 7(2), 80–84. <https://doi.org/10.1097/PTS.0b013e3182192463>
- Minamizono, S., Hasegawa, H., Hasunuma, N., Kaneko, Y., Motohashi, Y., & Inoue, Y. (2013). Physician's Perceptions of Interprofessional Collaboration in Clinical Training Hospitals in Northeastern Japan. *Journal of Clinical Medicine Research*, 5(5), 350–355. <https://doi.org/10.4021/jocmr1474w>
- Mitchell, P. H. (2008). Defining Patient Safety and Quality Care. In R. G. Hughes (Ed.), *Patient Safety and Quality: An Evidence-Based Handbook for Nurses*. Rockville (MD): Agency for Healthcare Research and Quality (US). Retrieved from <http://www.ncbi.nlm.nih.gov/books/NBK2681/>
- Nisfiannoor, Mohammad. (2009). *Pendekatan Statistik Modern untuk Ilmu Sosial* (Vol. s). Jakarta: Penerbit Salemba.
- Reeves, S., Nelson, S., & Zwarenstein, M. (2008). The doctor-nurse game in the age of interprofessional care: a view from Canada. *Nursing Inquiry*, 15(1), 1–2. <https://doi.org/10.1111/j.1440-1800.2008.00396.x>
- Reynolds, A., & Timmons, S. (2005). The doctor-nurse relationship in the operating theatre. *British Journal of Perioperative Nursing: The Journal of the National Association of Theatre Nurses*, 15(3), 110–115.
- Robinson, F. P., Gorman, G., Slimmer, L. W., & Yudkowsky, R. (2010). Perceptions of Effective and Ineffective Nurse-Physician Communication in Hospitals: Nurse-Physician Communication. *Nursing Forum*, 45(3), 206–216. <https://doi.org/10.1111/j.1744-6198.2010.00182.x>
- Rosenstein, A. H., Russell, H., & Lauve, R. (2002). Disruptive physician behavior contributes to nursing shortage. Study links bad behavior by doctors to nurses leaving the profession. *Physician Executive*, 28(6), 8–11.

- Sandhu, H., Dale, J., Stallard, N., Crouch, R., & Glucksman, E. (2009). Emergency nurse practitioners and doctors consulting with patients in an emergency department: a comparison of communication skills and satisfaction. *Emergency Medicine Journal*, 26(6), 400–404. <https://doi.org/10.1136/emj.2008.058917>
- Schmalenberg, C., & Kramer, M. (2009). Nurse-physician relationships in hospitals: 20,000 nurses tell their story. *Critical Care Nurse*, 29(1), 74–83. <https://doi.org/10.4037/ccn2009436>
- Schmid, I. K., & Svarstad, B. L. (2002). Nurse–physician communication and quality of drug use in Swedish nursing homes. *Social Science & Medicine*, 54(12), 1767–1777. [https://doi.org/10.1016/S0277-9536\(01\)00146-0](https://doi.org/10.1016/S0277-9536(01)00146-0)
- Sheehan, D., Robertson, L., & Ormond, T. (2007). Comparison of language used and patterns of communication in interprofessional and multidisciplinary teams. *Journal of Interprofessional Care*, 21(1), 17–30. <https://doi.org/10.1080/13561820601025336>
- Sweet, S. J., & Norman, I. J. (1995). The nurse-doctor relationship: a selective literature review. *Journal of Advanced Nursing*, 22(1), 165–170.
- Tan, T.-C., Zhou, H., & Kelly, M. (2017). Nurse-physician communication - An integrated review. *Journal of Clinical Nursing*, 26(23–24), 3974–3989. <https://doi.org/10.1111/jocn.13832>
- Tang, C. J., Chan, S. W., Zhou, W. T., & Liaw, S. Y. (2013). Collaboration between hospital physicians and nurses: An integrated literature review: Physician-nurse collaboration. *International Nursing Review*, 60(3), 291–302. <https://doi.org/10.1111/inr.12034>
- The Joint Commission. (2006). Joint Commission Root Causes and Percentages for Sentinel Events (1995-2005). *The Joint Commission Online*.
- The Joint Commission. (2016). Joint Commission Sentinel Event Data (Root Cause by Event Data) (2010-2015). *The Joint Commission Online*. Retrieved from [https://www.jointcommission.org/sentinel\\_event.aspx](https://www.jointcommission.org/sentinel_event.aspx)
- Tjia, J., Mazor, K. M., Field, T., Meterko, V., Spenard, A., & Gurwitz, J. H. (2009). Nurse-Physician Communication in the Long-Term Care

Setting: Perceived Barriers and Impact on Patient Safety. *Journal of Patient Safety*, 5(3), 145–152.  
<https://doi.org/10.1097/PTS.0b013e3181b53f9b>

Varpio, L., Hall, P., Lingard, L., & Schryer, C. F. (2008). Interprofessional Communication and Medical Error: A Reframing of Research Questions and Approaches: *Academic Medicine*, 83(Supplement), S76–S81. <https://doi.org/10.1097/ACM.0b013e318183e67b>

Vazirani, S., Hays, R. D., Shapiro, M. F., & Cowan, M. (2005). Effect of a Multidisciplinary Intervention on Communication and Collaboration Among Physicians and Nurses. *American Journal of Critical Care*, 14(1), 71–77.

Wang, Y.-Y., Wan, Q.-Q., Lin, F., Zhou, W.-J., & Shang, S.-M. (2018). Interventions to improve communication between nurses and physicians in the intensive care unit: An integrative literature review. *International Journal of Nursing Sciences*, 5(1), 81–88.

Warelow, P. J. (1996). Nurse-doctor relationships in multidisciplinary teams: ideal or real? *International Journal of Nursing Practice*, 2(1), 33–39.

Zhao, J., Gao, S., Wang, J., Liu, X., & Hao, Y. (2016). Differentiation between two healthcare concepts: Person-centered and patient-centered care. *International Journal of Nursing Sciences*, 3(4), 398–402. <https://doi.org/10.1016/j.ijnss.2016.08.009>