

LAMPIRAN

Explore

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Jumlah Kelenjar	.143	30	.122	.936	30	.071

a. Lilliefors Significance Correction

Oneway

Descriptives

Jumlah Kelenjar								
	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
Kontrol Negatif	5	1.3500	1.95736	.87536	-1.0804	3.7804	.00	4.75
Kontrol Positif	5	13.0500	4.58053	2.04848	7.3625	18.7375	8.75	18.50
Kontrol Normal	5	4.7000	2.21077	.98869	1.9550	7.4450	1.25	6.50
100 mg	5	6.2000	1.20416	.53852	4.7048	7.6952	4.75	7.75
200 mg	5	5.6500	1.72844	.77298	3.5039	7.7961	3.50	8.00
400 mg	5	9.7500	2.27761	1.01858	6.9220	12.5780	6.75	12.50
Total	30	6.7833	4.45317	.81303	5.1205	8.4462	.00	18.50

ANOVA

Jumlah Kelenjar					
	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	417.792	5	83.558	12.749	.000
Within Groups	157.300	24	6.554		
Total	575.092	29			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Jumlah Kelenjar
LSD

(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Kontrol Negatif	Kontrol Positif	-11.7000*	1.61916	.000	-15.0418	-8.3582
	Kontrol Normal	-3.35000*	1.61916	.049	-6.6918	-.0082
	100 mg	-4.85000*	1.61916	.006	-8.1918	-1.5082
	200 mg	-4.30000*	1.61916	.014	-7.6418	-.9582
	400 mg	-8.40000*	1.61916	.000	-11.7418	-5.0582
Kontrol Positif	Kontrol Negatif	11.70000*	1.61916	.000	8.3582	15.0418
	Kontrol Normal	8.35000*	1.61916	.000	5.0082	11.6918
	100 mg	6.85000*	1.61916	.000	3.5082	10.1918
	200 mg	7.40000*	1.61916	.000	4.0582	10.7418
	400 mg	3.30000	1.61916	.053	-.0418	6.6418
Kontrol Normal	Kontrol Negatif	3.35000*	1.61916	.049	.0082	6.6918
	Kontrol Positif	-8.35000*	1.61916	.000	-11.6918	-5.0082
	100 mg	-1.50000	1.61916	.363	-4.8418	1.8418
	200 mg	-.95000	1.61916	.563	-4.2918	2.3918
	400 mg	-5.05000*	1.61916	.005	-8.3918	-1.7082
100 mg	Kontrol Negatif	4.85000*	1.61916	.006	1.5082	8.1918
	Kontrol Positif	-6.85000*	1.61916	.000	-10.1918	-3.5082
	Kontrol Normal	1.50000	1.61916	.363	-1.8418	4.8418
	200 mg	.55000	1.61916	.737	-2.7918	3.8918
	400 mg	-3.55000*	1.61916	.038	-6.8918	-.2082
200 mg	Kontrol Negatif	4.30000*	1.61916	.014	.9582	7.6418
	Kontrol Positif	-7.40000*	1.61916	.000	-10.7418	-4.0582
	Kontrol Normal	.95000	1.61916	.563	-2.3918	4.2918
	100 mg	-.55000	1.61916	.737	-3.8918	2.7918
	400 mg	-4.10000*	1.61916	.018	-7.4418	-.7582
400 mg	Kontrol Negatif	8.40000*	1.61916	.000	5.0582	11.7418
	Kontrol Positif	-3.30000	1.61916	.053	-6.6418	.0418
	Kontrol Normal	5.05000*	1.61916	.005	1.7082	8.3918
	100 mg	3.55000*	1.61916	.038	.2082	6.8918
	200 mg	4.10000*	1.61916	.018	.7582	7.4418

*. The mean difference is significant at the .05 level.

Explore

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Diameter Kelenjar	.135	29	.188	.968	29	.498

a. Lilliefors Significance Correction

Oneway

Descriptives

Diameter Kelenjar									
	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum	
					Lower Bound	Upper Bound			
Kontrol Negatif	4	28.8188	8.05039	4.02519	16.0088	41.6287	20.52	39.68	
Kontrol Positif	5	46.2745	11.98346	5.35917	31.3951	61.1540	30.72	61.21	
Kontrol Normal	5	43.2681	7.40930	3.31354	34.0682	52.4680	31.70	51.33	
100 mg	5	41.6614	5.85037	2.61636	34.3972	48.9256	33.82	47.00	
200 mg	5	43.0084	5.09748	2.27966	36.6791	49.3378	37.32	50.75	
400 mg	5	46.0615	1.84367	.82451	43.7723	48.3507	44.02	48.55	
Total	29	41.9533	8.71232	1.61784	38.6393	45.2673	20.52	61.21	

ANOVA

Diameter Kelenjar					
	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	882.453	5	176.491	3.266	.023
Within Groups	1242.871	23	54.038		
Total	2125.324	28			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Diameter Kelenjar

LSD

(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Kontrol Negatif	Kontrol Positif	-17.45578*	4.93123	.002	-27.6568	-7.2548
	Kontrol Normal	-14.44936*	4.93123	.008	-24.6504	-4.2483
	100 mg	-12.84264*	4.93123	.016	-23.0437	-2.6416
	200 mg	-14.18969*	4.93123	.009	-24.3907	-3.9887
	400 mg	-17.24272*	4.93123	.002	-27.4438	-7.0417
Kontrol Positif	Kontrol Negatif	17.45578*	4.93123	.002	7.2548	27.6568
	Kontrol Normal	3.00642	4.64921	.524	-6.6112	12.6240
	100 mg	4.61315	4.64921	.331	-5.0045	14.2308
	200 mg	3.26609	4.64921	.489	-6.3515	12.8837
	400 mg	.21306	4.64921	.964	-9.4046	9.8307
Kontrol Normal	Kontrol Negatif	14.44936*	4.93123	.008	4.2483	24.6504
	Kontrol Positif	-3.00642	4.64921	.524	-12.6240	6.6112
	100 mg	1.60672	4.64921	.733	-8.0109	11.2243
	200 mg	.25967	4.64921	.956	-9.3580	9.8773
	400 mg	-2.79336	4.64921	.554	-12.4110	6.8243
100 mg	Kontrol Negatif	12.84264*	4.93123	.016	2.6416	23.0437
	Kontrol Positif	-4.61315	4.64921	.331	-14.2308	5.0045
	Kontrol Normal	-1.60672	4.64921	.733	-11.2243	8.0109
	200 mg	-1.34706	4.64921	.775	-10.9647	8.2706
	400 mg	-4.40009	4.64921	.354	-14.0177	5.2175
200 mg	Kontrol Negatif	14.18969*	4.93123	.009	3.9887	24.3907
	Kontrol Positif	-3.26609	4.64921	.489	-12.8837	6.3515
	Kontrol Normal	-.25967	4.64921	.956	-9.8773	9.3580
	100 mg	1.34706	4.64921	.775	-8.2706	10.9647
	400 mg	-3.05303	4.64921	.518	-12.6707	6.5646
400 mg	Kontrol Negatif	17.24272*	4.93123	.002	7.0417	27.4438
	Kontrol Positif	-.21306	4.64921	.964	-9.8307	9.4046
	Kontrol Normal	2.79336	4.64921	.554	-6.8243	12.4110
	100 mg	4.40009	4.64921	.354	-5.2175	14.0177
	200 mg	3.05303	4.64921	.518	-6.5646	12.6707

*. The mean difference is significant at the .05 level.

Explore

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Lebar Epitel Kelenjar	.105	29	.200*	.979	29	.814

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Oneway

Descriptives

Lebar Epitel Kelenjar

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
Kontrol Negatif	4	11.4544	3.35846	1.67923	6.1103	16.7984	9.11	16.40
Kontrol Positif	5	14.0339	.67204	.30054	13.1995	14.8683	13.36	14.79
Kontrol Normal	5	13.9003	1.57858	.70596	11.9402	15.8604	11.68	15.62
100 mg	5	14.4236	1.90985	.85411	12.0523	16.7950	12.90	17.72
200 mg	5	14.8520	2.49000	1.11356	11.7603	17.9438	12.43	18.60
400 mg	5	14.7754	1.71161	.76545	12.6502	16.9007	12.72	16.94
Total	29	13.9912	2.15662	.40047	13.1708	14.8115	9.11	18.60

ANOVA

Lebar Epitel Kelenjar

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	33.508	5	6.702	1.594	.202
Within Groups	96.721	23	4.205		
Total	130.229	28			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Lebar Epitel Kelenjar

LSD

(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Kontrol Negatif	Kontrol Positif	-2.57952	1.37563	.074	-5.4252	.2662
	Kontrol Normal	-2.44593	1.37563	.089	-5.2916	.3998
	100 mg	-2.96927*	1.37563	.042	-5.8150	-.1236
	200 mg	-3.39765*	1.37563	.021	-6.2434	-.5519
	400 mg	-3.32107*	1.37563	.024	-6.1668	-.4754
Kontrol Positif	Kontrol Negatif	2.57952	1.37563	.074	-.2662	5.4252
	Kontrol Normal	.13360	1.29696	.919	-2.5494	2.8166
	100 mg	-.38975	1.29696	.766	-3.0727	2.2932
	200 mg	-.81813	1.29696	.534	-3.5011	1.8648
	400 mg	-.74154	1.29696	.573	-3.4245	1.9414
Kontrol Normal	Kontrol Negatif	2.44593	1.37563	.089	-.3998	5.2916
	Kontrol Positif	-.13360	1.29696	.919	-2.8166	2.5494
	100 mg	-.52335	1.29696	.690	-3.2063	2.1596
	200 mg	-.95173	1.29696	.470	-3.6347	1.7312
	400 mg	-.87514	1.29696	.507	-3.5581	1.8078
100 mg	Kontrol Negatif	2.96927*	1.37563	.042	.1236	5.8150
	Kontrol Positif	.38975	1.29696	.766	-2.2932	3.0727
	Kontrol Normal	.52335	1.29696	.690	-2.1596	3.2063
	200 mg	-.42838	1.29696	.744	-3.1113	2.2546
	400 mg	-.35180	1.29696	.789	-3.0348	2.3312
200 mg	Kontrol Negatif	3.39765*	1.37563	.021	.5519	6.2434
	Kontrol Positif	.81813	1.29696	.534	-1.8648	3.5011
	Kontrol Normal	.95173	1.29696	.470	-1.7312	3.6347
	100 mg	.42838	1.29696	.744	-2.2546	3.1113
	400 mg	.07658	1.29696	.953	-2.6064	2.7595
400 mg	Kontrol Negatif	3.32107*	1.37563	.024	.4754	6.1668
	Kontrol Positif	.74154	1.29696	.573	-1.9414	3.4245
	Kontrol Normal	.87514	1.29696	.507	-1.8078	3.5581
	100 mg	.35180	1.29696	.789	-2.3312	3.0348
	200 mg	-.07658	1.29696	.953	-2.7595	2.6064

*. The mean difference is significant at the .05 level.