

# KUAT TARIK


## Parameter table:

Headline	: KUAT TARIK	Evaluat. method	: M (Automatic A, B or C)
Customer	: 1406/LUPKKP-PLASTIK/VII/18	Specimen holders:	
Tester	: L.TRIYONO	Extensometer	:
Material	: SPECIMEN 3D PRINTING	Load cell	:
Test standard	: ASTM D 638		

## Results:

Legends	Nr	Fmax Lm kgf	Measurement travel end mm
<span style="display:inline-block; width:15px; height:15px; background-color:darkred;"></span>	1	18,068	61,63
<span style="display:inline-block; width:15px; height:15px; background-color:darkgreen;"></span>	2	17,052	57,08
<span style="display:inline-block; width:15px; height:15px; background-color:darkblue;"></span>	3	15,559	56,98

## Series graph:



## Statistics:

Series	Fmax Lm kgf	Measurement travel end mm
n = 3		
$\bar{x}$	16,893	58,56
s	1,262	2,65
v	7,47	4,53

# KUAT TARIK


## Parameter table:

Headline	: KUAT TARIK	Evaluat. method	: M (Automatic A, B or C)
Customer	: 1407/LUPKKP-PLASTIK/VII/18	Specimen holders:	
Tester	: L.TRIYONO	Extensometer	:
Material	: SPECIMEN 3D PRINTING	Load cell	:
Test standard	: ASTM D 638		

## Results:

Legends	Nr	Fmax Lm kgf	Measurement travel end mm
<span style="display:inline-block; width:15px; height:15px; background-color:darkred;"></span>	1	19,197	66,20
<span style="display:inline-block; width:15px; height:15px; background-color:green;"></span>	2	18,599	69,76
<span style="display:inline-block; width:15px; height:15px; background-color:blue;"></span>	3	18,605	70,05

## Series graph:



## Statistics:

Series	Fmax Lm kgf	Measurement travel end mm
n = 3		
$\bar{x}$	18,800	68,67
s	0,344	2,15
v	1,83	3,12

# KUAT TARIK


## Parameter table:

Headline	: KUAT TARIK	Evaluat. method	: M (Automatic A, B or C)
Customer	: 1408/LUPKKP-PLASTIK/VII/18	Specimen holders:	
Tester	: L.TRIYONO	Extensometer	:
Material	: SPECIMEN 3D PRINTING	Load cell	:
Test standard	: ASTM D 638		

## Results:

Legends	Nr	Fmax Lm kgf	Measurement travel end mm
<span style="display:inline-block; width:15px; height:15px; background-color:darkred;"></span>	1	17,492	64,58
<span style="display:inline-block; width:15px; height:15px; background-color:green;"></span>	2	14,825	52,33
<span style="display:inline-block; width:15px; height:15px; background-color:blue;"></span>	3	16,248	64,88

## Series graph:



## Statistics:




Series	Fmax Lm kgf	Measurement travel end mm
n = 3		
$\bar{x}$	16,188	60,60
s	1,334	7,16
v	8,24	11,81

# KUAT TARIK


## Parameter table:

Headline	: KUAT TARIK	Evaluat. method	: M (Automatic A, B or C)
Customer	: 1408/LUPKKP-PLASTIK/VII/18	Specimen holders:	
Tester	: L.TRIYONO	Extensometer	:
Material	: SPECIMEN 3D PRINTING	Load cell	:
Test standard	: ASTM D 638		

## Results:


Legends	Nr	Fmax Lm kgf	Measurement travel end mm
	1	18,260	71,32
	2	17,996	66,68
	3	17,986	72,54

## Series graph:




## Statistics:

Series n = 3	Fmax Lm kgf	Measurement travel end mm
$\bar{x}$	18,081	70,18
s	0,156	3,09
v	0,86	4,40




**TABLE 8**  
Percentage points of the  $F$  distribution ( $df_2$  between 1 and 6)

$df_2$	$\alpha$	$df_1$									
		1	2	3	4	5	6	7	8	9	10
<b>1</b>	.25	5.83	7.50	8.20	8.58	8.82	8.98	9.10	9.19	9.26	9.32
	.10	39.86	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86	60.19
	.05	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9
	.025	647.8	799.5	864.2	899.6	921.8	937.1	948.2	956.7	963.3	968.6
	.01	4052	5000	5403	5625	5764	5859	5928	5981	6022	6056
<b>2</b>	.25	2.57	3.00	3.15	3.23	3.28	3.31	3.34	3.35	3.37	3.38
	.10	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38	9.39
	.05	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40
	.025	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39	39.40
	.01	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40
	.005	198.5	199.0	199.2	199.2	199.3	199.3	199.4	199.4	199.4	199.4
.001	998.5	999.0	999.2	999.2	999.3	999.3	999.4	999.4	999.4	999.4	
<b>3</b>	.25	2.02	2.28	2.36	2.39	2.41	2.42	2.43	2.44	2.44	2.44
	.10	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24	5.23
	.05	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79
	.025	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47	14.42
	.01	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23
	.005	55.55	49.80	47.47	46.19	45.39	44.84	44.43	44.13	43.88	43.69
	.001	167.0	148.5	141.1	137.1	134.6	132.8	131.6	130.6	129.9	129.2
<b>4</b>	.25	1.81	2.00	2.05	2.06	2.07	2.08	2.08	2.08	2.08	2.08
	.10	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94	3.92
	.05	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96
	.025	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90	8.84
	.01	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.55
	.005	31.33	26.28	24.26	23.15	22.46	21.97	21.62	21.35	21.14	20.97
	.001	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.47	48.05
<b>5</b>	.25	1.69	1.85	1.88	1.89	1.89	1.89	1.89	1.89	1.89	1.89
	.10	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	3.30
	.05	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74
	.025	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	6.62
	.01	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05
	.005	22.78	18.31	16.53	15.56	14.94	14.51	14.20	13.96	13.77	13.62
	.001	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	27.24	26.92
<b>6</b>	.25	1.62	1.76	1.78	1.79	1.79	1.78	1.78	1.78	1.77	1.77
	.10	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	2.94
	.05	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06
	.025	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	5.46
	.01	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87
	.005	18.63	14.54	12.92	12.03	11.46	11.07	10.79	10.57	10.39	10.25
	.001	35.51	27.00	23.70	21.92	20.80	20.03	19.46	19.03	18.69	18.41




**TABLE 8**  
Percentage points of the  $F$  distribution ( $df_2$  between 7 and 12)

$df_2$	$\alpha$	$df_1$									
		1	2	3	4	5	6	7	8	9	10
<b>7</b>	.25	1.57	1.70	1.72	1.72	1.71	1.71	1.70	1.70	1.69	1.69
	.10	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	2.70
	.05	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64
	.025	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	4.76
	.01	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62
	.005	16.24	12.40	10.88	10.05	9.52	9.16	8.89	8.68	8.51	8.38
	.001	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.33	14.08
<b>8</b>	.25	1.54	1.66	1.67	1.66	1.66	1.65	1.64	1.64	1.63	1.63
	.10	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	2.54
	.05	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35
	.025	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36	4.30
	.01	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81
	.005	14.69	11.04	9.60	8.81	8.30	7.95	7.69	7.50	7.34	7.21
	.001	25.41	18.49	15.83	14.39	13.48	12.86	12.40	12.05	11.77	11.54
<b>9</b>	.25	1.51	1.62	1.63	1.63	1.62	1.61	1.60	1.60	1.59	1.59
	.10	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44	2.42
	.05	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14
	.025	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03	3.96
	.01	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26
	.005	13.61	10.11	8.72	7.96	7.47	7.13	6.88	6.69	6.54	6.42
	.001	22.86	16.39	13.90	12.56	11.71	11.13	10.70	10.37	10.11	9.89
<b>10</b>	.25	1.49	1.60	1.60	1.59	1.59	1.58	1.57	1.56	1.56	1.55
	.10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32
	.05	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98
	.025	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78	3.72
	.01	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85
	.005	12.83	9.43	8.08	7.34	6.87	6.54	6.30	6.12	5.97	5.85
	.001	21.04	14.91	12.55	11.28	10.48	9.93	9.52	9.20	8.96	8.75
<b>11</b>	.25	1.47	1.58	1.58	1.57	1.56	1.55	1.54	1.53	1.53	1.52
	.10	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25
	.05	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85
	.025	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59	3.53
	.01	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54
	.005	12.23	8.91	7.60	6.88	6.42	6.10	5.86	5.68	5.54	5.42
	.001	19.69	13.81	11.56	10.35	9.58	9.05	8.66	8.35	8.12	7.92
<b>12</b>	.25	1.46	1.56	1.56	1.55	1.54	1.53	1.52	1.51	1.51	1.50
	.10	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19
	.05	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75
	.025	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	3.37
	.01	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30
	.005	11.75	8.51	7.23	6.52	6.07	5.76	5.52	5.35	5.20	5.09
	.001	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.48	7.29



**TABLE 8**  
Percentage points of the  $F$  distribution ( $df_2$  between 13 and 18)

$df_2$	$\alpha$	$df_1$									
		1	2	3	4	5	6	7	8	9	10
<b>13</b>	.25	1.45	1.55	1.55	1.53	1.52	1.51	1.50	1.49	1.49	1.48
	.10	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	2.14
	.05	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67
	.025	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31	3.25
	.01	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10
	.005	11.37	8.19	6.93	6.23	5.79	5.48	5.25	5.08	4.94	4.82
	.001	17.82	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.98	6.80
<b>14</b>	.25	1.44	1.53	1.53	1.52	1.51	1.50	1.49	1.48	1.47	1.46
	.10	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10
	.05	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60
	.025	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21	3.15
	.01	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94
	.005	11.06	7.92	6.68	6.00	5.56	5.26	5.03	4.86	4.72	4.60
	.001	17.14	11.78	9.73	8.62	7.92	7.44	7.08	6.80	6.58	6.40
<b>15</b>	.25	1.43	1.52	1.52	1.51	1.49	1.48	1.47	1.46	1.46	1.45
	.10	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06
	.05	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54
	.025	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	3.06
	.01	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80
	.005	10.80	7.70	6.48	5.80	5.37	5.07	4.85	4.67	4.54	4.42
	.001	16.59	11.34	9.34	8.25	7.57	7.09	6.74	6.47	6.26	6.08
<b>16</b>	.25	1.42	1.51	1.51	1.50	1.48	1.47	1.46	1.45	1.44	1.44
	.10	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	2.03
	.05	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49
	.025	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05	2.99
	.01	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69
	.005	10.58	7.51	6.30	5.64	5.21	4.91	4.69	4.52	4.38	4.27
	.001	16.12	10.97	9.01	7.94	7.27	6.80	6.46	6.19	5.98	5.81
<b>17</b>	.25	1.42	1.51	1.50	1.49	1.47	1.46	1.45	1.44	1.43	1.43
	.10	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	2.00
	.05	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45
	.025	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98	2.92
	.01	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59
	.005	10.38	7.35	6.16	5.50	5.07	4.78	4.56	4.39	4.25	4.14
	.001	15.72	10.66	8.73	7.68	7.02	6.56	6.22	5.96	5.75	5.58
<b>18</b>	.25	1.41	1.50	1.49	1.48	1.46	1.45	1.44	1.43	1.42	1.42
	.10	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.98
	.05	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41
	.025	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93	2.87
	.01	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51
	.005	10.22	7.21	6.03	5.37	4.96	4.66	4.44	4.28	4.14	4.03
	.001	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.56	5.39




**TABLE 8**  
Percentage points of the  $F$  distribution ( $df_2$  between 19 and 24)

$df_2$	$\alpha$	$df_1$									
		1	2	3	4	5	6	7	8	9	10
<b>19</b>	.25	1.41	1.49	1.49	1.47	1.46	1.44	1.43	1.42	1.41	1.41
	.10	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98	1.96
	.05	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38
	.025	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88	2.82
	.01	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43
	.005	10.07	7.09	5.92	5.27	4.85	4.56	4.34	4.18	4.04	3.93
	.001	15.08	10.16	8.28	7.27	6.62	6.18	5.85	5.59	5.39	5.22
<b>20</b>	.25	1.40	1.49	1.48	1.47	1.45	1.44	1.43	1.42	1.41	1.40
	.10	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94
	.05	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35
	.025	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84	2.77
	.01	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37
	.005	9.94	6.99	5.82	5.17	4.76	4.47	4.26	4.09	3.96	3.85
	.001	14.82	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24	5.08
<b>21</b>	.25	1.40	1.48	1.48	1.46	1.44	1.43	1.42	1.41	1.40	1.39
	.10	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95	1.92
	.05	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32
	.025	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80	2.73
	.01	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31
	.005	9.83	6.89	5.73	5.09	4.68	4.39	4.18	4.01	3.88	3.77
	.001	14.59	9.77	7.94	6.95	6.32	5.88	5.56	5.31	5.11	4.95
<b>22</b>	.25	1.40	1.48	1.47	1.45	1.44	1.42	1.41	1.40	1.39	1.39
	.10	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	1.90
	.05	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30
	.025	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76	2.70
	.01	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26
	.005	9.73	6.81	5.65	5.02	4.61	4.32	4.11	3.94	3.81	3.70
	.001	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.99	4.83
<b>23</b>	.25	1.39	1.47	1.47	1.45	1.43	1.42	1.41	1.40	1.39	1.38
	.10	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92	1.89
	.05	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27
	.025	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.73	2.67
	.01	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21
	.005	9.63	6.73	5.58	4.95	4.54	4.26	4.05	3.88	3.75	3.64
	.001	14.20	9.47	7.67	6.70	6.08	5.65	5.33	5.09	4.89	4.73
<b>24</b>	.25	1.39	1.47	1.46	1.44	1.43	1.41	1.40	1.39	1.38	1.38
	.10	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	1.88
	.05	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25
	.025	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70	2.64
	.01	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17
	.005	9.55	6.66	5.52	4.89	4.49	4.20	3.99	3.83	3.69	3.59
	.001	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80	4.64



**TABLE 8**

Percentage points of the  $F$  distribution ( $df_2$  between 25 and 30)



$df_2$	$\alpha$	$df_1$									
		1	2	3	4	5	6	7	8	9	10
<b>25</b>	.25	1.39	1.47	1.46	1.44	1.42	1.41	1.40	1.39	1.38	1.37
	.10	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89	1.87
	.05	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24
	.025	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68	2.61
	.01	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13
	.005	9.48	6.60	5.46	4.84	4.43	4.15	3.94	3.78	3.64	3.54
	.001	13.88	9.22	7.45	6.49	5.89	5.46	5.15	4.91	4.71	4.56
<b>26</b>	.25	1.38	1.46	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.37
	.10	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	1.86
	.05	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22
	.025	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65	2.59
	.01	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09
	.005	9.41	6.54	5.41	4.79	4.38	4.10	3.89	3.73	3.60	3.49
	.001	13.74	9.12	7.36	6.41	5.80	5.38	5.07	4.83	4.64	4.48
<b>27</b>	.25	1.38	1.46	1.45	1.43	1.42	1.40	1.39	1.38	1.37	1.36
	.10	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	1.85
	.05	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20
	.025	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.63	2.57
	.01	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06
	.005	9.34	6.49	5.36	4.74	4.34	4.06	3.85	3.69	3.56	3.45
	.001	13.61	9.02	7.27	6.33	5.73	5.31	5.00	4.76	4.57	4.41
<b>28</b>	.25	1.38	1.46	1.45	1.43	1.41	1.40	1.39	1.38	1.37	1.36
	.10	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87	1.84
	.05	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19
	.025	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.61	2.55
	.01	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03
	.005	9.28	6.44	5.32	4.70	4.30	4.02	3.81	3.65	3.52	3.41
	.001	13.50	8.93	7.19	6.25	5.66	5.24	4.93	4.69	4.50	4.35
<b>29</b>	.25	1.38	1.45	1.45	1.43	1.41	1.40	1.38	1.37	1.36	1.35
	.10	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86	1.83
	.05	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18
	.025	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.59	2.53
	.01	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00
	.005	9.23	6.40	5.28	4.66	4.26	3.98	3.77	3.61	3.48	3.38
	.001	13.39	8.85	7.12	6.19	5.59	5.18	4.87	4.64	4.45	4.29
<b>30</b>	.25	1.38	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.36	1.35
	.10	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85	1.82
	.05	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16
	.025	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57	2.51
	.01	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98
	.005	9.18	6.35	5.24	4.62	4.23	3.95	3.74	3.58	3.45	3.34
	.001	13.29	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39	4.24

Source: Computed by P. J. Hildebrand.