

DAFTAR PUSTAKA

- Alene, K.A., Clements, A.C.A., McBryde, E.S., Jaramillo, E., Lönnroth, K., Shaweno, D., Gulliver, A., Viney, K., 2018. Mental health disorders, social stressors, and health-related quality of life in patients with multidrug-resistant Tuberkulosis: A systematic review and meta-analysis. *J. Infect.* 77, 357–367. <https://doi.org/10.1016/j.jinf.2018.07.007>
- Arikunto, Suharsimi, 2006. *Manajemen Penelitian*. Jakarta: Rineka Cipta.
- Courtwright, A., Turner, A.N., 2010. Tuberkulosis and stigmatization: pathways and interventions. *Public Health Rep. Wash. DC* 1974 125 Suppl 4, 34–42. doi:10.1177/00333549101250S407
- Dos Santos, A.P.C., Lazzari, T.K., Silva, D.R., 2017. Health-Related Quality of Life, Depression and Anxiety in Hospitalized Patients with Tuberkulosis. *Tuberc. Respir. Dis.* 80, 69–76. doi:10.4046/trd.2017.80.1.69
- Global Tuberkulosis Report 2015, 2016. . World Health Organization.
- Harling, G., Lima Neto, A.S., Sousa, G.S., Machado, M.M.T., Castro, M.C., 2017. Determinants of Tuberkulosis transmission and treatment abandonment in Fortaleza, Brazil. *BMC Public Health* 17, 508. doi:10.1186/s12889-017-4435-0
- Ige, O.M., Lasebikan, V.O., 2011. Prevalence of depression in Tuberkulosis patients in comparison with non-Tuberkulosis family contacts visiting the DOTS clinic in a Nigerian tertiary care hospital and its correlation with disease pattern. *Ment. Health Fam. Med.* 8, 235–241.
- Kehbila, J., Ekabe, C.J., Aminde, L.N., Noubiap, J.J.N., Fon, P.N., Monekosso, G.L., 2016. Prevalence and correlates of depressive symptoms in adult patients with pulmonary Tuberkulosis in the Southwest Region of Cameroon. *Infect. Dis. Poverty* 5, 51. doi:10.1186/s40249-016-0145-6
- Kipp, A.M., Pungrassami, P., Nilmanat, K., Sengupta, S., Poole, C., Strauss, R.P., Chongsuvivatwong, V., Van Rie, A., 2011. Socio-demographic and AIDS-related faktors associated with Tuberkulosis stigma in southern Thailand: a quantitative, cross-sectional study of stigma among patients with TB and healthy community members. *BMC Public Health* 11, 675. doi:10.1186/1471-2458-11-675
- Maslim Sp.KJ, M.Kes, D.R., 2013. *Diagnosis Gangguan Jiwa, Rujukan Ringkas PPDGJ-III dan DSM-5*, 2nd ed. PT. Nuh Jaya, Jakarta.
- Mayasari, N.N.W.T., 2013. *Gambaran Umum Depresi*.

- Nurkhalesa, S., 2014. PENGARUH LAMANYA MENDERITA TUBERKULOSIS PARU TERHADAP TINGKAT DEPRESI PADA PASIEN DI PUSKESMAS SUMBERSARI KABUPATEN JEMBER.
- Okanurak, K., Kitayaporn, D., Wanarangsikul, W., Koompong, C., 2007. Effectiveness of DOT for Tuberculosis treatment outcomes: a prospective cohort study in Bangkok, Thailand. *Int. J. Tuberc. Lung Dis. Off. J. Int. Union Tuberc. Lung Dis.* 11, 762–768.
- Out, A.A., 2013. Is the directly observed therapy short course (DOTS) an effective strategy for Tuberculosis control in a developing country? *Asian Pac. J. Trop. Dis.* 3, 227–231. doi:10.1016/S2222-1808(13)60045-6
- Pedoman Nasional Pengendalian Tuberkulosis, 2014. . Kementerian Kesehatan Republik Indonesia, Jakarta.
- Peltzer, K., Louw, J., 2014. Prevalence and factors associated with Tuberculosis treatment outcome among hazardous or harmful alcohol users in public primary health care in South Africa. *Afr. Health Sci.* 14, 157–166. doi:10.4314/ahs.v14i1.24
- Perhimpunan Dokter Paru Indonesia, 2006. Pedoman Diagnosis dan Penatalaksanaan TB di Indonesia.
- Profil Kesehatan Indonesia 2015, 2016. . Kementerian Kesehatan Republik Indonesia, Jakarta.
- Qiu, L., Tong, Y., Lu, Z., Gong, Y., Yin, X., 2018. Depressive Symptoms Mediate the Associations of Stigma with Medication Adherence and Quality of Life in Tuberculosis Patients in China. *Am. J. Trop. Med. Hyg.* <https://doi.org/10.4269/ajtmh.18-0324>
- Rahajoe, Nastiti, 2008. Pedoman Nasional Tuberkulosis Anak. Jakarta.
- Sadock, M.D., B.J., Sadock, M.D., V.A., Ruiz, M.D., P., 2014. Kaplan and Sadock's Synopsis of Psychiatry: Behavioral Sciences/Clinical Psychiatry, 11.
- Second Generation Antidepressants for Pediatric Patients with Major Depressive Disorder and Anxiety Disorder: A Review of the Clinical Effectiveness and Safety, 2015. , CADTH Rapid Response Reports. Canadian Agency for Drugs and Technologies in Health, Ottawa (ON).
- Sotgiu, G., Sulis, G., Matteelli, A., 2017. Tuberculosis-a World Health Organization Perspective. *Microbiol. Spectr.* 5. doi:10.1128/microbiolspec.TNMI7-0036-2016

- Sugiyono, 2012. *Metode Penelitian Pendidikan (pendekatan kuantitatif, kualitatif, dan R&D)*. Alfabeta, Bandung.
- Suryani, S., Widiyanti, E., Widiyanti, E., Hernawati, T., Hernawati, T., Sriati, A., Sriati, A., 2016. The effectiveness of psycho education towards depression, anxiety and stress level of patients with pulmonary Tuberculosis. *J. Ners* 11, 128–133.
- Sweetland, A., Oquendo, M., Wickramaratne, P., Weissman, M., Wainberg, M., 2014. Depression: a silent driver of the global Tuberculosis epidemic. *World Psychiatry Off. J. World Psychiatr. Assoc. WPA* 13, 325–326. doi:10.1002/wps.20134
- Ugarte-Gil, C., Ruiz, P., Zamudio, C., Canaza, L., Otero, L., Kruger, H., Seas, C., 29 Jul 13. Association of Major Depressive Episode with Negative Outcomes of Tuberculosis Treatment. *PLOS ONE* 8, e69514. doi:10.1371/journal.pone.0069514
- Wang, X.-B., Li, X.-L., Zhang, Q., Zhang, J., Chen, H.-Y., Xu, W.-Y., Fu, Y.-H., Wang, Q.-Y., Kang, J., Hou, G., 2018. A Survey of Anxiety and Depressive Symptoms in Pulmonary Tuberculosis Patients With and Without Tracheobronchial Tuberculosis. *Front. Psychiatry* 9, 308. <https://doi.org/10.3389/fpsy.2018.00308>
- WHO | Global Tuberculosis report 2018 [WWW Document], n.d. . WHO. URL http://www.who.int/tb/publications/global_report/en/ (accessed 12.9.18).
- WHO | The Stop TB Strategy [WWW Document], n.d. . WHO. URL http://www.who.int/tb/strategy/stop_tb_strategy/en/ (accessed 6.1.17).
- Xu, K., Ding, C., Mangan, C.J., Li, Y., Ren, J., Yang, S., Wang, B., Ruan, B., Sheng, J., Li, L., 2017. Tuberculosis in China: A longitudinal predictive model of the general population and recommendations for achieving WHO goals. *Respirol. Carlton Vic*. doi:10.1111/resp.13078