

DAFTAR PUSTAKA

- Amiot, M.J., Tacchini, M., Aubert, S., and Nicolas, J. 1992. Phenolic composition and browning susceptibility of various apple cultivars at maturity. *J. Food Sci.*, 57: 958–962.
- Ana, Ayu P. 2018. Skripsi : Pengaruh Berbagai Konsentrasi dan Waktu Perendaman L-Arginin terhadap Penghambatan Browning pada Buah Potong Segar Apel Manalagi (*Malus sylvestris* mill). Fakultas Pertanian. Universitas Muhammadiyah Yogyakarta. 24 – 27 hal.
- Andreas, L.K., M. Astawan, 2008. Khasiat warna-warni makanan. Jakarta : PT. Gramedia Pustaka Utama.
- Arias E., López-Buesa P., Oria R. 2009. Extension of fresh-cut “Blanquilla” pear (*Pyrus communis* L.) shelflife by 1-MCP treatment after harvest. *Postharvest Biology and Technology*, 54 : p.53–58.
- Arnon, H., Granit, R., Porat, R., & Poverenov, E. 2015. Development of Polysaccharides-Based Edible coating for Citrus Fruits: a layer-by-layer Approach. *Food Chemistry*, pp166.
- Arrum, Nugraheni. 2017. Pengaruh Pemberian Edible Coating CMC Diperkaya Minyak Atsiri Daun Sirih dan Lemon sebagai Anti Mikroba untuk Memperpanjang Umur Simpan Fresh-Cut Apel Manalagi (*Malus sylvestris Mill*). <http://repository. umy.ac.id/handle/123456789/17355>. Diakses pada 23 Februari 2019.
- Asgar, A. 2017. Pengaruh Suhu Penyimpanan dan Jumlah Perforasi Kemasan terhadap Karakteristik Fisik dan Kimia Brokoli (*Brassica oleracea* Var. Royal G) Fresh-Cut. <http://ejurnal.litbang.pertanian.go.id/index.php/jhort/article/download/7453/6585>. Diakses pada 10 Februari 2018.
- Aydin B., G. Ihlami dan Saleh H.A. 2015. Purification and Characterization of Polyphenol Oxidase from Hemşin Apple (*Malus communis* L.). <http://www.tandfonline.com/loi/ljfp20>. Diakses pada 6 Januari 2019.
- Baldwin, E.A., Nisperos-Carriedo, M.O., R.A. Baker. 1995. Edible Coatings for Lightly Processed Fruits and Vegetables. hortsci.ashpublications.org/content/30/1/35.full.pdf . Diakses pada 11 Februari 2018.
- Baldwin, Elizabeth A., Robert Hagenmaier dan Jinhe Bai. 2012. Edible Coating and Film to Improve Food Quality. CRC Press : United State of America.
- Ball J.A. 1997. Evaluation of two lipid-based edible coatings for their ability to preserve post harvest quality of green bell peppers. A thesis of Master of Science in Human Nutrition, Foods, and Exercise. Virginia State University, Polytechnic Institute. p. 89.

- Bertuzzi, M.A., Castro, V.E.F., Armada, M. and Gottifredi, J.C., 2007. Water Vapor Permeability of Edible Starch Based Films. *Journal of FoodEngineering*, 80, pp. 972-978
- Bono, A., Ying, P.H., Yan, F.Y., Muei, C.L., Sarbatly, R. And Krishnaiah, D. 2009. Synthesis and Characterization of Carboxymethyl Cellulose from Palm Kernel Cake. *Advances in Natural and Applied Sciences*, 3 (1), pp.5-11.
- BPS. 2017. Statistik Tanaman Buah-buahan dan Sayuran Tahunan Indonesia 2016. <https://www.bps.go.id/publication/2017/10/02/b14ce70bee6d59581e8640fe/statistik-tanaman-buah-buahan-dan-sayuran-tahunan-indonesia-2016.html>. Diakses pada 10 Februari 2018.
- Cai C., Xu C., Li X., Ferguson I., Chen K. 2006. Accumulation of lignin in relation to change in activities of lignification enzymes in loquat fruit flesh after harvest. *Postharvest Biology and Technology*, 40: 163–169.
- Carvalho, R.L., Cabral M.F., Germano T.A., Brasil I.M., Gallao M.I., Moura C.F.H., Lopes, M.M.A., and Maria R.A.M. 2016. Chitosan Coating with Trans-Cinnamaldehyde Improves Structural Integrity and Antioxidant Metabolism of Fresh-Cut Melon. *Postharvest Biology and Technology*, 113, pp.29–39.
- Chang, W.H. & Hwang, Y.J. (1990). Effect of ethylene treatment on the ripening, polyphenol oxidase activity and water-soluble tannin content of Taiwan northern banana at different maturity stages and the stability of banana polyphenol oxidase. *Acta Horticulturae*, 275, 603–610
- Chao S., G. Young, C. Oberg, K. Nakaoka. 2008. Inhibition of methicillin-resistant *Staphylococcus aureus* (MRSA) by essential oils. <https://sci-hub.tw/https://doi.org/10.1002/ffj.1904>. Diakses pada 8 Januari 2019.
- Chiabrando, V., Giacalone, G. 2015. Paper Effects of Alginate Edible Coating on Quality and Antioxidant Properties in Sweet Cherry during Postharvest Storage. *Italy J. Food Sci.* 27, 173–180
- Chisari, M., A. Todaro, R.N. Barbagallo and G. Spagna, 2010. Salinity effects on enzymatic browning and antioxidant capacity of fresh-cut baby Romaine lettuce (*Lactuca sativa* L. cv. Duende). *Food Chem.*, 119: 1502-1506.
- Darwis S.N. 1992. Potensi Sirih (*Piper betle* L.) sebagai Tanaman Obat. *Balai Penelitian Tanaman Obat*. Bogor. 1(1). Hal. 9-11.
- Departemen Kesehatan RI. 2017. Konsumsi Buah dan Sayur Susenas Maret 2016 dalam Rangka Hari Gizi Nasional. <http://gizi.depkes.go.id/wp-content/uploads/2017/01/Paparan-BPS-Konsumsi-Buah-Dan-Sayur.pdf>. Diakses pada 10 Februari 2018.

- Donhowe-Irene, G. dan Fennema, O. 1994. Edible films and Coatings:Characteristics, Formation, Definitions, and Testing Methods. Di dalam:Krochta, J.M., Baldwin, E.A., dan Nisperos Carriedo, M.O. (Eds), Edible Coatings and Films to Improve Food Quality. Technomic Publishing Company Inc., Lancaster Pennsylvania, p. 1-24.
- Dyah Hayu Kusumawati, Widya Dwi Rukmi Putri. 2013. Karakteristik Fisik dan Kimia Edible Film Pati Jagung yang Diinkorporasi dengan Perasan Temu Hitam. Universitas Brawijaya. Depok, Malang.
- Edreva A.M., Georgieva I.O., Cholakova N.L. 1989. Pathogenic and Non-Pathogenic Stress Effects on Peroxidases in Leaves of Tobacco. <https://backup.sci-hub.tw/1881/2fd7573b5f85c39e95715264720c3988/edreva1989.pdf>. Diakses pada 29 Desember 2018.
- Erdyawan, Zaky Fadhila F. 2018. Skripsi : Pengaruh Konsentrasi Natrium Metabisulfit ($\text{Na}_2\text{S}_2\text{O}_5$) terhadap Reaksi Pencoklatan dan Aktivitas Enzim Polifenol Oksidase (PPO) pada Fresh-Cut Buah Apel (*Malus sylvestris* Mill.) Varietas Rome Beauty. Fakultas Pertanian. Universitas Muhammadiyah Yogyakarta. 48 – 50 hal.
- Farkas, G.L., . Dezsi, M. Horvath, K. Kisban and J. Unvardy. 1964. Common Pattern of Enzymatic Changes in Detached Leaves and Tissues Attacked by Parasites. *Phytopathol, Zeit.* 49:343 – 354.
- Felipe Q.S.G., Juliana M.M., Wally A. de Oliveira, Fabio S. de Souza, ViniciusN.T., Henrique D.M.C., and Edeltrudes de Oliveira Lima. 2013. Antibacterial activity of the essential oil of Citrus limon against multidrug resistant Acinetobacter strain. *Rev. Bras. Farm. Brazil.* 94 (2): 142-147.
- Gaspar, T., Penel, C., Thorpe, T., Greppin, H., 1982. Peroxidases 1970–1980. A Survey of their Biochemical and Physiological Roles in Higher Plants. University of Geneva, Geneva.
- Gennadios, A. and C.L. Weller. 1990. Edible Films and Coatings from Wheat and Corn Proteins. *Food Technol.* 44(10):63–69
- González-Barrio R., Salmenkallio-Marttila M., Tomás-Barberán F.A., Cantos E., Espín J.C. 2005. Etiology of UVC-induced browning in var. Superior white table grapes. *Journal of Agricultural and Food Chemistry,* 53: 5990–5996.
- Gopinadhan P., Dennis P. M., Avtar K.H., dan S. Lurie. 2008. The Role of Polyphenols in Quality, Postharvest Handling, and Processing of Fruits. *Journal of Postharvest Biology and Technology of Fruits, Vegetables, and Flowers.* 12:260-281.
- Guimarães R., Barros L., Barreira J.C.M., Sousa M.J., Carvalho A.M., Ferreira I.C.F.R. 2010. Targeting excessive free radicals with peels and juices of

- citrus fruits: grapefruit, lemon, lime and orange. Food and Chemical Toxicology. 48: 99-106.
- Hasbullah, R. 2006. Teknologi Pengolahan Minimal. Food Review 1 (10) : 40-45.
- Hermiati, Rusli, Manalu N.Y. Mersi, S.S. 2013. Ekstrak Daun Sirih Hijau dan Merah sebagai Antioksidan pada Minyak Kelapa. <https://jurnal.usu.ac.id/index.php/jtk/article/download/120/1031>. Diakses pada 20 Februari 2018.
- Hertog, M.G., P.C.H. Hollman, and M.B. Katan. 1992. Content of potentially anticarcinogenic flavonoids of 28 vegetables and 9 fruits commonly consumed in the etherlands. Journal. Agr.Food Chem. 40: p2379–2383.
- Himaktyar, E.P. 2017. Kajian Berbagai Minyak Atsiri dalam Edible Coating Berbasis CMC sebagai Antibakteri Fresh-Cut Apel Manalagi (*Malus sylvestris* Mill). <http://repository.umy.ac.id/handle/123456789/15346> . Diakses pada 23 Februari 2018.
- Hiraga S., Sasaki K., Ito H., Osashi Y., H. Matsui. 2001. A Large Family of Class III Plant Peroxidases. <https://moscow.sci-hub.tw/2289/9df6bbbef41326610081da6729ff9994/hiraga2001.pdf>. Diakses pada 25 Desember 2018.
- Hoderbaum D.F. Tomoyuki, K. Tsuyoshi K., Guerra M.P. 2010. Enzymatic Browning, Polyphenol Oxydase Activity, and Polyphenols in Four Apple Cultivars: Dynamics during Fruit Development. HortScience 48(8) : p.1150.
- Hosoda, H., Inoue, E., Iwahashi, Y., Sakaue, K., Tada, M., & Nagata, T. 2005. Inhibitory effect of sulfides on browning of apple slice. Journal of the Japanese Society for Food Science and Technology, 52, 120-124.
- Inayatullah, Seila. Efek Ekstrak Daun Sirih Hijau (*Piper betle* L.) terhadap Pertumbuhan Bakteri *Staphylococcus aurens*. <http://repository.uinjkt.ac.id/dspace/bitstream/123456789/25657/1/Seila%20Inayatullah%20-%20fkik.pdf>. Diakses pada 20 Februari 2018
- Ingham L.M., M.L. Parker and K.W. Waldron. 1998. Peroxidase : Change in Soluble and Bound Forms During Maturation and Ripening of Apple.
- Jawa Pos. 2017. Apel Impor Merajai Pasar. <https://www.pressreader.com/indonesia/jawa-pos/20170425/281758449175605>. Diakses apda 19 Februari 2018.
- Jiang Y. 2004. Advances in understanding of enzymatic browning in harvested litchi fruit. Food Chemistry 88: 443–446.
- Jiang, Y., Miles, P.W. 1993. Generation of H₂O₂ during enzymic oxidation of catechin. Phytochemistry 33, 29–34.

- Kader, F., Haluk, J.P., Nicolas, J.P., and Metche, M. 1998. Degradation of cyanidin-3-glucoside by Blueberry polyphenol oxidase-kinetic studies and mechanisms. *J Agric. Food Chem.*, 46: 3060–3065.
- Kalinowska M., A. Bielawska, H. Lewandowska, W. Priebe, Lewandowski W. 2014. Apples: Content of phenolic compounds vs. variety, part of apple and cultivation model, extraction of phenolic compounds, biological properties. <https://ac.els-cdn.com.ezproxy.ugm.ac.id/S0981942814002873/1-s2.0-S0981942814002873-main.pdf>. Diakses pada 7 Desember 2018.
- Kawaoka A., Kawamoto T., Ohta H., Sekine M., Takano M. And Shinmyo A. 1994a. *Plant Cell Rep.* 13:149 – 154.
- Khadambi. 2007. Extraction of Phenolic Compound and Quantification of the Total Phenol and Condensed Tannin Content of Brand Fraction of Condensed Tannin an Condensed Tannin Free Sorghum Varieties. <http://upetd.up.ac.za/thesis>. Diakses pada 2 April 2018
- Koushesh Saba, M. & Sogvar, O.B., 2016. Combination of Carboxymethyl Cellulose-Based Coatings with Calcium and Ascorbic Acid Impacts in Browning and Quality of Fresh-Cut Apples. *LWT - Food Science and Technology*, 66,pp.165–171. Available at: <http://dx.doi.org/10.1016/j.lwt.2015.10.022>.
- Krochta JM. 1992. Control of Mass Transfer in Food with Edible Coatings and Films di dalam : Singh RP, Wirakartakusumah MA, editor. *Advances in Food Engineering*. CRC Press, USA. Hal.517-538.
- Krochta, J. M. 1994. Proteins as Raw Materials for Films and Coatings: Definitions ,Current Status, and Opportunities. In A. Gennadios (Ed.), *Protein-based Filmsand Coatings* (pp. 1e41). New York: CRC Press.
- Kubo Y., S. Taira, Shinji I., Akira S., dan Takashi T. 1988. Color Development of 4 Apple Cultivars Grown in the Southwest of Japan, with Special Reference to Fruit Bagging. https://www.jstage.jst.go.jp/article/jjshs1925/57/2/57_2_191/_pdf/-char/ja. Diakses pada 7 Januari 2019.
- Kusumo, Surachmat. 1984. APEL. CV. Yasaguna. Bogor. 15 hal.
- Laminkra, O., & Watson, M. A. 2001. Effects of ascorbic acid on peroxidase and polyphenoloxidase activities in fresh-cut cantaloupe melon. *Journal of Food Science*, 66, 1283–1286.
- Lante, A., Tinello, F. & Nicoletto, M., 2016. UV-A light treatment for controlling enzymatic browning of fresh-cut fruits. *Innovative Food Science and Emerging Technologies*, 34, pp.141–147. <http://dx.doi.org/10.1016/j.ifset>. Diakses pada 18 Februari 2018.

- Lata, B., Trampczynska, 400, A., Paczesna, J., 2009. Cultivar variation in apple peel and whole fruit phenolic composition. *Sci. Hortic.* 121, 176–181.
- Leshem YY. 2000. Nitric Oxide in Plants. Occurrence, Function and Use. Kluwer Academic Publishers, Dordrecht.
- Liu R.H. 2003. Health benefits of fruit and vegetables are from additive and synergistic combinations of phytochemicals. *Amererican Journal Clinical Nutrition.* 78 : p. 517–520.
- Liu W., Z. Li-qiang, L. Jun-Ping, L. Cheng-mei, Rui-hong L. 2013. The effect of citric acid on the activity, thermodynamics and conformation of mushroom polyphenoloxidase. <https://dacemirror.sci-hub.tw/journal-article/09978777c0ade714c2dc3bb698051dc3/liu2013.pdf>. Diakses 6 Januari 2019.
- Marshall, M.R., Kim, J., dan Wei, C-I. 2000. Enzymatic Browning in Fruits, Vegetables, and Seafoods. www.fao.org. Diakses pada 10 Februari 2018.
- Martinez, M.V. and Whitaker, J.R. 1995. The biochemistry and control of enzymatic browning. *Trends Food Sci.Technol.*, 6: 195–200.
- Mayer, A. M. 2006. Polyphenol oxidases in plants and fungi: Going places? A review. *Phytochemistry*, 67, 2318–2331.
- Miskiyah, Widyaningrum, C. Winarti. 2015. Edible Coating Berbasis Pati Sagu dengan Penambahan Antimikroba Minyak Sereh pada Paprika: Preferensi Konsumen dan Mutu Vitamin C. <https://media.neliti.com/media/publications/95758-ID-edible-coating-berbasis-pati-sagu-dengan.pdf>. Diakses pada 19 Februari 2018.
- Mousavizadeh S.J., & S. Sedaghathoor. 2011. Apple and Quince Peroxidase Activity in Response to Essential Oils Application. <https://www.ajol.info/index.php/ajb/article/download/96410/85736>. Diakses pada 9 Desember 2018.
- Muchtadi, D. 1992. Fisiologi Pasca Panen Sayuran dan Buah-buahan. Petunjuk Laboratorium. Departemen Pendidikan dan Kebudayaan, DirektoratJenderal Perguruan Tinggi, Pusat Antar Universitas Pangan dan Gizi IPB. Bogor.
- Nisperos-Carriedo, M.O. 1994. Edible coatings and Films Based on Polysaccharides. Di dalam : Krochta, J.M., Baldwin, E.A., dan NisperosCarriedo, M.O. (Eds), *Edible coatings and Films to Improve Food Quality*. Technomic Publishing Company Inc., Lancaster Pennsylvania, p. 305-335.
- Nizhar, Ullyl M. 2012. Level Optimum Sari Buah Lemon (*Citrus limon*) Sebagai Bahan Penggumpal Pada Pembentukan Curd Keju Cottage.

<http://repository.unhas.ac.id/handle/123456789/3030>. Diakses pada 19 Februari 2018

- Nugraheni, A.R. 2017. Pengaruh Pemberian Edible Coating CMC Diperkaya Minyak Atsiri Daun Sirih dan Lemon Sebagai Anti Mikroba untuk Memperpanjang Umur Simpan Fresh-Cut Apel Manalagi (*Malus sylvestris* Mill). <http://repository.umy.ac.id/handle/123456789/17355>. Diakses pada 21 Februari 2018.
- Nurcahyo, I.D, Zubaidah E. 2015. Pengaruh Konsentrasi Carboxymethyl Cellulose sebagai Edible Coating dan Suhu Pengeringan terhadap Sifat Fisik dan Kimia Wortel Kering Instan. <http://jpa.ub.ac.id/index.php/jpa/article/download/242/251> . Diakses pada 18 Februari 2018.
- Oktarina Husain. 2017. Anti-Browning Material Characterization Of The Water Extract Of Guava Fruit (*Psidium guajava* L.) In Malang Apples (*Malus Sylvesteris* L. Mill.). Fakultas Matematika Dan Ilmu Pengetahuan Alam, Universitas Lampung.
- Paramawati R. 2001. Kajian Fisik dan Mekanik Terhadap Karakteristik Film Kemasan Organic dari a-xein Jagung [disertasi]. Bogor: Program Pasca Sarjana. Institut Pertanian Bogor.
- Parish R.W. 1968. Studies on Senescing Tobacco Leaf Disk with Special Reference to Peroxidase I and The Effects of Cutting and of Inhibition of Nucleic Acid and Protein Synthesis. *Planta* 82: 1 –13.
- Parwata, O.A., W.S. Rita., Raditya Y. 2009. Isolasi dan Uji Antiradikal Bebas Minyak Atsiri pada Daun Sirih (*Piper betle* Linn) Secara Spektroskopi Ultra Violet-Tampak. Jurusan Kimia FMIPA Universitas Udayana, Bukit Jimbaran.
<https://ojs.unud.ac.id/index.php/jchem/article/download/2737/1936>. Diakses pada 21 Februari 2018.
- Perera, C.O. 2007. Minimal Processing of Fruits and Vegetables. Di dalam :Rahman, M. S. (Ed), *Handbook of Food Preservation*, 2nd Ed. CRC Press. New York. p. 137-150.
- Pesis, E., Ackerman, M., Ben-Arie, R., Feygenberg, O., Feng, X., Apelbaum, A., Goren, R., Prusky, D., 2002. Ethylene involvement in chilling injury symptoms of avocado during cold storage. *Postharvest Biol. Tec.* 24, 171e181.
- Polnaya, F.J., Haryadi, and D.W. Marseno. 2006. Karakterisasi Edible Film Pati Sagu Alami Dan Termodifikasi. *Agritech* 26: 179–185.
- Ponce A.G., C.E. Del Vallea, S.I. Roura. 2004. Natural essential oils as reducing agents of peroxidase activity in leafy vegetables, *Lebensm.-Wiss. u.-Technology* 37 (199-204).

- Prihatman, K. 2000. Tentang Budidaya Tanaman: Apel. <http://bebas.vlsm.org/v13/Data/budidaya%20pertanian/BUAH/APEL.pdf>. Diakses pada 19 Februari 2018.
- Queiroz, C., Mendes Lopes, M. L., Fialho, E., & Valente-Mesquita, V. L. 2008. Polyphenol oxidase: Characteristics and mechanisms of browning control. Food Reviews International, 24, 361–375.
- Rahayu, D.S., Dewi, K., Enny, F. 2010. Skripsi : PenentuanAktivitas Antioksidandari Ekstrak Etanol Daun Ketapang (*Terminalia catappa* L) dengan Metode 1,1 difenil 2 Pikrilhidrazil(DPPH). Jurusan Kimia FMIPAUniversitas Diponegoro Semarang. Hal 13.
- Raybaudi-Massilia RM, Mosqueda-Melgar J, Marti 'n-Belloso O. 2008. Edible alginate-based coating as carrier of antimicrobials to improve shelf-life and safety of fresh-cut melon. Int J Food Microbiol 121:313–327.
- Reimers PJ, Guo A, Leach JE .1992. Increased activity of a cationic peroxidase associated with an incompatible interaction between *Xanthomonas oryzae* pv *oryzae* and rice (*Oryza sativa*). Plant Physiol 99: 1044-1050.
- Richard-Forget, F.C., Gauillard, F.A., 1997. Oxidation of chlorogenic acid, catechins, and 4-methylcatechol in model solutions by combinations of pear (*Pyrus communis* cv. Williams) polyphenol oxidase and peroxidase: a possible involvement of peroxidase in enzymatic browning. J. Agric. Food Chem. 45, 2472–2476.
- Roberts E., T. Kutchan, P.E. Kolattukudy. 1988. Cloning and sequencing of cDNA for a highly anionic peroxidase from potato and the induction of its mRNA in suberizing potato tubers and tomato fruits. <https://link.springer.com/article/10.1007/BF00016010>. Diakses pada 13 Januari 2019.
- Robertson, A.R.. 1976. The CIE color-difference formulae. Color Res. Appl. 2 (1977) 7–11.
- Rocha, Ada MCN., A. Morais. 1995. Polyphenoloxidase Activity and Total Phenolic Content as Related to Browning of Minimally Processed 'Jonagored' Apple. <https://repositorio.ucp.pt/bitstream/10400.14/6825/1/Polyphenoloxidase%20activity%20and%20total%20phenolic.pdf>. Diakses pada 7 Desember 2018.
- Rohmana. 2000. Aplikasi Zat Pengatur Tumbuh Dalam Penanganan Pasca Panen Pisang Cavendish (*Musa cavendishii* L.).IPB.Bogor.
- Rojas-Grau, M.A., Raybaudi-Massilia, R.M., Soliva-Fortuny, R.C., AvenaBustillos, R.J., McHugh, T.H., Martin-Belloso, O. 2007. Apple PureeAlginate Edible Coating as Carrier of Antimicrobial Agents to

- Prolong Shelf-life of Fresh-Cut Apples. Postharvest Biol. Technol. 45, 254–264. doi:10.1016/j.postharvbio.2007.01.017.
- Romanazzi G., E. Feliziani, S. Bautista dan Sivakumar D. 2015. Shelf life extension of fresh fruit and vegetables by chitosan treatment. <https://www.tandfonline.com/doi/abs/10.1080/10408398.2014.900474?scr=oll=top&needAccess=true&journalCode=bfsn20>. Diakses pada 10 Desember 2018.
- Rushett, L. and Lacasse, S. T. 2006. Regional Market Analysis for Fresh-Cut Apple Slices. Co-operative Development Institute, S. Deerfield, MA. pp53.
- Sanchez-Gonzales L., M. Vargas, Gonzales-Martinez C., A. Chiralt, Maite C. 2011. Use of Essential Oils in Bioactive Edible Coatings. <https://moscow.sci-hub.tw/825/9f8563e39b122add9d1206e903fd416a/snchezgonzlez2011.pdf>. Diakses pada 31 Desember 2018.
- Santoso, B., Daniel. S. dan Rindit, P. 2004. Kajian Teknologi Edible Coatings dari Pati dan Aplikasinya untuk Pengemas Primer Lempok Durian. Jurnal Teknologi dan Industri Pangan 200 4(XV): 3.
- Septiana. 2009. Formulasi dan Aplikasi Edible Coating Berbasis Pati Sagu dengan Penambahan Minyak Sereh pada Paprika (*Capsicum annuum* var Athena). Jurnal Penelitian IPB. Tidak Diterbitkan.
- Shahbazi, Y. 2018. Application of Carboxymethyl Cellulose and Chitosan Coatings Containing *Mentha spicata* Essential Oil in Fresh Strawberries. Internal Journal of Biological Macromolecules. 112, pp. 264-272. Available at : <https://doi.org/10.1016/j.ijbiomac.2018.01.186>
- Shodiq, M.S. 2017. Kajian Sifat Fisik Edible Coating CMC Diperkaya Minyak Atsiri Lemon dan Daun Sirih untuk Menghambat Browning dan Pertumbuhan Mikrobia. <http://repository.umy.ac.id/handle/123456789/15377>. Diakses pada 21 Februari 2018.
- Singleton, V.L., Rossi, J.A., 1965. Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. Am. J. Enol. Vitic. 16, 144–158.
- Sostrostamodjojo, S.A. 2001. Obat Asli Indonesia. Dian Rakyat. Jakarta. Hal 102.
- Spagna G., Barbagallo R.N., Chisari M., Branca F. 2005. Characterization of a tomato polyphenol oxidase and its role in browning and lycopene content. Journal of Agricultural and Food Chemistry, 53: 2032–2038.
- Subramanian N., P. Venkatesh, S. Ganguli, V.P. Sinkar. 1999. Role of Polyphenol Oxidase and Peroxidase in the Generation of Black Tea Theaflavins. <https://pubs.acs.org/doi/abs/10.1021/jf981042y>. Diakses pada 11 Januari 2019.

- Supapvanich, Suriyan., Prathaan, Pattama dan Tepsorn, Racha. 2012. Browning Inhibition on Fresh-cut Rose Apple Fruit cv. Taaptimjaan Using Konjac Glucomannan Coating Incorporated with Pineapple Fruit Extract. Post Harvest Biology and Technology Journal 73 (2012) : 46 – 49.
- Suttirak W. & Manurakchinakorn S. 2010. Potential Application of Ascorbic Acid, Citric Acid and Oxalic Acid for Browning Inhibition in Fresh-Cut Fruits and Vegetables. https://www.researchgate.net/publication/268364373_Potential_Application_of_Ascorbic_Acid_Citric_Acid_and_Oxalic_Acid_for_Browning_Inhibition_in_Fresh-Cut_Fruits_and_Vegetables. Diakses pada 6 Januari 2019.
- Svalheim O. dan B. Robertsen. 1990. Induction of peroxidases in cucumber hypocotyls by wounding and fungal infection. <https://onlinelibrary.wiley.com.ezproxy.ugm.ac.id/doi/pdf/10.1111/j.1399-3054.1990.tb02090.x>. Diakses pada 13 Januari 2019.
- Toivonen, P.M.A. 2006. Fresh-Cut Apples: Challenges and Opportunities for Multi-Disciplinary Research. <http://www.nrcresearchpress.com/doi/pdf/10.4141/P06-147> . Diakses pada 20 Februari 2018.
- Trejo-Gonzales, A.; Soto-Valez, H. 1991. Partial Characterization of Polyphenol Oxidase Extracted from “Anna” Apple. Journal of American Society of Horticultural Science, 116, 672–675.
- Tsao, R., Yang, R., Xie, S., Sockovie, E., Khanizadeh, S. 2005. Which polyphenolic compounds contribute to the total antioxidant activities of apple? J. Agric. Food Chem. 53, 4989–4995
- Untung, Onny. 1994. Jenis dan Budi Daya Apel. Jakarta: Penebar Swadaya. p45-46.
- Utama, Nafi A. dan Chandra Kurnia. 2016. Kajian Penambahan Minyak Atsiri sebagai Antimikrobia pada Edible Coating Berbasis Caroxymethyl Celulose pada Fresh-Cut Buah Apel Manalagi. <http://repository.umy.ac.id/handle/123456789/11667>. Diakses pada 19 Februari 2018
- Utama, Nafi A. 2017. Pencoklatan Enzimatis dan Pencegahannya pada Produk Potong Segar. <http://repository.umy.ac.id/bitstream/handle/123456789/11678/Pencoklatan%20Enzimatis%20dan%20pencegahannya%20pada%20produk%20potong%20segar.pdf?sequence=1>. Diakses pada 20 Februari 2018.
- Vamos-Vigyazo, L. 1981. Polyphenol oxidase and peroxidase in fruits and vegetables. Crit. Rev. Food Sci. Nutr. 15: 49–127.
- Winarno, F. G. 1997. Kimia Pangan dan Gizi. PT. Gramedia, Jakarta.

- Wong, D.W.S., Camirand, W.M., dan Pavlath, A.E. 1994. Development of Edible Coating for Minimally Processed Fruits and Vegetables. Di dalam :Krochta, J.M., Baldwin, E.A., dan Nisperos Carriedo, M.O. (Eds), Edible Coating and Films to Improve Food Quality. Technomic Publishing Company Inc., Lancaster Pennsylvania, p.65-88.
- Xu, Y.X., K.M. Kim, M.A. Hanna and D. Nug, 2005. Chitosan–starch composite film: Preparation and characterization. Industrial Crops Products, 21: 185-192. DOI: 10.1016/j.indcrop.2004.03.002.
- Yam, K. L., Papadakis, S. 2004. A simple digital imaging method for measuring and analyzing color of food surfaces. Journal of Food Engineering.61: 137–142.
- Zaky, Fadhila F.E. 2018. Pengaruh Konsentrasi Natrium Metabisulfit ($\text{Na}_2\text{S}_2\text{O}_5$) terhadap Reaksi Pencoklatan dan Aktivitas Enzim Polifenol Oksidase (PPO) pada Fresh-Cut Buah Apel (*Malus sylvestris* Mill.) Varietas Rome Beauty. Skripsi. Agroteknologi. Universitas Muhammadiyah Yogyakarta. 56-58 hal.