

## DAFTAR PUSTAKA

- Akash MS, Rehman K, Chen S. (2013). *Role of inflammatory mechanisms in pathogenesis of type 2 diabetes mellitus* In: *J Cell Biochem*, Vol.114, hal.525-531.
- American Diabetes Association.(2017). Standards of medical care in diabetes-2015. *The Journal Of Clinical And Applied Research And Education*, Vol.40, Sup.1
- Azab B, Daoud J, Naeem FB, Nasr R, Ross J, Ghimire P, Siddiqui A, Azzi N, Rihana N, Abdallah M, Azzi N, Patel P, Kleiner M, El-Sayegh S. (2012). *Neutrophil-to-Lymphocyte Ratio as a predictor of worsening renal function in diabetic patients (3-year follow-up study)*, In: *Renal Failure*, Vol. 34, hal.571-5767.
- Berry , C. E., & Hare, J. M. (2004). *Xanthine oxidoreductase and cardiovascular disease: molecular mechanism and pathophysiological implications*. Am JPhysio, hal.589-606.
- Burns CM, Wortmann RL. Disorders of Purine and Pyrimidine Metabolism. In: Fauci AS, Braunwald E, Kasper DL, Hauser SL, Longo DL, Jameson JL. *Harrison's Principles of Internal Medicine. 19<sup>th</sup> Edition. United States: The McGraw-Hill Companies*; 2015, hal.2533.
- Buyukkaya E, Sen N, Afsar B, Ozcan F, Isleyen A, dan Kanbay M. (2013). *The neutrophil to lymphocyte ratio was associated with impaired myocardial perfusion and long term adverse outcome in patients with ST-elevated myocardial infarction undergoing primary coronary intervention. Atherosclerosis*. Vol.228, hal.203-210.
- Chernecky, C. C., & Berger, J. B. (2012). *Laboratory tests and diagnostic Procedures (6<sup>th</sup>ed.)*. Philadelphia: Elsevier.
- Dai X, Yuan J, Yao P, Yang B, Gui L, Zhang X, Guo H, Wang Y, Chen W, Wei S, Miao X, Li X, Min X, Yang H, Fang W, Liang Y, Hu FB, Wu T, He M. (2013). *Association between serum uric acid and the metabolic syndrome among a middle and old-age Chinese population* In: *European Journal Epidemiology*, Vol.28, hal.669-676.
- Darryl, R. Meeking: *Diabetes & Endocrinology*, 2011.
- Depkes RI. (2008). .Riset Kesehatan Dasar Tahun 2008. Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan RI.
- Dinas Kesehatan Kota Yogyakarta (2015).
- Elizabeth J. Corwin. (2009). *Buku Saku Patofisiologi Corwin*. Jakarta.
- Fatimah R N. (2015). DIABETES MELITUS TIPE 2 In: *J Majority*, Vol.4, No.5

- Forget Patrice, Khalifa Celine, Defour Jean-Philippe, Latinne Dominique, Van Pel Marie-Cecile, dan De Kock Marc. (2017). *What is the normal value of the neutrophil-to-lymphocyte ratio?*, Vol.10, No.12, hal.1-4.
- Ghaemi-Oskouie F, Shi Y. *The role of uric acid as an endogenous danger signal in immunity and inflammation.* *Curr Rheumatol Rep* 2011, Vol.13, hal.160-166.
- Goen M G, Sirajwala H B, Kalaria J K, dan Kamaria C P. (2013). *A study of serum adenosine deaminase levels in patients with type 2 diabetes mellitus and its correlation with glycemic control.* In: *Ind. J. Med. App. Sci.* Vol.2, hal.259-67.
- Gokularishnan K, Deepa R, Mohan V. (2008). *Association of high sensitivity C-Reactive Protein [hsCRP] and Tumour Necrosis Factor- $\alpha$  [TNF- $\alpha$ ] with carotid Intimal Medial Thickness in subjects with different grades of glucose intolerance—The Chennai Urban Rural Epidemiology Study (CURES-31)*, Vol.41, hal.480-485.
- IDF. (2017). *IDF Diabetes Atlas(8th ed)*.
- Lamb E, Newman JD, Price PC. (2006). Kidney Function Test. In: Burtis C, Ashwood RE, and Bruns ED. *Tietz Textbook of Clinical Chemistry and Molecular Diagnostic 4<sup>th</sup> Edition*, hal.803-805.
- Luo P, Huang Y, Xu T, Ji Y, Yu Na, He Lei. (2016). *Relationship between hyperuricemia and neutrophil-to-lymphocyte ratio in type 2 diabetes mellitus*, In: *International Journal Clinical Exp Pathology*, Vol.9, No.10, hal.10833-10838.
- Manaf, A. (2014). Insulin: mekanisme sekresi dan aspek metabolisme In Ilmu Penyakit Dalam (6th ed) (hal.2350-2357). Jakarta: Interna Publishing.
- Nasrul E, Sofitri. (2012). Hiperurisemia pada Pra Diabetes. *Jurnal Kesehatan Andalas*. Diakses 12 Mei 2017, dari <http://jurnal.fk.unand.ac.id/index.php/jka/article/view/49>
- Oberbach A, Tonjes A, Kloting N, Fasshauer M, Kratzsch J, Busse MW, Paschke R, Stumvoll M, Bluher M. (2006). *Effect of a 4 week physical training program on plasma concentrations of inflammatory markers in patients with abnormal glucose tolerance*, In: *Eur J Endocrinol*, hal.577-785.
- PERKENI.(2015). *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*.
- Powers AC. Diabetes mellitus. In: Fauci AS, Braunwald E, Kasper DL, Hauser SL, Longo DL, Jameson JL. *Harrison's Principles of Internal Medicine. 19<sup>th</sup> Edition*. United States: The McGraw-Hill Companies; 2015, hal.2399-2422.

- Power ML dan Schulkin J. (2008). *Sex differences in fat storage, fat metabolism, and the health risks from obesity: possible evolutionary origins.* Vol.99, hal.931-940.
- Putra TR. Hiperurisemia. (2009). *Buku Ajar Ilmu Penyakit Dalam, Jilid III Edisi ke-V*, Jakarta: Departemen Ilmu Penyakit Dalam fakultas Kedokteran Universitas Indonesia. 2550-50.
- Riskesdas.(2013).Riset Kesehatan Dasar Tahun 2013.Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan RI.
- Robles Cervantes J A, Ramos Zavala M G, Gonzalez Ortiz M, Martmez Abundis E, Valenzcia Sandoval, Torres A, dan Hern S O. (2011). *Relationship between Serum Concentration of Uric Acid andInsulin Secretion among Adults with Type 2 Diabetes Mellitus.*
- Sahin DY, Gur M, Elbasan Z, Yildiz A, Kaya Z, Icen YK, Kivrak A, Turkoglu C, Yilmaz R, Cayli M. (2013). *Predictors of preinterventional patency of infarct related artery in patients with ST-segment elevation myocardial infarction: Importance of neutrophil-to-lymphocyte ratio and uric acid level In: Exp Clinical Cardiology*, Vol.18, hal.77-81.
- Shiny Abhijit, Bibin Yesodha S, Shanthirani Coimbatore Subramanian, Regin Bhaskaran S, Anjana Ranjit Mohan, Balasubramanyam Muthuswamy, Jebarani Saravanan, dan Mohan Viswanathan. (2014). *Association of Neutrophil-Lymphocyte Ratio with Glucose Intolerance: An Indicator of Systemic Inflammation in Patients with Type 2 Diabetes*, Vol.16, No.8, hal.524-530.
- Signh V, Gomez VV, Swamy SG. (2010). *Approach to a Case of HyperuricemiaIn: Indian Journal Aerospace Med*, Vol.54, No.1, hal.40-5.
- Soegondo, S. (2009). Sindrom Metabolik *In Ilmu penyakit dalam* (5th ed) (hal.1865- 1872). Jakarta: Interna Publishing.
- Spieker EL, Ruschitzka TF, Luscher FT, dan Noll G. (2002). *The management of Hypruricemia and Gout in Patient with Heart Failure.In: The European Journal of Heart Failure*, hal.403-410.
- Sterne, J. *Treatment of diabetes mellitus with N,Ndimethylguanylguanidine (LA.6023, glucophage)*. Therapie 1959, Vol.14, hal.625-630.
- Tuhina Neogi. (2011). *Clinical practice. Gout In: N Engl J Med*, hal.443-452.
- Wandell PE dan Carlsson AC. (2014). *Gender differences and time trends in incidence and prevalence of type 2 diabetes in Sweden—a model explaining the diabetes epidemic worldwide today? Diabetes Res Clin Pract*.Vol.106, hal.90-92.
- Zhang W, Sun K, Yang Y, Zhang H, Hu FB, Hui R. (2009). *Plasma Uric Acid and Hypertension in a Chinese Community: Prospective Study and*

*Metaanalysis. In: Clinical Chemistry Journal, Vol.55, No.11, hal.2026-2034.*

Zhao Y, Yang X, Lu W, Liao H, dan Liao F. (2009). *Uricase Based Methods for Determination of Uric Acid in Serum, Vol.164, hal.1-6.*