

DAFTAR PUSTAKA

- Al-Abdalall, A. H. (2010). Isolation and identification of microbes associated with mobile phones in Dammam in Eastern Saudi Arabia. *Journal of Family and Community Medicine*, 17(1), 11.
- Alfiantari, R. A. (2016) *Gambaran pelaksanaan hand hygiene perawat di RS PKU Muhammadiyah Unit II*. Karya Tulis Ilmiah strata satu, Universitas Muhammadiyah Yogyakarta, Yogyakarta.
- Almeshal, F., Asiri, F., Alyamani, A., Altuwaijri, M., & Aljehani, S. (2017). Bacterial contamination of healthcare workers' mobile phones in a tertiary care center in Saudi Arabia. *International Journal of Advanced Research*, 5(1), 1179–1183.
- Anuradha, S. N., Arunkumar, S., Mekhanayakee, Shyen, W. Y., & Arwintharao. (2016). Study on awareness of microbial contamination through mobile phones. *Asian Pacific Journal of Health Sciences*, 3(4), 313-323.
- Astri, F. R. (2016). *Identifikasi bakteri penyebab infeksi nosokomial pada telepon seluler mahasiswa klinik FK Unand di RSUP Dr.M.Djamil Padang*. Karya Tulis Ilmiah strata satu, Universitas Andalas, Padang.
- Ayatollahi, A. A., Amini, A., Rahimi, S., Takrami, S. R., Darsanaki, R. K., & Nezhad, M. S. (2017). Prevalence of gram-negative bacilli isolated from the equipment and surfaces in hospital wards of Golestan province, North of Iran. *European Journal of Microbiology and Immunology*, 7(4), 261-266.
- Badr, R. I., Badr, H. I., & Ali, N. M. (2012). Mobile phones and nosocomial infections. *International Journal of Infection Control*, 8(2).
- Beckstrom, A. C., Cleman, P. E., Cassis-Ghavami, F. L., & Kamitsuka, M. D. (2013). Surveillance study of bacterial contamination of the parent's cell phone in the NICU and the effectiveness of an anti-microbial gel in reducing transmission to the hands. *Journal of Perinatology*, 33(12), 960.
- Beggs, C. B., Kerr, K. G., Snelling, A. M., & Sleigh, P. A. (2006). Acinetobacter spp. and the clinical environment. *Indoor and Built Environment*, 15(1), 19-24.
- Bhat, S. S., Hegde, S. K., & Salian, S. (2011). Potential of mobile phones to serve as a reservoir in spread of nosocomial pathogens. *Online Journal of Health and Allied Sciences*, 10(2).
- Bhoonderowa, A., Gookool, S., & Biranjia-Huroyal, S. D. (2014). The importance of mobile phones in the possible transmission of bacterial

- infections in the community. *Journal of Community Health*, 39(5), 965-967.
- Bobat, R., Archary, M., Lawler, M., Mawlana, S., Naidoo, K. L., Maphumulo, S., et al. (2017). The presence and spectrum of bacteria colonising mobile phones of staff and caregivers in high disease burden paediatric and neonatal wards in an urban teaching hospital in Durban, South Africa. *Southern African Journal of Infectious Diseases*, 32(1), 9-11.
- Brady, R. R. W., Chitnis, S., Stewart, R. W., Graham, C., Yalamarthi, S., & Morris, K. (2012). NHS connecting for health: Healthcare professionals, mobile technology, and infection control. *Telemedicine and e-Health*, 18(4), 289-291.
- Brady, R. R. W., Damani, N. N., Gibb, A. P. & Verran, J. (2009). Review of mobile communication devices as potential reservoirs of nosocomial pathogens. *Journal of Hospital Infection*, 71(4), 295-300.
- Budiarto, E. (2002). *Biostatistika untuk kedokteran dan kesehatan masyarakat*. Jakarta: EGC, 13.
- Cappuccino, J. G., & Welsh, C. T. (2017). *Microbiology: A laboratory manual*. England: Pearson Education.
- Catano, J. C., Echeverri, L. M., & Szela, C. (2012). Bacterial contamination of clothes and environmental items in a third-level hospital in Colombia. *Interdisciplinary Perspectives on Infectious Diseases*.
- Centers for Disease Control and Prevention. (2011, 17 Januari). *Staphylococcus aureus in healthcare settings*. Diakses 30 Mei 2017, dari <https://www.cdc.gov/hai/organisms/staph.html>
- Centers for Disease Control and Prevention. (2012, 27 Agustus). *Klebsiella pneumoniae in healthcare settings*. Diakses 30 Mei 2017, dari <https://www.cdc.gov/hai/organisms/klebsiella/klebsiella.html>
- Centers for Disease Control and Prevention. (2014, 7 Mei). *Pseudomonas aeruginosa in healthcare settings*. Diakses 30 Mei 2017, dari <https://www.cdc.gov/hai/organisms/pseudomonas.html>
- Centers for Disease Control and Prevention. (2016, 17 Agustus). *MRSA in healthcare settings*. Diakses 30 Mei 2017, dari <https://www.cdc.gov/hai/organisms/mrsa-infection.html>
- Chang, C. H., Chen, S. Y., Lu, J. J., Chang, C. J., Chang, Y., & Hsieh, P. H. (2017). Nasal colonization and bacterial contamination of mobile phones carried by medical staff in the operating room. *PloS one*, 12(5), e0175811.

- Council for International Organizations of Medical Sciences. (2016). *International ethical guidelines for health-related research involving humans*. Geneva.
- Dahlan, M. S. (2015). *Statistik untuk kedokteran dan kesehatan: Deskriptif, bivariat, dan multivariat, dilengkapi aplikasi dengan menggunakan SPSS*. Jakarta: Salemba Medika.
- Darmadi. (2008). *Infeksi nosokomial: Problematika dan pengendaliannya*. Jakarta : Salemba Medika.
- Darvishi, M., & Nazer, M. R. (2017). Studying the level of microbial infection of mobile phones among nurses working in the intensive care units of hospitals. *IIOAB Journal*, 8(3), 8-12.
- Departemen Kesehatan Republik Indonesia. (2003). *Pedoman pelaksanaan kewaspadaan universal di pelayanan kesehatan*. Jakarta.
- Departemen Kesehatan Republik Indonesia. (2007). *Pedoman pencegahan dan pengendalian infeksi di rumah sakit dan fasilitas pelayanan kesehatan lainnya*. Jakarta.
- Egert, M., Späth, K., Weik, K., Kunzelmann, H., Horn, C., Kohl, M., et al. (2015). Bacteria on smartphone touchscreens in a German University setting and evaluation of two popular cleaning methods using commercially available cleaning products. *Folia microbiologica*, 60(2), 159-164.
- Elmanama, A., Hassona, I., Marouf, A., Alshaer, G., & Ghanima, E. A. (2015). Microbial load of touch screen mobile phones used by university students and healthcare staff. *J. Arab Am*, 1(1), 1-18.
- Foong, Y. C., Green, M., Zargari, A., Siddique, R., Tan, V., Brain, T., et al. (2015). Mobile phones as a potential vehicle of infection in a hospital setting. *Journal of Occupational and Environmental Hygiene*, 12(10), D232-D235.
- Gunasekara, T. D. C. P., Kudavidanage, B. P., Peelawattage, M. K., Meedin, F., Guruge, L. D., Nanayakkara, G., et al. (2015). Bacterial contamination of anaesthetists hands, personal mobile phones and wrist watches used during theatre sessions.
- Hadir, E. K. (2017). Microbial contamination of mobile phones in the medical laboratory technology department of a Private University in Alexandria, Egypt. *Int. J. Curr. Microbiol. App. Sci*, 6(6), 200-211.
- Hastono, S. P. (2007). *Analisis data kesehatan*. Depok: Fakultas Kesehatan Masyarakat Universitas Indonesia.

- Haun, N., Hooper-Lane, C., & Safdar, N. (2016). Healthcare personnel attire and devices as fomites: a systematic review. *Infection control & hospital epidemiology*, 37(11), 1367-1373.
- Hernawati, K. (2012). *Pengenalan teknologi sejak dini dengan belajar sambil bermain melalui smartphone*. Universitas Negeri Yogyakarta, Yogyakarta.
- Heyba, M., Ismaiel, M., Alotaibi, A., Mahmoud, M., Baqer, H., Safar, A., et al. (2015). Microbiological contamination of mobile phones of clinicians in intensive care units and neonatal care units in public hospitals in Kuwait. *BMC Infectious Diseases*, 15(1), 434.
- Islahi, S., Ahmad, F., Khare, V., Yaqoob, S., Shukla, P., & Singh, Y. (2015). Incidence and risk factors associated with Acinetobacter species infection in hospitalised patients in a tertiary care hospital in North-India. *J. Commun. Dis*, 46, 10-12.
- Jalalmanesh, S., Darvishi, M., Rahimi, M., & Akhlaghdoust, M. (2017). Contamination of senior medical students' cell phones by nosocomial infections: A survey in a University-Affiliated Hospital in Tehran. *Shiraz E-Medical Journal*, 18(4).
- Jawetz, Melnick, & Adelberg's. (2013). *Medical microbiology* (23th ed.). United States: McGraw-Hill Companies.
- Kanayama, A. K., Takahashi, H., Yoshizawa, S., Tateda, K., Kaneko, A., & Kobayashi, I. (2017). Staphylococcus aureus surface contamination of mobile phones and presence of genetically identical strains on the hands of nursing personnel. *American Journal of Infection Control*, 45(8), 929-931.
- Kantar Media. (2015). *Professional usage of smartphones by doctors in 2015*. Diakses 21 Mei 2017, dari <https://www.kantarmedia.com/us/thinking-and-resources/blog/professional-usage-of-smartphones-by-doctors-in-2015>
- Karabay, O., Koçoglu, E., & Tahtaci, M. (2007). The role of mobile phones in the spread of bacteria associated with nosocomial infections. *J Infect Dev Ctries*, 1(1), 72-3.
- Karageorgopoulos, D. E., & Falagas, M. E. (2008). Current control and treatment of multidrug-resistant *Acinetobacter baumannii* infections. *The Lancet Infectious Diseases*, 8(12), 751-762.
- Kementerian Kesehatan Republik Indonesia. (2011). *Pedoman pencegahan dan pengendalian infeksi di rumah sakit dan fasilitas pelayanan kesehatan lainnya*. Jakarta.

- Koroglu, M., Gunal, S., Yildiz, F., Savas, M., Ozer, A., & Altindis, M. (2015). Comparison of keypads and touch-screen mobile phones/devices as potential risk for microbial contamination. *The Journal of Infection in Developing Countries*, 9(12), 1308-1314.
- Lee, Y. J., Yoo, C. G., Lee, C. T., Chung, H. S., Kim, Y. W., Han, S. K., et al. (2013). Contamination rates between smart cell phones and non-smart cell phones of healthcare workers. *Journal of Hospital Medicine*, 8(3), 144-147.
- Liu, C. (2015). Worldwide internet and mobile users, emarketer's updated estimates for 2015.
- Manning, M. L., Davis, J., Sparnon, E., & Ballard, R. M. (2013). Ipads, droids, and bugs: Infection prevention for mobile handheld devices at the point of care. *American Journal of Infection Control*, 41(11), 1073-1076.
- Mark, D., Leonard, C., Breen, H., Graydon, R., O'Gorman, C., & Kirk, S. (2014). Mobile phones in clinical practice: reducing the risk of bacterial contamination. *International Journal of Clinical Practice*, 68(9), 1060-1064.
- Masjedi, M., Hamidi, A., Feizi, M., & Abbasi, H. (2016). Evaluation of shift work on bacterial contamination of cellular phone of health care staff at adult trauma intensive care unit. *Archives of Critical Care Medicine*, 1(4).
- Mobasher, M. H., King, D., Johnston, M., Gautama, S., Purkayastha, S., & Darzi, A. (2015). The ownership and clinical use of smartphones by doctors and nurses in the UK: A multicentre survey study. *BMJ Innovations*, bmjinnov-2015.
- Morioka, I., Tabuchi, Y., Takahashi, Y., Oda, Y., Nakai, M., Yanase, A., et al. (2011). Bacterial contamination of mobile phones shared in hospital wards and the consciousness and behavior of nurses about biological cleanliness. *Nihon eiseigaku zasshi. Japanese journal of hygiene*, 66(1), 115-121.
- Morvai, J., & Szabo, R. (2015). The role of mobile communication devices in the spread of infections. *Orvosi hetilap*, 156(20), 802-807.
- Mosa, A. S. M., Yoo, I., & Sheets, L. (2012). A systematic review of healthcare applications for smartphones. *BMC Medical Informatics and Decision Making*, 12(1), 67.
- Murgier, J., Coste, J. F., Cavaignac, E., Bayle-Iniguez, X., Chiron, P., Bonnevieille, P., et al. (2016). Microbial flora on cell-phones in an orthopedic surgery room before and after decontamination. *Orthopaedics & Traumatology: Surgery & Research*, 102(8), 1093-1096.

- Nugraheni, R., & Winarni, S. (2012). Infeksi nosokomial di RSUD Setjonegoro Kabupaten Wonosobo. *Media Kesehatan Masyarakat Indonesia*, 11(1), 94-100.
- Nugroho, Y. A. (2014). *Cemaran bakteri dan koliform pada layar telepon genggam mahasiswa program sarjana Fakultas Kedokteran Hewan Institut Pertanian Bogor*. Karya Tulis Ilmiah strata satu, Institut Pertanian Bogor, Bogor.
- Nwankwo, E. O., Ekwunife, N., & Mofolorunsho, K. C. (2014). Nosocomial pathogens associated with the mobile phones of healthcare workers in a hospital in Anyigba, Kogi state, Nigeria. *Journal of Epidemiology and Global Health*, 4(2), 135-140.
- Pal, S., Juyal, D., Adekhandi, S., Sharma, M., Prakash, R., Sharma, N., et al. (2015). Mobile phones: Reservoirs for the transmission of nosocomial pathogens. *Advanced Biomedical Research*, 4, 144.
- Podschun, R., & Ullmann, U. (1998). Klebsiella spp. as nosocomial pathogens: epidemiology, taxonomy, typing methods, and pathogenicity factors. *Clinical Microbiology Reviews*, 11(4), 589-603.
- Ramesh, J., Carter, A. O., Campbell, M. H., Gibbons, N., Powlett, C., Moseley S. R., et al. (2008). Use of mobile phones by medical staff at Queen Elizabeth Hospital, Barbados: Evidence for both benefit and harm. *Journal of Hospital Infection*, 70(2), 160-165.
- Resyana, N. N. Y. (2014). *Cemaran staphylococcus aureus pada layar telepon genggam mahasiswa program sarjana Fakultas Kedokteran Hewan Institut Pertanian Bogor*. Karya Tulis Ilmiah strata satu, Institut Pertanian Bogor, Bogor.
- Rosa, E. M., & Sari, N. (2016). *Infection control risk assesment dan strategi penurunan infeksi daerah operasi di rumah sakit*. Disertasi, Universitas Muhammadiyah Yogyakarta, Yogyakarta.
- Sastroasmoro, S., & Ismael, S. (2016). *Dasar-dasar metodologi penelitian klinis*. Jakarta: Binarupa Aksara.
- Scott, R. D. (2009). *The direct medical cost of healthcare-associated infections in US hospitals and the benefits of prevention*.
- Selim, H. S., & Abaza, A. F. (2015). Microbial contamination of mobile phones in a health care setting in Alexandria, Egypt. *GMS Hygiene and Infection Control*, 10.

- Shakir, I. A., Patel, N. H., Chamberland, R. R., & Kaar, S. G. (2015). Investigation of cell phones as a potential source of bacterial contamination in the operating room. *JBJS*, 97(3), 225-231.
- Signorini, E. & Hochmuth, P. (2010). *Consumerization of the mobile enterprise*. Boston: Yankee Group.
- Singarimbun, M., & Effendi, S. (2011). *Metodologi penelitian survei*. Jakarta: LP3Es.
- Singh, S., Acharya, S., Bhat, M., Rao, S. K., & Pentapati, K. C. (2010). Mobile phone hygiene: Potential risks posed by use in the clinics of an Indian Dental School. *Journal of Dental Education*, 74(10), 1153-1158.
- Siregar, S. (2010). *Statistika deskriptif untuk penelitian*. Jakarta: Raja Grafindo Persada.
- Sridhar, G., Keerthana, A., Karthika, J., Raja, D., & Jasmine, P. D. (2013). Bacterial and fungal colonization of mobile phones used by health care workers-an emerging threat. *Health Care*, 1(2), 3-4.
- Staf Pengajar Fakultas Kedokteran Universitas Indonesia. (2008). *Buku ajar mikrobiologi kedokteran*. Jakarta: Binarupa Aksara.
- Subhedar, V., Subhedar, R., Pipliya, S., & Jain, S., K. (2015). Bacterial contamination of mobile phones of healthcare workers in a tertiary care hospital. *Indian Journal of Applied Research*, 5(8).
- Ulger, F., Esen, S., Dilek, A., Yanik, K., Gunaydin, M., & Leblebicioglu, H. (2009). Are we aware how contaminated our mobile phones with nosocomial pathogens?. *Annals of Clinical Microbiology and Antimicrobials*, 8, 7.
- Ustun, C., & Cihangiroglu, M. (2012). Health care workers' mobile phones: A potential cause of microbial cross-contamination between hospitals and community. *Journal of Occupational and Environmental Hygiene*, 9(9), 538-542.
- Venkatesan, A., Kansal, S., Patel, S. S., & Akulwar, S. K. (2015). The role of hand hygiene and mobile phones in transmitting hospital acquired infection. *Int. J. Biomed. Adv. Res*, 6, 435-437.
- Ventola, C. L. (2014). Mobile devices and apps for health care professionals: uses and benefits. *Pharmacy and Therapeutics*, 39(5), 356.
- Wallace, S., Clark, M., & White, J. (2012). 'Its on my iphone': attitudes to the use of mobile computing devices in medical education, a mixed-methods study. *BMJ open*, 2(4), e001099.

- Widhiarso, W. (2011). *Skalo : Program Analisis Skala Guttman. Program Komputer*. Yogyakarta : Universitas Gadjah Mada.
- Williams, B. K. & Sawyer, S. C. (2011). *Using information technology: A practical introduction to computers & communications* (9th ed.). New York: McGraw-Hill.
- World Health Organization. (2009). *WHO guidelines on hand hygiene in health care*. Geneva.
- World Health Organization. (2011). *Report on the burden of endemic health care-associated infection worldwide*. Geneva.