

perempuan

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kadar asam urat * lingkar perut	31	100.0%	0	.0%	31	100.0%

kadar asam urat * lingkar perut Crosstabulation

Count

		lingkar perut			Total
		ringan	sedang	berat	
kadar asam urat	normal	2	1	11	14
	tidak normal	1	9	7	17
Total		3	10	18	31

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.401 ^a	2	.025
Likelihood Ratio	8.307	2	.016
Linear-by-Linear Association	1.409	1	.235
N of Valid Cases	31		

a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is 1.35.

laki-laki

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kadar asam urat * lingkar perut	33	100.0%	0	.0%	33	100.0%

kadar asam urat * lingkar perut Crosstabulation

Count

		lingkar perut			Total
		ringan	sedang	berat	
kadar asam urat	normal	14	0	9	23
	tidak normal	7	2	1	10
Total		21	2	10	33

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.643 ^a	2	.036
Likelihood Ratio	7.250	2	.027
Linear-by-Linear Association	1.194	1	.274
N of Valid Cases	33		

a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is .61.

gabungan

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
kadar asam urat * lingkar perut	64	100.0%	0	.0%	64	100.0%

kadar asam urat * lingkar perut Crosstabulation

Count

		lingkar perut			Total
		ringan	sedang	berat	
kadar asam urat	normal	16	1	20	37
	tidak normal	8	11	8	27
Total		24	12	28	64

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	14.945 ^a	2	.001
Likelihood Ratio	16.214	2	.000
Linear-by-Linear Association	.222	1	.637
N of Valid Cases	64		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.06.