

DAFTAR PUSTAKA

- Alfarisi, Ringgo. (2014). *Hubungan Tekanan Darah dengan Peningkatan Tekanan Intraokuli pada Pasien Glaukoma di RSUD Dr. H. Abdul Moeloek Tahun 2014*.
- American Academy of Ophthalmology. 2014. *Basic and Clinical Science Course (section 10): Glaucoma*.
- Buchacra, L. C., Chiari, Lerner, S. F., 2009. *Does Breath Holding Influence IOP Measurements?*. Investigative ophthalmology & visual science.
- CIOMS dan WHO. 1993. *Pedoman Etik Internasional Untuk Penelitian Biomedis yang Melibatkan Subyek Manusia*. Geneva
- Chowdhury, U.R., Hann, C.R., Stamer, W.D., Fautsch, M.P., 2015. Aqueous Humor Outflow: Dynamics and Disease. *Aqueous Humor Outflow*. Invest. Ophthalmol. Vis. Sci. 56, 2993–3003. doi:10.1167/iovs.15-16744
- Cline, D., Hofstetter, H.W., Griffin, J.R. (Eds.), 1997. *Dictionary of visual science*, 4th ed. ed. Butterworth-Heinemann, Boston.
- Cordero, I., 2014. Understanding and caring for a Schiottz tonometer. *Community Eye Health* 27, 57.
- Dahlan, Sopiudin. 2011. *Statistik Untuk Kedokteran dan Kesehatan Edisi 5*. Salemba Medika, Jakarta
- European Glaucoma Society (Ed.), 2014. *Terminology and guidelines for glaucoma*, 4th ed. ed. PubliComm, Savona.
- Ford, K.M., Saint-Geniez, M., Walshe, T.E., D'Amore, P.A., 2012. Expression and Role of VEGF-A in the Ciliary Body. *Expression and Role of VEGF-A in the Ciliary Body*. Invest. Ophthalmol. Vis. Sci. 53, 7520–7527. doi:10.1167/iovs.12-10098
- Goel, M., Picciani, R.G., Lee, R.K., Bhattacharya, S.K., 2010. Aqueous Humor Dynamics: A Review. *Open Ophthalmol. J.* 4, 52–59. doi:10.2174/1874364101004010052
- Hanifah Nadiawati, Rizky. 2015. *Perbedaan Hasil Pengukuran Tekanan Intraokular Menggunakan Tonometer Schiottz dengan Non Contact Tonometer pada Pasien Mata di Surakarta*.

- Hayati, N., 2015. PEMILIHAN METODE YANG TEPAT DALAM PENELITIAN (METODE KUANTITATIF DAN METODE KUALITATIF). *J. Tarb. Al-Awlad* 4, 345–357.
- Ilyas, Sidarta. 2007. *GLAUKOMA: Tekanan Bola Mata Tinggi Edisi Ketiga*. Sagung Seto, Jakarta
- Ilyas, Sidarta., Yulianti, Rahayu. 2014. *Ilmu Penyakit Mata Edisi Kelima*. Badan Penerbit FKUI, Jakarta
- Ilyas, Sidarta. 2013. *Ilmu Penyakit Mata Edisi Keempat*. Badan Penerbit FKUI, Jakarta
- James, Bruce., Chew, Chris., Bron, Anthony., 2006. *Lecture Notes: Oftalmologi*. Erlangga, Jakarta
- Kementerian Kesehatan RI, 2015. Infodatin. Jakarta: Pusat Data dan Informasi
- Knepper, P.A., 2016. Glaucoma research and clinical advances, 2016 to 2018.
- Langman, M.J.S., 2005. Systemic hypertension and glaucoma: mechanisms in common and co-occurrence. *Br. J. Ophthalmol.* 89, 960–963. doi:10.1136/bjo.2004.053397
- Maheshwari, R., Choudhari, N.S., Singh, M.D., 2012. Tonometry and Care of Tonometers. *Curr. J. Glaucoma Pract. DVD* 6, 124–130. doi:10.5005/jp-journals-10008-1119
- Mahsud, H., Saleem, M.W., Muhammad, R., Saleem, M., Ayaz, M., 2016. COMPARISON OF INTRAOCULAR PRESSURE MEASURED WITH GOLDMANN APPLANATION TONOMETER AND NON-CONTACT AIR-PUFF TONOMETER. *Gomal J. Med. Sci.* 14.
- Murgatroyd, H., Bembridge, J., 2008. Intraocular pressure. *Contin. Educ. Anaesth. Crit. Care Pain* 8, 100–103. doi:10.1093/bjaceaccp/mkn015
- Nagarajan, S., Velayutham, V., Ezhumalai, G., 2016. Comparative evaluation of applanation and indentation tonometers in a community ophthalmology setting in Southern India. *Saudi J. Ophthalmol.* 30, 83–87. doi:10.1016/j.sjopt.2015.11.002
- Paul, Merine. 2006. Ophthalmic Instrumentation Non-contact Tonometry. 221-223
- Ponka, D., Baddar, F., 2014. Schiötz tonometry. *Can. Fam. Physician* 60, 252–252.

- Raina, U.K., Rathie, N., Gupta, A., Gupta, S.K., Thakar, M., 2016. Comparison of Goldmann applanation tonometer, Tono-Pen and noncontact tonometer in children. *Oman J. Ophthalmol.* 9, 22.
- Rasmussen, C.A., Kaufman, P.L., 2014. The Trabecular Meshwork in Normal Eyes and in Exfoliation Glaucoma: *J. Glaucoma* 23, S15–S19. doi:10.1097/IJG.0000000000000106
- Riordan-Eva, P., Whitcher, J.P., 2008. *Vaughan & Asbury's general ophthalmology*. Lange Medical Books/McGraw-Hill, New York.
- Sativa, Oriza. 2003. Tekanan Intraokular Pada Penderita Myopia Ringan dan Sedang.
- Sherwood, Lauralee. 2014. *Fisiologi Manusia: dari Sel ke Sistem (8th ed.)*. EGC, Jakarta
- Shoeb Ahmad, S., Specialist Ophthalmologist, Abdul Ghani, S., Consultant Ophthalmologist, Singh, D., Consultant, Dr Daljit Singh Eye Hospital, Amritsar, India, Wah, L.P., Resident, Department of Ophthalmology, Queen Elizabeth Hospital, Kota Kinabalu, Malaysia, 2014. The Dynamics of Aqueous Humor Outflow—A Major Review. *US Ophthalmic Rev.* 07, 137. doi:10.17925/USOR.2014.07.02.137
- Singh, P., n.d. Tonometry: an overview. *IOSR J. Dent. Med. Sci.* 13, 67–70.
- Suyatno. *Menghitung Besar Sampel Penelitian Kesehatan Masyarakat*. <http://suyatno.blog.undip.ac.id/files/2010/05/MENGHITUNG-BESAR-SAMPEL-PENELITIAN.pdf>
- Vincent, S.J., Vincent, R.A., Shields, D., Lee, G.A., 2012. Comparison of intraocular pressure measurement between rebound, non-contact and Goldmann applanation tonometry in treated glaucoma patients. *Clin. Experiment. Ophthalmol.* 40, e163–e170. doi:10.1111/j.1442-9071.2011.02670.x
- Weinreb, R.N., Association of International Glaucoma Societies, Global AIGS Consensus Meeting on Intraocular Pressure, 2007. *Intraocular pressure: reports and consensus statements of the 4th global AIGS consensus meeting on Intraocular pressure*. Kugler Publications, Amsterdam.
- Willoughby, C.E., Ponzin, D., Ferrari, S., Lobo, A., Landau, K., Omid, Y., 2010. Anatomy and physiology of the human eye: effects of mucopolysaccharidoses disease on structure and function – a review. *Clin. Experiment. Ophthalmol.* 38, 2–11. doi:10.1111/j.1442-9071.2010.02363.x