

LAMPIRAN

Controller

1. Controller (welcome)

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Foundation\Bus\DispatchesJobs;  
use Illuminate\Routing\Controller as BaseController;  
use Illuminate\Foundation\Validation\ValidatesRequests;  
use  
Illuminate\Foundation\Auth\Access\AuthorizesRequests;  
class Controller extends BaseController  
{  
    use AuthorizesRequests, DispatchesJobs,  
ValidatesRequests;  
    public function index2()  
    {  
        return view('welcome');  
    }  
}
```

2. HomeController

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Http\Request;  
class HomeController extends Controller  
{  
    public function __construct()  
    {  
        $this->middleware('auth');  
    }  
    public function index()  
    {  
        return view('home');  
    }  
    public function index3()  
    {  
        return view('auth.register');  
    }  
}
```

3. ngajiController

```
<?php  
namespace App\Http\Controllers;  
use Illuminate\Http\Request;  
use App\Models\santri;
```

```
use App\Models\ngaji;  
use App\Post;  
use Illuminate\Support\Facades\Input;  
use Carbon\Carbon;  
use App\Http\Requests\ngajirequest;  
use App\Http\Requests\ngajirequest2;  
class ngajiController extends Controller  
{  
    public function index()  
    {  
        $santris = santri::paginate(5);  
        return view('spp', compact('santris'));  
    }  
    public function index3()  
    {  
        $santris1 = ngaji::paginate(5);  
        return view('monitorngaji',  
compact('santris1'));  
    }  
    public function index31()  
    {  
        $santris1 = ngaji::paginate(5);  
        return view('monitorngaji2', compact('santris1'));  
    }  
    public function edit($id)  
    {  
        $santri = santri::Find($id);  
        return View('ngaji.edit', compact('id', 'santri' ));  
    }  
    public function store4(ngajirequest $request)  
    {  
        $ngajis = new ngaji;  
        $ngajis->id = Input::get('id');  
        $ngajis->idsantri = Input::get('idsantri');  
        $ngajis->namasantri =  
Input::get('namasantri');  
        $ngajis->jenisngaji = Input::get('jenisngaji');  
        $ngajis->halaman = Input::get('halaman');  
        $ngajis->tgl = Input::get('tgl');  
        $ngajis->status = Input::get('status');  
        $ngajis->created_at =  
Carbon::now();  
    }
```

```

$ngajis->updated_at           =
Carbon::now();                  $ngaji->updated_at = Carbon::now();
                                $ngaji->save();
                                return redirect('monitorngaji');
}
public function create()
{
    return view('spp/result');
}
public function searches(Request $request)
{
    $searchs = $request->get('q');
    $result  = santri::where('namasantri', 'LIKE', '%' . .
$searchs . '%')->paginate(5);
    return view('spp.result',compact('search','result'));
}
public function searches3(Request $request)
{
    $searchs = $request->get('q');
    $result  = ngaji::where('namasantri', 'LIKE', '%' . .
$searchs . '%')->paginate(5);

    Return view('ngaji.result2',compact('search3','result'));
}
public function searches31(Request $request)
{
    $searchs = $request->get('q');
    $result  = ngaji::where('namasantri', 'LIKE', '%' . .
$searchs . '%')->paginate(5);
    return view('ngaji.resultuser',compact('search','result'));
}
public function ngedit2($id)
{
    $ngaji = ngaji::Find($id);
    return View('ngaji.edit2', compact('id', 'ngaji' ));
}
public function update(ngajirequest2 $request, $id)
{
    $ngaji = ngaji::Find($id);
    $ngaji->id = $request->id;
    $ngaji->idsantri = $request->idsantri;
    $ngaji->namasantri = $request->namasantri;
    $ngaji->jenisngaji = $request->jenisngaji;
    $ngaji->halaman = $request->halaman;
    $ngaji->tgl= $request->tgl;
    $ngaji->status= $request->status;
}

$ngaji->updated_at = Carbon::now();
$ngaji->save();
return redirect('monitorngaji');
}
public function destroy($id)
{
    $ngaji = ngaji::Find($id);
    $ngaji->delete();
    return redirect('/monitorngaji')->with('success', 'Data
terhapus');
}
public function __construct()
{
    $this->middleware('auth');
}
4.      ngajiuusercontroller
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\santri;
use App\Models\ngaji;
use App\Post;
use Illuminate\Support\Facades\Input;
use Carbon\Carbon;
use App\Http\Requests\ngajirequest;
class ngajiuusercontroller extends Controller
{
    public function index()
    {
        $santris = santri::paginate(5);
        return view('spp', compact('santris'));
    }
    public function index3()
    {
        $santris1 = ngaji::paginate(5);
        return view('monitorngaji',
compact('santris1'));
    }
    public function index31()
    {
        $santris1 = ngaji::paginate(5);
        return view('monitorngaji2', compact('santris1'));
    }
    public function index32()
}

```

```

{
    $santris1 = ngaji::paginate(5);
    return view('monitorngaji3', compact('santris1'));
}
public function edit($id)
{
    $santri = santri::Find($id);
    return View('ngaji.edit', compact('id', 'santri' ));
}
public function create()
{
    return view('spp/result');
}
public function searchs(Request $request)
{
    $searchs = $request->get('q');
    $result = santri::where('namasantri', 'LIKE', '%' . $searchs . '%')->paginate(5);
    return view('spp.result',compact('search','result'));
}
public function searchs3(Request $request)
{
    $searchs = $request->get('q');
    $result = ngaji::where('namasantri', 'LIKE', '%' . $searchs . '%')->paginate(5);
    return view('ngaji.result2',compact('search3','result'));
}
public function searchs31(Request $request)
{
    $searchs = $request->get('q');
    $result = ngaji::where('namasantri', 'LIKE', '%' . $searchs . '%')->paginate(5);
    return view('ngaji.resultuser',compact('search','result'));
}
public function searchlaporanngaji1(Request $request)
{
    $search = $request->get('q');
    $result = ngaji::where('jenisngaji', 'LIKE', '%' . $search . '%')->paginate(5);
    return view('laporan.resultlaporanngaji',compact('search','result'));
}
public function searchlaporanngajiuser(Request $request)
{
    $search = $request->get('q');
    $result = ngaji::where('jenisngaji', 'LIKE', '%' . $search . '%')->paginate(5);
    return view('laporan.laporanuserngaji',compact('search','result'));
}

5. pdfController
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\spp;
use App\Models\santri;
use App\Models\ngaji;
use App\Models\ustad;
use App\http\Requests;
use PDF;
use app\customer;
class pdfController extends Controller
{
    public function getpdf()
    {
        $customers=spp::all();
        $pdf=PDF::loadview('pdf.customer',['customers'=>$customers]);
        return $pdf->stream('customer.pdf');
    }
    public function getpdfsemuantri()
    {
        $customers=santri::all();
        $pdf=PDF::loadview('pdf.laporansantripdf',['customers'=>$customers]);
        return $pdf->stream('customer.pdf');
    }
    public function getpdfsemaustad()
    {
        $customers=ustad::all();
        $pdf=PDF::loadview('pdf.laporanustadpdf',['customers'=>$customers]);
        return $pdf->stream('customer.pdf');
    }
    public function getpdf2()
    {
        $customers=ngaji::all();
    }
}

```

```

$pdf=PDF::loadview('pdf.customerngaji',['customers'=>$customers]);
    return $pdf->stream('customer.pdf');
}
public function getpdf12(Request $request)

{ $customers = $request->get('q');
    $customers=spp::where('semester', 'LIKE', '%' .
    $customers . '%' )-> paginate(5);
    $pdf=PDF::loadview('pdf.customer',['customers'=>
$customers]);
    return $pdf->stream('customer.pdf');
}

public function getpdfjeniskelamin(Request $request)
{ $customers = $request->get('q');
    $customers=santri::where('jeniskelamin', 'LIKE', '%' .
$customers . '%' )-> paginate(5);
$pdf=PDF::loadview('pdf.laporansantripdf,['customers'=>
$customers]);
    return $pdf->stream('customer.pdf');
}

public function getpdfjeniskelaminsantriuser(Request
$request)
{ $customers = $request->get('q');
    $customers=santri::where('jeniskelamin', 'LIKE', '%' .
$customers . '%' )-> paginate(5);
    $pdf=PDF::loadview('pdf.usersantri',['customers'=>
$customers]);
    return $pdf->stream('customer.pdf');
}

public function getpdfnama(Request $request)

{ $customers = $request->get('q');
    $customers=santri::where('namasantri', 'LIKE', '%' .
$customers . '%' )-> paginate(5);
$pdf=PDF::loadview('pdf.laporansantripdf,['customers'=>
$customers]);
    return $pdf->stream('customer.pdf');
}

public function getpdfjeniskelaminustad(Request
$request)
{ $customers = $request->get('q');
    $customers=ustad::where('jeniskelamin', 'LIKE', '%' .
$customers . '%' )-> paginate(5);
$pdf=PDF::loadview('pdf.laporanustadpdf,['customers'=>
$customers]);
    return $pdf->stream('customer.pdf');
}

public function getpdfjeniskelaminustaduser(Request
$request)
{ $customers = $request->get('q');
    $customers=ustad::where('jeniskelamin', 'LIKE', '%' .
$customers . '%' )-> paginate(5);
$pdf=PDF::loadview('pdf.userustadz',['customers'=>
$customers]);
    return $pdf->stream('customer.pdf');
}

public function getpdfjenisngaji(Request $request)
{ $customers = $request->get('q');
    $customers=ngaji::where('jenisngaji', 'LIKE', '%' .
$customers . '%' )-> paginate(5);
$pdf=PDF::loadview('pdf.customerngaji,['customers'=>
$customers]);
    return $pdf->stream('customer.pdf');
}

public function getpdfsemester2(Request $request)
{ $customers = $request->get('q');
    $customers=spp::where('semester', 'LIKE', '%' .
$customers . '%' )-> paginate(5);
$pdf=PDF::loadview('pdf.customer',['customers'=>
$customers]);
    return $pdf->stream('customer.pdf');
}

public function searchlaporansppuser(Request
$request)
{
    $search = $request->get('q');
    $result = spp::where('semester', 'LIKE', '%' . $search .
'%')-> paginate(5);
    return
view('laporan.laporanuserspp',compact('search','result'));
}

public function getpdftahun(Request $request)
{ $customers = $request->get('q');
    $customers=spp::where('tahunajaran', 'LIKE', '%' .
$customers . '%' )-> paginate(5);
$pdf=PDF::loadview('pdf.customer,['customers'=>
$customers]);
    return $pdf->stream('customer.pdf');
}

```

```

    }

    public function getpdftahunuser(Request $request)
    {
        $customers = $request->get('q');

        $customers=spp::where('tahunajaran', 'LIKE', '%' .
        $customers . '%')->paginate(5);

        $pdf=PDF::loadview('pdf.customer',['customers'=>
        $customers]);
        return $pdf->stream('customer.pdf');
    }
}

6.      santri2controller

<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\santri;
use App\Post;
use Illuminate\Support\Facades\Input;
use Carbon\Carbon;
use App\Http\Requests\santrirequest;
use App\Http\Requests\santrirequestedit;
class santri2Controller extends Controller
{
    public function index()
    {
        $santris = santri::paginate(5);
        return view('datasantri', compact('santris'));
    }

    public function index3()
    {
        $santris = santri::paginate(5);
        return view('datasantri3', compact('santris'));
    }

    public function store(santrirequest $request)
    {
        $santris = new santri;
        $santris->id = Input::get('id');
        $santris->namasantri = Input::get('namasantri');
        $santris->jeniskelamin = Input::get('jeniskelamin');
        $santris->alamat = Input::get('alamat');
        $santris->tglahir = Input::get('tgllahir');
        $santris->tempatlahir = Input::get('tempatlahir');
        $santris->wali = Input::get('wali');
        $santris->created_at = Carbon::now();
    }
}

$santris->updated_at = Carbon::now();
$santris -> save();
return redirect('datasantri');

}

public function create()
{
    return view('datasantri');
}

public function edit( $id)
{
    $santri = santri::Find($id);
    return View('santri.edit', compact('id', 'santri' ));
}

public function update(santrirequestedit $request, $id)
{
    $santri = santri::Find($id);
    $santri->id = $request->id;
    $santri->namasantri = $request->namasantri;
    $santri->jeniskelamin = $request->jeniskelamin;
    $santri->alamat = $request->alamat;
    $santri->tglahir = $request->tgllahir;
    $santri->tempatlahir = $request->tempatlahir;
    $santri->wali = $request->wali;
    $santri->updated_at = Carbon::now();
    $santri->save();
    return redirect('/datasantri');
}

public function destroy($id)
{
    $santri = santri::Find($id);
    $santri->delete();
    return redirect('/datasantri')->with('success', 'Data
terhapus');
}

public function __construct()
{
    $this->middleware('auth');
}

public function search(Request $request)
{
    $search = $request->get('q');
    $result = santri::where('namasantri', 'LIKE', '%' .
    $search . '%')->paginate(5);
    return view('santri.result',compact('search','result'));
}
}
}

```

7. santriController

```
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\santri;
use App\Post;
use Illuminate\Support\Facades\Input;
use Carbon\Carbon;
use App\Http\Requests\santrirequest;
use App\Http\Requests\santrirequestesit;
class santriController extends Controller
{
    public function index()
    {
        $santris = santri::paginate(5);
        return view('datasantri', compact('santris'));
    }
    public function index2()
    {
        $santris = santri::paginate(5);
        return view('datasantri2', compact('santris'));
    }
    public function index3()
    {
        $santris = santri::paginate(5);
        return view('datasantri3', compact('santris'));
    }
    public function search31(Request $request)
    {
        $search = $request->get('q');
        $result = santri::where('namasantri', 'LIKE', '%' .
        $search . '%')->paginate(5);
        return
        view('santri.resultuser',compact('search','result'));
    }
    public function searchlaporansantri(Request $request)
    {
        $search = $request->get('q');
        $result = santri::where('namasantri', 'LIKE', '%' .
        $search . '%')->paginate(5);
        return
        view('laporan.searchlaporansantri',compact('search','resul
        t'));
    }
    public function searchlaporansantri1(Request $request)
```

```
{
    $search = $request->get('q');
    $result = santri::where('jeniskelamin', 'LIKE', '%' .
    $search . '%')->paginate(5);
    return
    view('laporan.resultlaporansantri',compact('search','result
    '));
}
public function searchlaporansantriuser(Request
$request)
{
    $search = $request->get('q');
    $result = santri::where('jeniskelamin', 'LIKE', '%' .
    $search . '%')->paginate(5);
    return
    view('laporan.laporanusersantri',compact('search','result
    '));
}
}
8. sppcontroller
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\santri;
use App\Models\spp;
use App\Post;
use Illuminate\Support\Facades\Input;
use Carbon\Carbon;
use App\Http\Requests\spprequest;
class sppcontroller extends Controller
{
    public function index()
    {
        $santris = santri::paginate(4);
        return view('spp', compact('santris'));
    }
    public function index3()
    {
        $santris1 = spp::paginate(4);
        return view('lihatssp', compact('santris1'));
    }
    public function index32()
    {
        $santris1 = spp::paginate(4);
        return view('lihatspp2', compact('santris1'));
    }
}
```

```

    }

    public function edit($id)
    {
        $santri = santri::Find($id);
        return View('spp.edit', compact('id', 'santri'));
    }

    public function store3(sprequest $request)
    {
        $spps = new spp;
        $spps->id = Input::get('id');
        $spps->idsantri = Input::get('idsantri');
        $spps->namasantri = Input::get('namasantri');
        $spps->semester = Input::get('semester');
        $spps->tahunajaran = Input::get('tahunajaran');
        $spps->bulan = Input::get('bulan');
        $spps->bayar = Input::get('bayar');
        $spps->tglbayar = Input::get('tglbayar');
        $spps->created_at = Carbon::now();
        $spps->updated_at = Carbon::now();
        $spps->save();
        return redirect('lihatspp');
    }

    public function create()
    {
        return view('spp/result');
    }

    public function searchs(Request $request)
    {
        $searchs = $request->get('q');
        $result = santri::where('namasantri', 'LIKE', '%' . $searchs . '%')->paginate(5);

        return view('spp.result', compact('search', 'result'));
    }

    public function searchs2(Request $request)
    {
        $searchs = $request->get('q');
        $result = spp::where('namasantri', 'LIKE', '%' . $searchs . '%')->paginate(5);

        return view('spp.result2', compact('search', 'result'));
    }

    public function ngedit2($id)
    {
        $spp = spp::Find($id);
        return View('spp.edit2', compact('id', 'spp'));
    }

    }

    public function update(sprequest $request, $id)
    {
        $spp = spp::Find($id);
        $spp->id = $request->id;
        $spp->idsantri = $request->idsantri;
        $spp->namasantri = $request->namasantri;
        $spp->semester = $request->semester;
        $spp->tahunajaran = $request->tahunajaran;
        $spp->bulan = $request->bulan;
        $spp->bayar = $request->bayar;
        $spp->tglbayar = $request->tglbayar;
        $spp->updated_at = Carbon::now();
        $spp->save();
        return redirect('lihatspp');
    }

    public function destroy($id)
    {
        $spp = spp::Find($id);
        $spp->delete();
        return redirect('/lihatspp')->with('success', 'Data terhapus');
    }

    public function construct()
    {
        $this->middleware('auth');
    }
}

9. sppusercontroller
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\santri;
use App\Models\spp;
use App\Post;
use Illuminate\Support\Facades\Input;
use Carbon\Carbon;
use App\Http\Requests\sprequest;
class sppusercontroller extends Controller
{
    public function index()
    {
        $santris = santri::paginate(4);
        return view('spp', compact('santris'));
    }
}

```

```

    public function index3()
    {
        $santris1 = spp::paginate(4);
        return view('lihatspp', compact('santris1'));
    }

    public function index32()
    {
        $santris1 = spp::paginate(4);
        return view('lihatspp2', compact('santris1'));
    }

    public function index33()
    {
        $santris1 = spp::paginate(4);
        return view('lihatspp3', compact('santris1'));
    }

    public function edit($id)
    {
        $santri = santri::Find($id);
        return View('spp.edit', compact('id', 'santri' ));
    }

    public function create()
    {
        return view('spp/result');
    }

    public function searchs(Request $request)
    {
        $searchs = $request->get('q');
        $result = santri ::where('namasantri', 'LIKE', '%' .
        $searchs . '%')-> paginate(5);
        return view('spp.result',compact('search','result'));
    }

    public function searchs2(Request $request)
    {
        $searchs = $request->get('q');
        $result = spp::where('namasantri', 'LIKE', '%' . $searchs
        . '%')-> paginate(5);
        return view('spp.result2',compact('search','result'));
    }

    public function searchs32(Request $request)
    {
        $searchs = $request->get('q');
        $result = spp::where('namasantri', 'LIKE', '%' . $searchs
        . '%')-> paginate(5);
        return view('spp.resultuser',compact('search','result'));
    }

    public function searchlaporanspp(Request $request)
    {
        $search = $request->get('q');
        $result = spp::where('namasantri', 'LIKE', '%' . $search
        . '%')-> paginate(5);
        return
        view('laporan.searchlaporanspp',compact('search','result'))
    }

    public function searchlaporanspp1(Request $request)
    {
        $search = $request->get('q');
        $result = spp::where('semester', 'LIKE', '%' . $search .
        '%')-> paginate(5);
        return
        view('laporan.searchlaporanspp1',compact('search','result'))
    }

    public function searchlaporansppuser(Request $request)
    {
        $search = $request->get('q');
        $result = spp::where('semester', 'LIKE', '%' . $search .
        '%')-> paginate(5);
        return
        view('laporan.searchlaporansppuser',compact('search','result'))
    }

    public function searchlaporansppsemester(Request
    $request)
    {
        $search = $request->get('q');
        $result = spp::where('semester', 'LIKE', '%' . $search .
        '%')-> paginate(5);
        return
        view('laporan.searchlaporansppsemester',compact('search','result'))
    }

    public function searchlaporanspptahun(Request
    $request)
    {
        $search = $request->get('q');
        $result = spp::where('tahunajaran', 'LIKE', '%' . $search
        . '%')-> paginate(5);
        return
        view('laporan.searchlaporanspptahun',compact('search','result'))
    }

    public function searchlaporansptahunuser(Request
    $request)
    {
        $search = $request->get('q');
        $result = spp::where('tahunajaran', 'LIKE', '%' . $search
        . '%')-> paginate(5);
        return
        view('laporan.searchlaporansptahunuser',compact('search','result'))
    }
}

```

```

{
    $search = $request->get('q');
    $result = spp::where('tahunajaran', 'LIKE', '%' . $search
    . '%' )->paginate(5);
    return
    view('laporan.laporanuserspp2',compact('search','result'))
;
}
}

10.      ustadicontroller
<?php
namespace App\Http\Controllers;

use Illuminate\Http\Request;
use App\Models\ustad;
use App\Post;
use Illuminate\Support\Facades\Input;
use Carbon\Carbon;
use App\Http\Requests\ustadzrequest;
use App\Http\Requests\ustadzrequestedit;
class ustadicontroller extends Controller
{
    public function index()
    {
        $ustadzs = ustad::paginate(5);
        return view('dataustadz', compact('ustadzs'));
    }
    public function index21()
    {
        $ustadzs = ustad::paginate(5);
        return view('ustaddata', compact('ustadzs'));
    }
    public function index22()
    {
        $ustadzs = ustad::paginate(5);
        return view('ustaddata3', compact('ustadzs'));
    }
    public function store2(ustadzrequest $request)
    {
        $ustadzs = new ustad;
        $ustadzs->id = Input::get('id');
        $ustadzs->namaustadz
Input::get('namaustadz');
        $ustadzs->jeniskelamin
Input::get('jeniskelamin');
        $ustadzs->alamat = Input::get('alamat');
        $ustadzs->tgllahir = Input::get('tgllahir');
        $ustadzs->tempatlahir = Input::get('tempatlahir');
        $ustadzs->nohp = Input::get('nohp');
        $ustadzs->created_at = Carbon::now();
        $ustadzs->updated_at = Carbon::now();
        $ustadzs->save();
        return redirect('/dataustadz');
    }
    public function create()
    {
        return view('dataustadz');
    }
    public function edit($id)
    {
        $ustadz = ustad::Find($id);
        return View('ustadz.edit', compact('id', 'ustadz' ));
    }
    public function Update(ustadzrequestedit
$request , $id)
{
    $ustadzs = ustad::Find($id);
    $ustadzs->id = $request->id;
    $ustadzs->namaustadz      =      $request-
>namaustadz;
    $ustadzs->jeniskelamin      =      $request-
>jeniskelamin;
    $ustadzs->alamat = $request->alamat;
    $ustadzs->tgllahir = $request->tgllahir;
    $ustadzs->tempatlahir      =      $request-
>tempatlahir;
    $ustadzs->nohp = $request->nohp;
    $ustadzs->updated_at      =
Carbon::now();
    $ustadzs->save();
    return redirect ('/dataustadz');
}
    public function destroy($id)
{
    $ustadz = ustad::Find($id);
    $ustadz->delete();
    return redirect('/dataustadz')->with('success', 'Data
terhapus');
}
    public function search2(Request $request)
{
}
}

```

```

$search = $request->get('q');
$result = ustاد::where('namaustadz', 'LIKE', '%' .
$search . '%')->paginate(5);

return view('ustadz.result',compact('search','result'));
}

public function __construct()
{
    $this->middleware('auth');
}

11.      ustادController
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\ustاد;
use App\Post;
use Illuminate\Support\Facades\Input;
use Carbon\Carbon;
use App\Http\Requests\ustadzrequest;
use App\Http\Requests\ustadzrequestedit;
class ustادController extends Controller
{
    public function index()
    {
        $ustadzs = ustاد::paginate(5);
        return view('dataustadz', compact('ustadzs'));
    }

    public function index21()
    {
        $ustadzs = ustاد::paginate(5);
        return view('ustaddata', compact('ustadzs'));
    }

    public function index22()
    {
        $ustadzs = ustاد::paginate(5);
        return view('ustaddata3', compact('ustadzs'));
    }

    public function search2(Request $request)
    {
        $search = $request->get('q');
        $result = ustاد::where('namaustadz', 'LIKE', '%' .
$search . '%')->paginate(5);
        return view('ustadz.result',compact('search','result'));
    }
}

public function search33(Request $request)
{
    $search = $request->get('q');
    $result = ustاد::where('namaustadz', 'LIKE', '%' .
$search . '%')->paginate(5);
    return
view('ustadz.resultuser',compact('search','result'));
}

public function searchlaporanustad(Request $request)
{
    $search = $request->get('q');
    $result = ustاد::where('namaustadz', 'LIKE', '%' .
$search . '%')->paginate(5);
    return
view('laporan.searchlaporanustad',compact('search','resu
lt'));
}

public function searchlaporanustad1(Request $request)
{
    $search = $request->get('q');
    $result = ustاد::where('jeniskelamin', 'LIKE', '%' .
$search . '%')->paginate(5);
    return
view('laporan.resultlaporanustad',compact('search','result
'));
}

public function searchlaporanuserustad(Request $request)
{
    $search = $request->get('q');
    $result = ustاد::where('jeniskelamin', 'LIKE', '%' .
$search . '%')->paginate(5);
    return
view('laporan.laporanuserustad',compact('search','result
'));
}
}

View (User)
1.      welcome (user)
<!DOCTYPE html>
<html lang="{{ app()->getLocale() }}>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-
width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
```

```

<meta name="author" content="">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="csrf-token" content="{{ csrf_token() }}>
<title>TPA Al-Iman</title>
<style type="text/css">
.bg-primary1{
background: #81a53a;
background-color: #81a53a;
}
</style>
<link rel="stylesheet" type="text/css" href="template/css/creative.css" >
<link href="template/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
<link href="template/vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">
<link href='template/https://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>
<link href='template/https://fonts.googleapis.com/css?family=Merriweather:400,300,300italic,400italic,700,700italic,900,900italic' rel='stylesheet' type='text/css'>
<link href="template/vendor/magnific-popup/magnific-popup.css" rel="stylesheet">
<link href="template/css/creative.min.css" rel="stylesheet">
</head>
<body id="page-top">
<nav class="navbar navbar-expand-lg navbar-light fixed-top" id="mainNav" >
<div class="container">
<a class="navbar-brand" js-scroll-trigger" href="#page-top">TKA TPA Kalibayem</a>
<button class="navbar-toggler navbar-toggler-right" type="button" data-toggle="collapse" data-target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarResponsive">
<ul class="navbar-nav ml-auto">
<ul class="dropdown-menu">
<li class="nav-item">
<a class="nav-link" js-scroll-trigger" href="#">Home</a>
</li>
<li class="nav-item">
<a class="nav-link" js-scroll-trigger" href="#">Proses Akademik</a>
<ul>
<li><a href="#"><{ route('datasantri2.user2') }>Data Santri</a></li>
<li><a href="#"><{ route('ustaddata.user2') }>Data Ustadz</a></li>
<li><a href="#"><{ route('monitorngaji2.user2') }>Monitoring Ngaji</a></li>
<li><a href="#"><{ route('lihatpp2.user2') }>SPP</a></li>
</ul>
</li>
<li class="nav-item">
<a class="nav-link" js-scroll-trigger" href="#">Gallery</a>
</li>
<li class="nav-item">
<a class="nav-link" js-scroll-trigger" href="#">Kontak</a>
</li>
<li style="position: relative;left: 70px" class="nav-item">
<a style="color: #692911;" class="nav-link js-scroll-trigger" href="#"><{ route('login') }>Admin</a>
</li>
</ul>
</div>
</nav>
<header class="masthead text-center text-white d-flex">
<div class="container my-auto">

```

```

<div class="row">
  <div class="col-lg-10 mx-auto">
    <h1 class="text-uppercase">
      <strong>Sistem Informasi TKA/TPA Masjid Al-
        Iman Kalibayem</strong>
    </h1>
    <hr class="light my-4">
  </div>
  <div class="col-lg-8 mx-auto">
    <a class="btn btn-light btn-xl js-scroll-trigger"
      href="#about">Visi & Misi</a>
  </div>
</div>
</div>
</header>
<section class="bg-primary1" id="about">
  <div class="container">
    <div class="row">
      <div class="col-lg-8 mx-auto text-center">
        <h2 class="section-heading" style="text-
white">Visi</h2>
        <hr class="light my-4">
        <p class="text-faded mb-4">
          Menjadi tempat pendidikan yang berbasis pada
          Al Qur'an dan Sunnah Rasulullah saw sehingga tercipta
          masyarakat madani / Islami.
        </p>
      </div>
      <div class="col-lg-8 mx-auto text-center">
        <h2 class="section-heading" style="text-
white">Misi</h2>
        <hr class="light my-4">
        <p class="text-faded mb-4">
          1. Berperan serta dalam mengedepankan
          kelancaran membaca Al Qur'an dengan bacaan yang baik
          dan benar <br/>
          2. Membentuk pribadi muslim sejak dini dengan
          penekanan akhlaqul karimah.
        </p>
      </div>
    </div>
  </div>
</section>
<section class="bg-primary" id="galeri">
  <div class="col-lg-8 mx-auto text-center">
    <h3 class="section-heading">Galeri</h3>
    <br/>
    </div>
    <div class="container-fluid p-0">
      <div class="row no-gutters popup-gallery">
        <div class="col-lg-4 col-sm-6">
          <a href="template/img/portfolio/fullsize/a.jpg"
            class="portfolio-box">
            <img alt="" class="img-fluid" style="width: 100%; height: 100%; object-fit: cover;">
            <div class="portfolio-box-caption">
              <div class="portfolio-box-caption-content">
                <div class="project-category text-faded">
                  Mengaji
                </div>
                <div class="project-name">
                  Baca Iqro'
                </div>
                <div class="project-category text-faded">
                  Belajar
                </div>
                <div class="project-name">
                  Materi
                </div>
              </div>
            </div>
          <a href="template/img/portfolio/fullsize/b.jpg"
            class="portfolio-box">
            <img alt="" class="img-fluid" style="width: 100%; height: 100%; object-fit: cover;">
            <div class="portfolio-box-caption">
              <div class="portfolio-box-caption-content">
                <div class="project-category text-faded">
                  Mengaji
                </div>
                <div class="project-name">
                  Baca Iqro'
                </div>
                <div class="project-category text-faded">
                  Belajar
                </div>
                <div class="project-name">
                  Materi
                </div>
              </div>
            </div>
          <a href="template/img/portfolio/fullsize/c.jpg"
            class="portfolio-box">
            <img alt="" class="img-fluid" style="width: 100%; height: 100%; object-fit: cover;">
            <div class="portfolio-box-caption">
              <div class="portfolio-box-caption-content">
                <div class="project-category text-faded">
                  Mengaji
                </div>
                <div class="project-name">
                  Baca Iqro'
                </div>
                <div class="project-category text-faded">
                  Belajar
                </div>
                <div class="project-name">
                  Materi
                </div>
              </div>
            </div>
          </a>
        </div>
      </div>
    </div>
  </div>
</section>

```



```

</p>
</div>
</div>
</div> </section>
<script
src="template/vendor/jquery/jquery.min.js"></script>
<script
src="template/vendor/bootstrap/js/bootstrap.bundle.min.j
s"></script>
<script src="template/vendor/jquery-easing/jquery.easing.min.js"></script>
<script
src="template/vendor/scrollreveal/scrollreveal.min.js">
</script>
<script src="template/vendor/magnific-popup/jquery.magnific-popup.min.js"></script>
<script src="template/js/creative.min.js"></script>
</body>
</html>
2.      datasantri2
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-
width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<title>Data Santri</title>
<style type="text/css">
.div {
    background: #81a53a;
    background-color: #81a53a;
}
</style>
<link href="vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
<link rel="stylesheet" type="text/css"
href="template/css/creative.css" >
<link href="template/vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">
<link
href='template/https://fonts.googleapis.com/css?family=
Open+Sans:300italic,400italic,600italic,700italic,800itali
c,400,300,600,700,800' rel='stylesheet' type='text/css'>
<link
href='template/https://fonts.googleapis.com/css?family=
Merriweather:400,300,300italic,400italic,700,700italic,9
00,900italic' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="form-1/assets/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="form-1/assets/css/form-
elements.css">
<link rel="stylesheet" href="form-1/assets/css/style.css">
<link rel="shortcut icon" href="form-
1/assets/ico/favicon.png">
<link rel="apple-touch-icon-precomposed"
sizes="144x144" href="form-1/assets/ico/apple-touch-
icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed"
sizes="114x114" href="form-1/assets/ico/apple-touch-
icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed"
sizes="72x72" href="form-1/assets/ico/apple-touch-icon-
72-precomposed.png">
<link rel="apple-touch-icon-precomposed"
href="form-1/assets/ico/apple-touch-icon-57-
precomposed.png">
<link href="template/vendor/magnific-
popup/magnific-popup.css" rel="stylesheet">
<link rel="stylesheet" href="/css/style.css" />
</head>
<body id="page-top" class="div">
<nav class="navbar navbar-expand-lg navbar-light
fixed-top" id="mainNav" >
<div class="container">
<a class="navbar-brand js-scroll-trigger"
href="#page-top">TKA TPA Kalibayem</a>
<div class="collapse navbar-collapse" id="navbarResponsive">
<ul class="navbar-nav ml-auto">
<ul class="dropmenu" style="position:
relative;left:410px">
<li class="nav-item">
<a style="color: #692911; class="nav-link js-
scroll-trigger" href="{{ route('welcome') }}">Home</a>
</li>
<li class="nav-item">
<a style="color: #692911; class="nav-link js-
scroll-trigger" href="#services">Proses Akademik</a>

```

```

<ul>
    <li><a href="#">Data Santri</a></li>
    <li><a href="#">Data Ustadz</a></li>
    <li><a href="#">Monitoring Ngaji</a></li>
    <li style="position: relative; left: 70px;" class="nav-item">
        <a style="color: #692911;" class="nav-link js-scroll-trigger" href="#">Admin</a>
    </li>
</ul>
</div>
</div>
</nav>
<section class="bg-light">
    <div class="col-lg-8 mx-auto text-center">
        <div class="container my-auto">
            <h2 style="color: black; padding-left: 100px; position: relative; bottom: 40px">Data Santri</h2>
        </div>
    </div>
    <div class="container">
        <form action="#">route\('post31.search31'\)" method="get">
            <input type="text" name="q" placeholder="search...." style="width: 95; display: inline; background: #ffff">
            <button type="submit" >Cari</button>
        </form>
    </div>
    <table style="position: relative; left: 350px; top: 120px">
        </table>
    <table class="table table-hover" style="color: black">
        <tr><td></td><td></td><td></td></tr>
        <tr><td width="205px" >
            <form action="#">action="{'route\('postlaporansantriuser.searchlaporansantriuser'\)}" method="get">
                <select name="q" >
                    <option value="">Jenis Kelamin</option>
                    <option value="L">Laki-Laki </option>
                    <option value="P">Perempuan</option>
                </select>
                <button type="submit" >Filter</button>
            </form>
        </td><td></td><td></td></tr>
        <tr>
            <th style="text-align: center;" scope="col">NIS</th>
            <th style="text-align: center;" scope="col">Nama Santri</th>
            <th style="text-align: center;" scope="col">Jenis Kelamin</th>
            <th style="text-align: center;" scope="col">Alamat</th>
            <th style="text-align: center;" scope="col">Wali</th>
        </tr>
        <tbody>
            @foreach\(\$santris as \$santri\)
                <tr>
                    <td>{\$santri->id}</td>
                    <td width="200px">{\$santri->namasantri}</td>
                    <td>{\$santri->jeniskelamin}</td>
                    <td width="360px" style="text-align: left">{\$santri->alamat}</td>
                    <td>{\$santri->wali}</td>
                </tr>
            @endforeach
            <center>
                <form action="#">route\\('pdfsemuasantri'\\)" method="get">
                    <button type="submit" style="width: 95; display: inline; ">Export PDF</button>
                </form>
            </center>
            <script src="template/vendor/jquery/jquery.min.js"></script>
        </tbody>
    </table>

```

```

<script
src="template/vendor/bootstrap/js/bootstrap.bundle.min.j
s"></script>
<script src="template/vendor/jquery-easing/jquery.easing.min.js"></script>
<script
src="template/vendor/scrollreveal/scrollreveal.min.js"><
/script>
<script src="template/vendor/magnific-popup/jquery.magnific-popup.min.js"></script>
<script src="template/js/creative.min.js"></script>
<script src="form-1/assets/js/jquery-1.11.1.min.js"></script>
<script src="form-1/assets/bootstrap/js/bootstrap.min.js"></script>
<script src="form-1/assets/js/jquery.backstretch.min.js"></script>
<script src="form-1/assets/js/scripts.js"></script>
</body>
</html>
3. ustaddata
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<title>Data Ustadz</title>
<style type="text/css">
.div {
background: #81a53a;
background-color: #81a53a;
}
</style>
<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
<link rel="stylesheet" type="text/css" href="template/css/creative.css" >
<link href="template/vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css" >
<link href='template/https://fonts.googleapis.com/css?family=
Open+Sans:300italic,400italic,600italic,700italic,800itali
c,400,300,600,700,800' rel='stylesheet' type='text/css'>
<link href='template/https://fonts.googleapis.com/css?family=
Merriweather:400,300,300italic,400italic,700,700italic,9
00,900italic' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="form-1/assets/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="form-1/assets/css/form-elements.css">
<link rel="stylesheet" href="form-1/assets/css/style.css">
<link rel="shortcut icon" href="form-1/assets/ico/favicon.png">
<link rel="apple-touch-icon-precomposed" sizes="144x144" href="form-1/assets/ico/apple-touch-icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="114x114" href="form-1/assets/ico/apple-touch-icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="form-1/assets/ico/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="form-1/assets/ico/apple-touch-icon-57-precomposed.png">
<link href="template/vendor/magnific-popup/magnific-popup.css" rel="stylesheet">
<link rel="stylesheet" href="/css/style.css" />
</head>
<body id="page-top" class="div">
<nav class="navbar navbar-expand-lg navbar-light fixed-top" id="mainNav" >
<div class="container">
<a class="navbar-brand js-scroll-trigger" href="#page-top">TKA TPA Kalibayem</a>
<div class="collapse navbar-collapse" id="navbarResponsive">
<ul class="navbar-nav ml-auto">
<ul class="dropmenu" style="position: relative; left: 410px">
<li class="nav-item">
<a style="color: #692911; class="nav-link js-scroll-trigger" href="{{ route('welcome') }}" >Home</a>
</li>
<li class="nav-item">

```

```

<a style="color: #692911" class="nav-link js-
scroll-trigger" href="#services">Proses Akademik</a>
<ul>
<li><a href="#">Data Santri</a></li>
<li><a href="#">Data Ustadz</a></li>
<li><a href="#">Monitoring Ngaji</a></li>
<li href="#">SPP</li>
</ul>
</li>
<li style="position: relative; left: 70px; class="nav-item">
<a style="color: #692911;" class="nav-link js-
scroll-trigger" href="#">Admin</a>
</li>
</ul>
</div>
</div>
</nav>
<section class="bg-light">
<div class="col-lg-8 mx-auto text-center">
<div class="container my-auto">
<h2 style="color: black; padding-left: 100px; position: relative; bottom: 40px">Data Ustadz</h2>
</div>
</div>
</section>
<div class="container">
<form action="#">route\('post33.search33'\)" method="get">
<input type="text" name="q" placeholder="search...." style="width: 95; display: inline; background: #fffff">
<button type="submit">Cari</button>
</form>
</div>
<table class="table table-hover" style="color: black">
<tr><td><td><td></td></td></tr>
<tr><td width="205px">
<form action="#">route\('pdfsemauastad'\)" method="get">
<button type="submit" style="width: 95; display: inline; " Export PDF</button>
</form>
</td></tr>
</table>
<form action="#">route\('postlaporanuserustad.searchlaporanuserustad'\)" method="get">
<select name="q" >
<option value="">Jenis Kelamin</option>
<option value="L">Laki-Laki </option>
<option value="P">Perempuan</option>
</select>
<button type="submit" >Filter</button>
</form>
</td><td><td><td></td></td></tr>
<tr>
<th style="text-align: center;" scope="col">NIU</th>
<th style="text-align: center;" scope="col">Nama Ustadz</th>
<th style="text-align: center;" scope="col">Jenis Kelamin</th>
<th style="text-align: center;" scope="col">Alamat</th>
<th style="text-align: center;" scope="col">nohp</th>
</tr>
<tbody>
@foreach($ustadzs as $ustadz)
<tr>
<td>{$ustadz->id}</td>
<td width="200px">{$ustadz->namaustadz}</td>
<td>{$ustadz->jeniskelamin}</td>
<td width="360px" style="text-align: left">{$ustadz->alamat}</td>
<td>{$ustadz->nohp}</td>
</tr>
@endforeach
<center>
<form action="#">route\('pdfsemauastad'\)" method="get">
<button type="submit" style="width: 95; display: inline; " Export PDF</button>
</form>
</center>
{$ustadzs->render()}
<br/>
</tbody>
</table>

```

```

<script
src="template/vendor/jquery/jquery.min.js"></script>
<script
src="template/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
<script src="template/vendor/jquery.easing.jquery-easing.min.js"></script>
<script
src="template/vendor/scrollreveal/scrollreveal.min.js"></script>
<script src="template/vendor/magnific-popup/jquery.magnific-popup.min.js"></script>
<script src="template/js/creative.min.js"></script>
<script src="form-1/assets/js/jquery-1.11.1.min.js"></script>
<script src="form-1/assets/bootstrap/js/bootstrap.min.js"></script>
<script src="form-1/assets/js/jquery.backstretch.min.js"></script>
<script src="form-1/assets/js/scripts.js"></script>
</body>
</html>
4. monitoringngaji2
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<title>Data Ngaji Santri</title>
<style type="text/css">
.div {
background: #81a53a;
background-color: #81a53a;
}
</style>
<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
<link rel="stylesheet" type="text/css" href="template/css/creative.css" >
<link href="template/vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">
<link href='template/fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>
<link href='template/fonts.googleapis.com/css?family=Merriweather:400,300,300italic,400italic,700,700italic,900,900italic' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="form-1/assets/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="form-1/assets/css/form-elements.css">
<link rel="stylesheet" href="form-1/assets/css/style.css">
<link rel="shortcut icon" href="form-1/assets/ico/favicon.png">
<link rel="apple-touch-icon-precomposed" sizes="144x144" href="form-1/assets/ico/apple-touch-icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="114x114" href="form-1/assets/ico/apple-touch-icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="form-1/assets/ico/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="form-1/assets/ico/apple-touch-icon-57-precomposed.png">
<link href="template/vendor/magnific-popup/magnific-popup.css" rel="stylesheet">
<link rel="stylesheet" href="/css/style.css" />
</head>
<body id="page-top" class="div">
<nav class="navbar navbar-expand-lg navbar-light fixed-top" id="mainNav" style="background-color: #81a53a; color: white; border-bottom: 1px solid black; font-weight: bold; font-size: 1.2em; padding: 10px; margin-bottom: 10px;">
<div class="container" style="display: flex; align-items: center; justify-content: space-between; gap: 20px;">
<a class="navbar-brand" href="#" style="color: white; text-decoration: none; font-weight: bold; font-size: 1.1em; margin-right: 10px;">TKA TPA Kalibayem</a>
<div class="collapse navbar-collapse" id="navarResponsive" style="flex-grow: 1; text-align: right; margin-right: 10px;">
<ul class="nav navbar-nav ml-auto" style="list-style-type: none; padding-left: 0; margin: 0; font-size: 0.9em; font-weight: bold;">
<li class="nav-item" style="margin-right: 10px; position: relative; z-index: 1; font-size: 0.9em; font-weight: bold;">
<a style="color: #692911; text-decoration: none; font-size: 0.8em; font-weight: bold; margin-right: 10px;" href="{{ route('welcome') }}>Home</a>

```

```

</li>
<li class="nav-item">
</li>
<li class="nav-item">
<a style="color: #692911; class="nav-link js-
scroll-trigger" href="#services">Proses Akademik</a>
<ul>
<li><a
href="{{ route('datasantri2.user2') }}">Data
Santri</a></li>
<li><a href="{{ route('ustaddata.user2') }}">Data
Ustadz</a></li>
<li><a
href="{{ route('monitorngaji2.user2') }}">Monitoring
Ngaji</a></li>
<li><a href="{{ route('lihatssp2.user2') }}">SPP</a></li>
</ul>
</li>
<li style="position: relative;left: 70px"
class="nav-item">
<a style="color: #692911;" class="nav-link js-
scroll-trigger" href="{{ route('login') }}>Admin</a>
</li>
</ul>
</div>
</div>
</div>
<section class="bg-light" >
<div class="col-lg-8 mx-auto text-center " >
<div class="container my-auto">
<h2 style="color: black; padding-left: 100px;
position: relative;bottom: 40px">Data ngaji Santri</h2>
</div>
</div>
</section>
<div class="container">
<form action="{{ route('posts31.searchs31') }}"
method="get">
<input type="text" name="q"
placeholder="Search...." style="width: 95; display:
inline; background: #fffff">
<button type="submit" >Cari</button>
</button>
</form>
</div>
</div>
</table>
<td></td><td></td>
<td width="200px" >
<form action="" method="get" action="{{ route('postlaporanngajiuser.searchlaporanngajiuser') }}"
method="get" >
<select name="q" >
<option value="">Jenis ngaji</option>
<option value="Al-Quran">Al-Quran </option>
<option value="Iqra Jilid 1">Iqra Jilid 1 </option>
<option value="Iqra Jilid 2">Iqra Jilid 2 </option>
<option value="Iqra Jilid 3">Iqra Jilid 3 </option>
<option value="Iqra Jilid 4">Iqra Jilid 4 </option>
<option value="Iqra Jilid 5">Iqra Jilid 5 </option>
<option value="Iqra Jilid 6">Iqra Jilid 6 </option>
</select>
<button type="submit" >Filter</button>
</form>
</td ><td></td><td></td><td></td></td>
<tr>
<th style="text-align: center;" scope="col">ID
Ngaji</th>
<th style="text-align: center;" scope="col">Nama
Santri</th>
<th style="text-align: center;" scope="col">Jenisngaji</th>
<th style="text-align: center;" scope="col">Halaman </th>
<th style="text-align: center;" scope="col">Tanggal</th>
<th style="text-align: center;" scope="col">Keterangan</th>
</tr>
<tbody>
@foreach($santris1 as $ngaji)
<tr>
<td >{{ $ngaji->id }}</td>
<td width="200px">{{ $ngaji->namasantri }}</td>
<td >{{ $ngaji->jenisngaji }}</td>
<td >{{ $ngaji->halaman }}</td>
<td >{{ $ngaji->tgl }}</td>
<td >{{ $ngaji->status }}</td>
</tr>
@endforeach
<form action="{{ route('pdf2') }}" method="get">

```

```

<button type="Submit" >Export PDF</button>
</form>
<br/><br/>
{ ${santris1->render()} }
<br/>
</tbody>
</table>
<script
src="template/vendor/jquery/jquery.min.js"></script>
<script
src="template/vendor/bootstrap/js/bootstrap.bundle.min.j
s"></script>
<script
src="template/vendor/jquery-easing/jquery.easing.min.js"></script>
<script
src="template/vendor/scrollreveal/scrollreveal.min.js"><
/script>
<script
src="template/vendor/magnific-
popup/jquery.magnific-popup.min.js"></script>
<script src="template/js/creative.min.js"></script>
<script
src="form-1/assets/js/jquery-
1.11.1.min.js"></script>
<script
src="form-
1/assets/bootstrap/js/bootstrap.min.js"></script>
<script
src="form-
1/assets/js/jquery.backstretch.min.js"></script>
<script src="form-1/assets/js/scripts.js"></script>
</body>
</html>
5.      lihatspp2
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-
width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<title>Data SPP Santri</title>
<style type="text/css">
.div {
    background: #81a53a;
    background-color: #81a53a;
}
</style>
<link href="vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
<link rel="stylesheet" type="text/css"
href="template/css/creative.css" >
<link href="template/vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">
<link href='template/https://fonts.googleapis.com/css?family=
Open+Sans:300italic,400italic,600italic,700italic,800itali
c,400,300,600,700,800' rel='stylesheet' type='text/css'>
<link href='template/https://fonts.googleapis.com/css?family=
Merriweather:400,300,300italic,400italic,700,700italic,9
00,900italic' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="form-
1/assets/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="form-1/assets/css/form-
elements.css">
<link rel="stylesheet" href="form-
1/assets/css/style.css">
<link rel="shortcut icon" href="form-
1/assets/ico/favicon.png">
<link rel="apple-touch-icon-precomposed"
sizes="144x144" href="form-1/assets/ico/apple-touch-
icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed"
sizes="114x114" href="form-1/assets/ico/apple-touch-
icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed"
sizes="72x72" href="form-1/assets/ico/apple-touch-icon-
72-precomposed.png">
<link rel="apple-touch-icon-precomposed"
href="form-1/assets/ico/apple-touch-icon-57-
precomposed.png">
<link href="template/vendor/magnific-
popup/magnific-popup.css" rel="stylesheet">
<link rel="stylesheet" href="/css/style.css" />
</head>
<body id="page-top" class="div">
<nav class="navbar navbar-expand-lg navbar-light
fixed-top" id="mainNav" >
<div class="container">
<a class="navbar-brand js-scroll-trigger"
href="#page-top">TKA TPA Kalibayem</a>
<div class="collapse navbar-collapse"
id="navbarResponsive">

```

```

<ul class="navbar-nav ml-auto">
<ul class="dropmenu" style="position: relative; left: 410px;">
<li class="nav-item">
<a style="color: #692911; class="nav-link js-scroll-trigger" href="{{ route('welcome') }}">Home</a>
</li>
<li class="nav-item">
<a style="color: #692911; class="nav-link js-scroll-trigger" href="#services">Proses Akademik</a>
<ul>
<li><a href="{{ route('datasantri2.user2') }}">Data Santri</a></li>
<li><a href="{{ route('ustaddata.user2') }}">Data Ustadz</a></li>
<li><a href="{{ route('monitorngaji2.user2') }}">Monitoring Ngaji</a></li>
<li><a href="{{ route('lihatspp2.user2') }}">SPP</a></li>
</ul>
</li>
<li style="position: relative; left: 70px;" class="nav-item">
<a style="color: #692911;" class="nav-link js-scroll-trigger" href="{{ route('login') }}>Admin</a>
</li>
</ul>
</div>
</div>
</div>
</section>
<div class="container">
<form action="{{ route('posts32.searchs32') }}" method="get">
<input type="text" name="q" placeholder="search....." style="width: 95; display: inline; background: #fffff">
<button type="submit" >Cari</button>
</form>
</div>
<table class="table table-hover" style="color: black">
<tr><td></td><td></td><td></td><td></td></tr>
<tr>
<td width="200px" >
<form action="{{ route('postlaporansppuser.searchlaporansppuser') }}" method="get" >
<select name="q" >
<option value="">Semester</option>
<option value="Ganjil">Ganjil</option>
<option value="Genap">Genap </option>
</select>
<button type="submit" >Filter</button>&ampnbsp&ampnbsp&ampnbsp
</form>
</td>
<td width="200px" >
<form action="{{ route('postlaporansptahunuser.searchlaporansptahunuser') }}" method="get" >
<select name="q">
<?php
$now=date('Y');?
<option value=" " >Tahun Ajaran</option>
<?php for ($a=2011;$a<=$now;$a++) {
{
$b=1;
$c = $a+$b;
echo "<option value=\"$a\">$a / $c </option>";
}
?>
</select>
<button type="submit" >Filter</button>
</form>
</td>
<tr>
<th style="text-align: center;" scope="col">ID SPP</th>
<th style="text-align: center;" scope="col">Nama Santri</th>

```



```

<input id="email" type="email"
class="form-control" name="email" value="{{ old('email') }}" required autofocus>
@if ($errors->has('email'))
<span class="help-block">
<strong>{{ $errors-
>first('email') }}</strong>
</span>
@endif
</div>
</div>
<div class="form-group{{ $errors-
>has('password') ? ' has-error' : '' }}>
<label for="password" class="col-md-4
control-label">Password</label>
<div class="col-md-6">
<input id="password"
type="password" class="form-control" name="password"
required>
@if ($errors->has('password'))
<span class="help-block">
<strong>{{ $errors-
>first('password') }}</strong>
</span>
@endif
</div>
</div>
<div class="form-group">
<div class="col-md-6 col-md-offset-4">
<div class="checkbox">
<label>
<input type="checkbox"
name="remember" {{ old('remember') ? 'checked' : '' }}>
Remember Me
</label>
</div>
</div>
</div>
<div class="form-group">
<div class="col-md-8 col-md-offset-4">
<button type="submit" class="btn btn-primary">
Login
</button>
</div>
</div>
</form>

```

View (Admin)

7. home (Admin)

```

<!DOCTYPE html>
<html lang="{{ app()->getLocale() }}>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-
width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<meta http-equiv="X-UA-Compatible"
content="IE=edge">
<meta name="viewport" content="width=device-
width, initial-scale=1">
<meta name="csrf-token" content="{{ csrf_token()
}}>
<title>TPA Al-Iman</title>
<link rel="stylesheet" type="text/css"
href="template/css/creative.css" >
<link
href="template/vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
<link href="template/vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">
<link
href='template/https://fonts.googleapis.com/css?family=
Open+Sans:300italic,400italic,600italic,700italic,800itali
c,400,300,600,700,800' rel='stylesheet' type='text/css'>
<link
href='template/https://fonts.googleapis.com/css?family=
Merriweather:400,300,300italic,400italic,700,700italic,9
00,900italic' rel='stylesheet' type='text/css'>
<link href="template/vendor/magnific-
popup/magnific-popup.css" rel="stylesheet">
<link href="template/css/creative.min.css"
rel="stylesheet">
</head>
<body id="page-top">
```

```

<nav class="navbar navbar-expand-lg navbar-light
fixed-top" id="mainNav" >
  <div class="container">
    <a class="navbar-brand" js-scroll-trigger"
      href="#page-top">TKA TPA Kalibayem</a>
    <button class="navbar-toggler navbar-toggler-right"
      type="button" data-toggle="collapse" data-
      target="#navbarResponsive" aria-
      controls="navbarResponsive" aria-expanded="false"
      aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarResponsive">
      <ul class="navbar-nav ml-auto">
        <ul class="dropdown-menu">
          <li class="nav-item">
            <a class="nav-link" js-scroll-trigger"
              href="#page-top" >Home</a>
            </li>
          <li class="nav-item">
            <a class="nav-link" js-scroll-trigger"
              href="#services">Proses Akademik</a>
            <ul>
              <li><a href="{{ route('datasantri.admin') }}">Data Santri</a></li>
              <li><a href="{{ route('dataustadz.admin') }}">Data
                Ustadz</a></li>
              <li><a href="{{ route('monitorngaji.admin') }}">Monitoring
                Ngaji</a></li>
              <li><a href="{{ route('lihatspp.admin') }}">SPP</a></li>
            </ul>
            </li>
          <li class="nav-item">
            <a class="nav-link" js-scroll-trigger"
              href="#galeri">Gallery</a>
            </li>
          <li class="nav-item">
            <a class="nav-link" js-scroll-trigger"
              href="#laporan">Laporan</a>
            <ul>
              <li><a href="{{ route('datasantri3.admin3') }}">Laporan
                Data Santri</a></li>

```

```
    {{ csrf_field() }}
```

```
    </form>
```

```
    </li>
```

```
    </ul>
```

```
    </li>
```

```
@endif
```

```
    <li class="nav-item">
```

```
        <a style="color: #692911" href="{{ url('register') }}>Register</a>
```

```
    </a>
```

```
    </li>
```

```
</ul>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<header class="masthead text-center text-white d-flex">
```

```
    <div class="container my-auto">
```

```
        <div class="row">
```

```
            <div class="col-lg-10 mx-auto">
```

```
                <h1 class="text-uppercase">
```

```
                    <strong>Sistem Informasi TKA/TPA Masjid Al-
```

```
Iman Kalibayem</strong>
```

```
                </h1>
```

```
                <hr class="light my-4">
```

```
            </div>
```

```
            <div class="col-lg-8 mx-auto">
```

```
                <a class="btn btn-light btn-xl js-scroll-trigger" href="#about">Visi & Misi</a>
```

```
            </div>
```

```
        </div>
```

```
</header>
```

```
<section class="bg-primary" id="about">
```

```
    <div class="container">
```

```
        <div class="row">
```

```
            <div class="col-lg-8 mx-auto text-center">
```

```
                <h2 class="section-heading" text-white">Visi</h2>
```

```
                <hr class="light my-4">
```

```
                <p class="text-faded mb-4">
```

```
                    Menjadi tempat pendidikan yang berbasis pada
```

```
Al Qur'an dan Sunnah Rasulullah saw sehingga tercipta
```

```
masyarakat madani / Islami.
```

```
                </p>
```

```
            </div>
```

```
        </div>
```

```
</div>
```

```
</div>
```

```
<div>
```

```
<div class="col-lg-8 mx-auto text-center">
```

```
    <h2 class="section-heading" text-white">Misi</h2>
```

```
    <hr class="light my-4">
```

```
    <p class="text-faded mb-4">
```

```
        1. Berperan serta dalam mengedepankan
```

```
kelancaran membaca Al Qur'an dengan bacaan yang baik
```

```
dan benar <br/>
```

```
        2. Membentuk pribadi muslim sejak dini dengan
```

```
penekanan akhlakul karimah.
```

```
    </p>
```

```
</div>
```

```
<div class="col-lg-8 mx-auto text-center">
```

```
    <h3 class="section-heading">Galeri</h3>
```

```
    <br/>
```

```
</div>
```

```
<div class="container-fluid p-0">
```

```
    <div class="row no-gutters popup-gallery">
```

```
        <div class="col-lg-4 col-sm-6">
```

```
            <a href="template/img/portfolio/fullsize/a.jpg" class="portfolio-box">
```

```
                
```

```
                <div class="portfolio-box-caption">
```

```
                    <div class="portfolio-box-caption-content">
```

```
                        <div class="project-category text-faded">
```

```
                            Mengaji
```

```
                        </div>
```

```
                    </div>
```

```
                    <div class="project-name">
```

```
                        Baca Iqro'
```

```
                    </div>
```

```
                </div>
```

```
            </a>
```

```
        </div>
```

```
        <div class="col-lg-4 col-sm-6">
```

```
            <a href="template/img/portfolio/fullsize/b.jpg" class="portfolio-box">
```

```
                
```

```
                <div class="portfolio-box-caption">
```

```

<div class="portfolio-box-caption-content">
  <div class="project-category text-faded">
    Belajar
  </div>
  <div class="project-name">
    Materi
  </div>
  </div>
</a>
</div>
<div class="col-lg-4 col-sm-6">
  <a href="template/img/portfolio/fullsize/c.jpg" class="portfolio-box">
    
    <div class="portfolio-box-caption">
      <div class="portfolio-box-caption-content">
        <div class="project-category text-faded">
          Kegiatan
        </div>
        <div class="project-name">
          Buka Bersama
        </div>
      </div>
    </a>
  </div>
  <div class="col-lg-4 col-sm-6">
    <a href="template/img/portfolio/fullsize/d.jpg" class="portfolio-box">
      
      <div class="portfolio-box-caption">
        <div class="portfolio-box-caption-content">
          <div class="project-category text-faded">
            Mengaji
          </div>
          <div class="project-name">
            Baca Iqro'
          </div>
        </div>
      </a>
    </div>
    <div class="col-lg-4 col-sm-6">
      <a href="template/img/portfolio/fullsize/e.jpg" class="portfolio-box">
        
        <div class="portfolio-box-caption">
          <div class="portfolio-box-caption-content">
            <div class="project-category text-faded">
              Belajar
            </div>
            <div class="project-name">
              Materi
            </div>
          </div>
        </a>
      </div>
      <div class="col-lg-4 col-sm-6">
        <a href="template/img/portfolio/fullsize/f.jpg" class="portfolio-box">
          
          <div class="portfolio-box-caption">
            <div class="portfolio-box-caption-content">
              <div class="project-category text-faded">
                Mengaji
              </div>
              <div class="project-name">
                Baca Al-Qur'an
              </div>
            </div>
          </a>
        </div>
        <div id="contact" class="row">
          <div class="col-lg-8 mx-auto text-center">
            <h3>Kontak Kami</h3>
            <hr class="my-4" />
            <iframe src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d31623.344503483353!2d110.32589571416108!3d-108.344503483353!3m2!1e1!2e1" />
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

7.798499617842128!2m3!1f0!2f0!3f0!3m2!1i1024!2i76
8!4f13.1!3m3!1m2!1s0x2e7a57f8efa0df5f%3A0x94a935
b02955005d!2sMasjid+Al-
Iman!5e0!3m2!1sen!2sid!4v1534577176589"
width="440" height="260" frameborder="0"
style="border:0" allowfullscreen></iframe>
</div>
</div>
<div class="row">
<div class="col-lg-4 ml-auto text-center">
<i class="fa fa-phone fa-3x mb-3 sr-contact"></i>
<p>0274 618 751</p>
</div>
<div class="col-lg-4 mr-auto text-center">
<i class="fa fa-envelope-o fa-3x mb-3 sr-
contact"></i>
<p>
<a href="mailto:your-email@your-
domain.com">feedback@startbootstrap.com</a>
</p>
</div>
</div> </section>
<script
src="template/vendor/jquery/jquery.min.js"></script>
<script
src="template/vendor/bootstrap/js/bootstrap.bundle.min.j
s"></script>
<script src="template/vendor/jquery-easing/jquery-
easing/jquery.easing.min.js"></script>
<script
src="template/vendor/scrollreveal/scrollreveal.min.js"><
/script>
<script src="template/vendor/magnific-
popup/jquery.magnific-popup.min.js"></script>
<script src="template/js/creative.min.js"></script>
</body>
</html>
8.      datasantri
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-
width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<title>Data Santri</title>
<style type="text/css">
.div {
background: #81a53a;
background-color: #81a53a;
}
</style>
<link href="vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
<link rel="stylesheet" type="text/css"
href="template/css/creative.css" >
<link href="template/vendor/fontawesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">
<link href='template/https://fonts.googleapis.com/css?family=
Open+Sans:300italic,400italic,600italic,700italic,800itali
c,400,300,600,700,800' rel='stylesheet' type='text/css'>
<link href='template/https://fonts.googleapis.com/css?family=
Merriweather:400,300,300italic,400italic,700,700italic,9
00,900italic' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="form-
1/assets/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="form-1/assets/css/form-
elements.css">
<link rel="stylesheet" href="form-
1/assets/css/style.css">
<link rel="shortcut icon" href="form-
1/assets/ico/favicon.png">
<link rel="apple-touch-icon-precomposed"
sizes="144x144" href="form-1/assets/ico/apple-touch-
icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed"
sizes="114x114" href="form-1/assets/ico/apple-touch-
icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed"
sizes="72x72" href="form-1/assets/ico/apple-touch-icon-
72-precomposed.png">
<link rel="apple-touch-icon-precomposed"
href="form-1/assets/ico/apple-touch-icon-57-
precomposed.png">
<link href="template/vendor/magnific-
popup/magnific-popup.css" rel="stylesheet">
<link rel="stylesheet" href="/css/style.css" />

```

```

</head>
<body id="page-top" class="div">
  <nav  class="navbar navbar-expand-lg navbar-light
fixed-top" id="mainNav" >
    <div class="container">
      <a      class="navbar-brand      js-scroll-trigger"
href="#page-top">TKA TPA Kalibayem</a>
      <div      class="collapse      navbar-collapse"
id="navbarResponsive">
        <ul class="navbar-nav ml-auto">
          <ul class="dropdown"  style="position: relative;left:
210px">
            <li class="nav-item">
              <a style="color: #692911;" class="nav-link js-
scroll-trigger" href="{{ url('/home') }}>Home</a>
            </li>
            <li class="nav-item">
              <a style="color: #692911" class="nav-link js-
scroll-trigger" href="#services">Proses Akademik</a>
              <ul>
                <li><a href="{{ route('datasantri.admin') }}>Data Santri</a></li>
                <li><a href="{{ route('dataustadz.admin') }}>Data
Ustadz</a></li>
                <li><a href="{{ route('monitorngaji.admin') }}>Monitoring
Ngaji</a></li>
                <li><a href="{{ route('lihatspp.admin') }}>SPP</a></li>
              </ul>
            </li>
            <li class="nav-item">
              <a style="color: #692911" class="nav-link js-
scroll-trigger" href="#laporan">Laporan</a>
              <ul>
                <li><a href="{{ route('datasantri3.admin3') }}>Laporan
Santri</a></li>
                <li><a href="{{ route('ustaddata3.admin3') }}>LaporanData
Ustadz</a></li>
                <li><a href="{{ route('monitorngaji3.admin3') }}>Laporan
Monitoring Ngaji</a></li>
                <li><a href="{{ route('lihatspp3.admin3') }}>Laporan Spp</a></li>
              </ul>
            </li>
          </ul>
        </div>
      </div>
    </div>
  </nav>
  <div class="container">
    <ul class="nav-item" style="list-style-type: none;">
      <li class="nav-item">
        @if(Route::has('login'))
          @if (Auth::check())
            @else
              <li class="nav-item">
                <a style="color: #692911" href="{{ url('/login') }}>Admin
                </a>
              </li>
            @endif
          @endif
        </li>
        <ul class="dropdown" style="position: absolute;bottom:
50px;position: relative;left: 960px" class="dropdown-menu" role="menu">
          @if (Auth::guest())
            <li style="color: #692911; position: relative;bottom:
50px;position: relative;left: 960px" class="dropdown-item" href="#" data-
toggle="dropdown" data-target="#dropdown-menu">
              <a style="color: #692911" href="#" data-
toggle="button" aria-expanded="false">
                {{ Auth::user()->name }} <span
class="caret"></span>
              </a>
            <ul class="dropdown-menu" role="menu">
              <li><a href="{{ route('logout') }}" onclick="event.preventDefault();
document.getElementById('logout-form').submit();">
                Logout
                </a>
              </li>
              <form id="logout-form" action="{{ route('logout') }}"
method="POST" style="display: none;">
                {{ csrf_field() }}
              </form>
            </ul>
          </li>
        </ul>
      </li>
    </ul>
  </div>

```

```

<a style="color: #692911" href="{{ url('/register') }}>Register</a>
</li>
</li>
</ul>
</ul>
</li>
</div>
</div>
</nav>
<section class="bg-light" >
<div class="col-lg-8 mx-auto text-center " >
<div class="container my-auto" >
<h2 style="color: black; padding-left: 100px; position: relative; bottom: 50px">Data Santri</h2>
</div>
</div>
<div class="col-lg-8 mx-auto" style="padding-right: 600px; " >
<a class="btn-link-1 launch-modal bg-light bg-dark" href="" data-modal-id="modal-register">Tambah Data +</a>
</div></section>
<br/> <br/> <br/>
@if($errors->any())
<div class="alert alert-danger">
<ul>
@foreach($errors->all() as $error)
<li>
{{ $error }}
</li>
@endforeach
</ul>
</div>
@endif
<div class="modal fade" id="modal-register" tabindex="-1" role="dialog" aria-labelledby="modal-register-label" aria-hidden="true">
<div class="modal-dialog">
<div class="modal-content">
<div class="modal-header">
<span class="modal-title" id="modal-register-label">Tambah Data </span>
<button type="button" class="close" data-dismiss="modal">
<span style="color: #A94442;">&times;
</button>
</div>
<div class="modal-body" >
{{ Form::open(['action' => 'santri2Controller@store', 'method' => 'POST']) }}
<div style="color: #A94442;">@if ($errors->has('id')) <strong> {{ $errors->first('id') }} </strong> @endif </div>
<div class="form-group" >
<h6>{{ Form::label('id', 'NIS') }}</h6>
{{ Form::text('id', null, array('class' => 'form-control')) }} <div style="color: #A94442;">@if ($errors->has('id')) <strong> {{ $errors->first('id') }} </strong> @endif </div>
<div class="form-group" >
<h6>{{ Form::label('namasantri', 'Nama Santri') }}</h6>
{{ Form::text('namasantri', null, array('class' => 'form-control')) }} <div style="color: #A94442;">@if ($errors->has('namasantri')) <strong> {{ $errors->first('namasantri') }} </strong> @endif </div>
<div class="form-group" >
<h6>{{ Form::label('jeniskelamin', 'Jenis Kelamin') }}</h6>
<h5>{{ Form::radio('jeniskelamin', 'L') }} Laki-Laki &nbsp;&nbsp;&nbsp; {{ Form::radio('jeniskelamin', 'P') }} Perempuan</h5>
<div style="color: #A94442;">@if ($errors->has('jeniskelamin')) <strong> {{ $errors->first('jeniskelamin') }} </strong> @endif </div>
<div class="form-group" >
<h6>{{ Form::label('alamat', 'Alamat') }}</h6>
{{ Form::text('alamat', null, array('class' => 'form-control')) }} <div style="color: #A94442;">@if ($errors->has('alamat')) <strong> {{ $errors->first('alamat') }} </strong> @endif </div>

```

```

<strong> {{ $errors->first('alamat') }} </strong>
@endif
</div>
</div>
<div class="form-group">
<h6>{{ Form::label('tgllahir', 'Tgl Lahir') }}</h6>
{{ Form::date('tgllahir', '', array('class' => 'form-control'))}}
<div style="color: #A94442;">@if ($errors->has('tgllahir'))
<strong> {{ $errors->first('tgllahir') }} </strong>
@endif
</div>
</div>
<div class="form-group">
<h6>{{ Form::label('tempatlahir', 'Tempat Lahir') }}</h6>
{{ Form::text('tempatlahir', '', array('class' => 'form-control'))}}
<div style="color: #A94442;">@if ($errors->has('tempatlahir'))
<strong> {{ $errors->first('tempatlahir') }} </strong>
@endif
</div>
</div>
<div class="form-group">
<h6>{{ Form::label('wali', 'Wali') }}</h6>
{{ Form::text('wali', '', array('class' => 'form-control'))}}
<div style="color: #A94442;">@if ($errors->has('wali'))
<strong> {{ $errors->first('wali') }} </strong>
@endif
</div>
</div>
{{ Form::submit('submit', array('class' => 'btn btn-success'))}}
{{ Form::close() }}
</div>
</div>
</div>
<div class="col-lg-8 mx-auto" style="padding-left: 450px" >
<a style="color: black;" class="btn tombol " href="{{ route('home') }}" >Kembali</a>
</div>
<div class="row">
<div class="container">
<form action="{{ route('post.search') }}" method="get">
<input type="text" name="q" placeholder="search...." style="width: 95; display: inline; background: #ffff">
<button type="submit" >Cari</button>
</button>
</form>
</div>
<table class="table table-hover" style="color: black">
<tr>
<th style="text-align: center;" scope="col">NIS</th>
<th style="text-align: center;" scope="col">Nama Santri</th>
<th style="text-align: center;" scope="col">Jenis kelamin</th>
<th style="text-align: center;" scope="col">Alamat</th>
<th style="text-align: center;" scope="col">Tanggal lahir</th>
<th style="text-align: center;" scope="col">Tempat lahir</th>
<th style="text-align: center;" scope="col">Wali</th>
<th colspan="3" width="20px" style="text-align: center;" scope="col">Aksi</th>
</tr>
<tbody>
@foreach($santris as $santri)
<tr>
<td>{{ $santri->idsantri }}</td>
<td width="200px">{{ $santri->namasantri }}</td>
<td>{{ $santri->jeniskelamin }}</td>
<td width="360px" style="text-align:left" >{{ $santri->alamat }}</td>
<td>{{ $santri->tgllahir }}</td>
<td>{{ $santri->tempatlahir }}</td>
<td>{{ $santri->wali }}</td>
<td></td>
<td style="text-align: right;"> <a style="color: red;" class="btn tombol " href="{{ url('/santri/edit/'.$santri->id) }}" >Edit </a> </td>
<td style="text-align: left;">
<a style="color: red;" class="btn tombol " href="{{ url('/santri/destroy/'.$santri->id) }}" >Delete </a>
</td>

```

```

        onclick="return confirm('apakah anda yakin ingin
menghapus data ini?');"
      > Hapus </a>
</td>
</tr>
@endforeach
{{ $santris->render() }}
</tbody>
</table>
<script
src="template/vendor/jquery/jquery.min.js"></script>
<script
src="template/vendor/bootstrap/js/bootstrap.bundle.min.j
s"></script>
<script
src="template/vendor/jquery-easing/jquery.easing.min.js"></script>
<script
src="template/vendor/scrollreveal/scrollreveal.min.js"><
/script>
<script
src="template/vendor/magnific-
popup/jquery.magnific-popup.min.js"></script>
<script src="template/js/creative.min.js"></script>
<script
src="form-1/assets/js/jquery-
1.11.1.min.js"></script>
<script
src="form-
1/assets/bootstrap/js/bootstrap.min.js"></script>
<script
src="form-
1/assets/js/jquery.backstretch.min.js"></script>
<script src="form-1/assets/js/scripts.js"></script>
</body>
</html>
9.      datasantri3
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-
width, initial-scale=1, shrink-to-fit=no">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>Data Santri</title>
<style type="text/css">
.div {
  background: #81a53a;
  background-color: #81a53a;
}

```

```

    }
</style>
<link href="vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
<link rel="stylesheet" type="text/css"
href="template/css/creative.css" >
<link href="template/vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">
<link href='template/https://fonts.googleapis.com/css?family=
Open+Sans:300italic,400italic,600italic,700italic,800itali
c,400,300,600,700,800' rel='stylesheet' type='text/css'>
<link href='template/https://fonts.googleapis.com/css?family=
Merriweather:400,300,300italic,400italic,700,700italic,9
00,900italic' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="form-
1/assets/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="form-1/assets/css/form-
elements.css">
<link rel="stylesheet" href="form-
1/assets/css/style.css">
<link rel="shortcut icon" href="form-
1/assets/ico/favicon.png">
<link rel="apple-touch-icon-precomposed"
sizes="144x144" href="form-1/assets/ico/apple-touch-
icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed"
sizes="114x114" href="form-1/assets/ico/apple-touch-
icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed"
sizes="72x72" href="form-1/assets/ico/apple-touch-icon-
72-precomposed.png">
<link rel="apple-touch-icon-precomposed"
href="form-1/assets/ico/apple-touch-icon-57-
precomposed.png">
<link href="template/vendor/magnific-
popup/magnific-popup.css" rel="stylesheet">
<link rel="stylesheet" href="/css/style.css" />
</head>
<body id="page-top" class="div">
<nav class="navbar navbar-expand-lg navbar-light
fixed-top" id="mainNav" >
<div class="container">
<a class="navbar-brand js-scroll-trigger"
href="#page-top">TKA TPA Kalibayem</a>

```

```

<div class="collapse navbar-collapse" id="navbarResponsive">
    <ul class="navbar-nav ml-auto">
        <ul class="dropdown" style="position: relative; left: 210px;">
            <li class="nav-item">
                <a style="color: #692911;" class="nav-link js-scroll-trigger" href="{{ url('/home') }}>Home</a>
            </li>
            <li class="nav-item">
                <a style="color: #692911;" class="nav-link js-scroll-trigger" href="#services">Proses Akademik</a>
            </ul>
            <li><a href="{{ route('datasantri.admin') }}>Data Santri</a></li>
            <li><a href="{{ route('dataustadz.admin') }}>Data Ustadz</a></li>
            <li><a href="{{ route('monitorngaji.admin') }}>Monitoring Ngaji</a></li>
            <li><a href="{{ route('lihatspp.admin') }}>SPP</a></li>
            </ul>
            </li>
            <li class="nav-item">
                <a style="color: #692911" class="nav-link js-scroll-trigger" href="/laporan">Laporan</a>
                <ul>
                    <li><a href="{{ route('datasantri3.admin3') }}>Laporan Data Santri</a></li>
                    <li><a href="{{ route('ustaddata3.admin3') }}>Laporan Data Ustadz</a></li>
                    <li><a href="{{ route('monitorngaji3.admin3') }}>Laporan Monitoring Ngaji</a></li>
                    <li><a href="{{ route('lihatspp3.admin3') }}>Laporan Spp</a></li>
                </ul>
                </li>
            <li class="nav-item">
                @if (Route::has('login'))
                    @if (Auth::check())
                        @else
                            <li class="nav-item">
                                <a style="color: #692911" href="{{ url('/login') }}>Admin</a>
                            @endif
                        </li>
                    @endif
                </li>
            <ul class="dropdown" style="position: relative; bottom: 50px; position: relative; left: 960px; class="dropdown">
                @if (Auth::guest())
                    @else
                        <li style="color: #692911; position: relative; bottom: 50px; position: relative; left: 960px; class="dropdown">
                            <a style="color: #692911" href="#" class="dropdown-toggle" data-toggle="dropdown" role="button" aria-expanded="false">
                                {{ Auth::user()->name }} <span class="caret"></span>
                            </a>
                            <ul class="dropdown-menu" role="menu">
                                <li><a href="{{ route('logout') }}>Logout</a>
                                    onclick="event.preventDefault();
                                    document.getElementById('logout-form').submit();"
                                </li>
                                <form id="logout-form" action="{{ route('logout') }}" method="POST" style="display: none;">
                                    {{ csrf_field() }}
                                </form>
                                </li>
                            </ul>
                        </li>
                    @endif
                <li class="nav-item" style="position: relative; bottom: 50px; position: relative; left: 960px;">
                    <a style="color: #692911" href="{{ url('/register') }}>Register</a>
                </li>
            </ul>
        </ul>
    </div>

```

```

</li>
</div>
</div>
</nav>
<section class="bg-light" >
<div class="col-lg-8 mx-auto text-center ">
<div class="container my-auto" style="color: black; padding-left: 100px; position: relative; bottom: 50px">Data Santri</h2>
</div>
</div>
</section>
<div class="container">
<form action="{{ route('postlaporansantri.searchlaporansantri') }}" method="get">
<input type="text" name="q" placeholder="Cari Nama" style="width: 95; display: inline; background: #fffff">
<button type="submit" >Cari</button></form>
</div>
<table class="table table-hover" style="color:black">
<td></td><td></td>
<td width="205px" >
<form action="{{ route('postlaporansantri1.searchlaporansantri1') }}" method="get" >
<select name="q" >
<option value="">Jenis Kelamin</option>
<option value="L">Laki-Laki </option>
<option value="P">Perempuan</option>
</select>
<button type="submit" >Filter</button>
</form>
</td ><td></td><td></td><td></td><td></td><td></td>
<tr>
<th style="text-align: center;" scope="col">NIS</th>
<th style="text-align: center;" scope="col">Nama Santri</th>
<th style="text-align: center;" scope="col">Jenis Kelamin</th>
<th style="text-align: center;" style="text-align: center; scope="col">Alamat</th>
<th style="text-align: center;" scope="col">Tempat lahir</th>
<th style="text-align: center;" style="text-align: center; scope="col">Wali</th>
</tr>
<tbody>
@foreach($santris as $santri)
<tr>
<td >{{ $santri->idsantri }}</td>
<td width="200px" >{{ $santri->namasantri }}</td>
<td >{{ $santri->jeniskelamin }}</td>
<td width="360px" style="text-align:left" >{{ $santri->alamat }}</td>
<td >{{ $santri->tgllahir }}</td>
<td >{{ $santri->tempatlahir }}</td>
<td >{{ $santri->wali }}</td>
</tr>
@endforeach
<center>
<form action="{{ route('pdfsemuasantri') }}" method="get">
<button type="submit" style="width: 95; display: inline; " >Export PDF</button>
</form>
</center>
{{ $santris->render() }}
<br/>
</tbody>
</table>
<script src="template/vendor/jquery/jquery.min.js"></script>
<script src="template/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
<script src="template/vendor/jquery-easing.min.js"></script>
<script src="template/vendor/magnific-popup/jquery.magnific-popup.min.js"></script>
<script src="template/js/creative.min.js"></script>
<script src="form-1/assets/js/jquery-1.11.1.min.js"></script>
<script src="form-1/assets/bootstrap/js/bootstrap.min.js"></script>

```

```

<script src="form-1/assets/js/jquery.backstretch.min.js"></script>
<script src="form-1/assets/js/scripts.js"></script>
</body>
</html>

10. dataustad

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<title>Data Ustadz</title>
<style type="text/css">
.div {
background: #81a53a;
background-color: #81a53a;
}
</style>
<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
<link rel="stylesheet" type="text/css" href="template/css/creative.css" >
<link href="template/vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">
<link href='template/https://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>
<link href='template/https://fonts.googleapis.com/css?family=Merriweather:400,300,300italic,400italic,700,700italic,900,900italic' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="form-1/assets/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="form-1/assets/css/form-elements.css">
<link rel="stylesheet" href="form-1/assets/css/style.css" >
<link rel="shortcut icon" href="form-1/assets/ico/favicon.png" >
<link rel="apple-touch-icon-precomposed" sizes="144x144" href="form-1/assets/ico/apple-touch-icon-144-precomposed.png" >
<link rel="apple-touch-icon-precomposed" sizes="114x114" href="form-1/assets/ico/apple-touch-icon-114-precomposed.png" >
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="form-1/assets/ico/apple-touch-icon-72-precomposed.png" >
<link rel="apple-touch-icon-precomposed" href="form-1/assets/ico/apple-touch-icon-57-precomposed.png" >
<link href="template/vendor/magnific-popup/magnific-popup.css" rel="stylesheet" >
<link rel="stylesheet" href="/css/style.css" />
</head>
<body id="page-top" class="div">
<nav class="navbar navbar-expand-lg navbar-light fixed-top" id="mainNav" >
<div class="container">
<a class="navbar-brand js-scroll-trigger" href="#page-top">TKA TPA Kalibayem</a>
<div class="collapse navbar-collapse" id="navbarResponsive">
<ul class="navbar-nav ml-auto">
<ul class="dropdownmenu" style="position: relative; left: 210px">
<li class="nav-item">
<a style="color: #692911;" class="nav-link js-scroll-trigger" href="{{ url('/home') }}">Home</a>
</li>
<li class="nav-item">
<a style="color: #692911" class="nav-link js-scroll-trigger" href="#services">Proses Akademik</a>
<ul>
<li><a href="{{ route('datasantri.admin') }}">Data Santri</a></li>
<li><a href="{{ route('dataustadz.admin') }}">Data Ustadz</a></li>
<li><a href="{{ route('monitorngaji.admin') }}">Monitoring Ngaji</a></li>
<li><a href="{{ route('lihatspp.admin') }}">SPP</a></li>
</ul>
</li>

```



```

    {{ $error }}
</li>
@endforeach
</ul>
</div>
@endif
<div class="modal fade" id="modal-register"
tabindex="-1" role="dialog" aria-labelledby="modal-
register-label" aria-hidden="true">
<div class="modal-dialog">
<div class="modal-content">
<div class="modal-header">
<span class="modal-title" id="modal-
register-label">Tambah Data </span>
<button type="button" class="close" data-
dismiss="modal">
<span aria-
hidden="true">&times;</span><span class="sr-
only">close</span>
</button>
</div>
<div class="modal-body">
{{ Form::open(['action' => 'ustad2Controller@store2',
'method' => 'POST'])}}
<div>
<h6>{{ Form::label('id', 'NIU') }}</h6>
{{ Form::text('id', '', array('class' => 'form-control'))}}
<div style="color: #A94442;">@if ($errors->has('id'))
<strong> {{ $errors->first('id') }} </strong>
@endif
</div>
</div>
<div class="form-group">
<h6>{{ Form::label('namaustadz', 'Nama Ustadz') }}</h6>
{{ Form::text('namaustadz', '', array('class' => 'form-
control','required'))}}
<div style="color: #A94442;">@if ($errors-
>has('namaustadz'))
<strong> {{ $errors->first('namaustadz') }} </strong>
@endif
</div>
</div>
<div class="form-group">
<h6>{{ Form::label('jeniskelamin', 'Jenis
Kelamin') }}</h6>
<h5>{{ Form::radio('jeniskelamin', 'L') }} Laki-Laki
&nbsp;&nbsp;&nbsp;
{{ Form::radio('jeniskelamin', 'P') }} Perempuan</h5>
<div style="color: #A94442;">@if ($errors-
>has('jeniskelamin'))
<strong> {{ $errors->first('jeniskelamin') }} </strong>
@endif
</div>
</div>
<div class="form-group">
<h6>{{ Form::label('alamat', 'Alamat') }}</h6>
{{ Form::text('alamat', '', array('class' => 'form-
control','required'))}}
<div style="color: #A94442;">@if ($errors-
>has('alamat'))
<strong> {{ $errors->first('alamat') }} </strong>
@endif
</div>
</div>
<div class="form-group">
<h6>{{ Form::label('tgllahir', 'Tgl Lahir') }}</h6>
{{ Form::date('tgllahir', '', array('class' => 'form-
control','required'))}}
<div style="color: #A94442;">@if ($errors-
>has('tgllahir'))
<strong> {{ $errors->first('tgllahir') }} </strong>
@endif
</div>
</div>
<div class="form-group">
<h6>{{ Form::label('tempatlahir', 'Tempat
Lahir') }}</h6>
{{ Form::text('tempatlahir', '', array('class' => 'form-
control','required'))}}
<div style="color: #A94442;">@if ($errors-
>has('tempatlahir'))
<strong> {{ $errors->first('tempatlahir') }} </strong>
@endif
</div>
</div>
<div class="form-group">
<h6>{{ Form::label('nohp', 'Nomor Hp') }}</h6>
{{ Form::text('nohp', '', array('class' => 'form-
control','required'))}}
<div style="color: #A94442;">@if ($errors-
>has('nohp'))
<strong> {{ $errors->first('nohp') }} </strong>

```

```

@endif
</div>
</div>
{{ Form::submit('submit', array('class' => 'btn btn-success'))}}
{{ Form::close() }}
    </div>
</div>
</div>
</div>
</div>
<div class="row">
<div class="col-lg-8 mx-auto" style="padding-left: 450px">
    <a style="color: black;" class="btn tombol " href="{{ route('home') }}">Kembali</a>
</div>
<div class="container">
    <form action="{{ route('post2.search2') }}" method="get">
        <input type="text" name="q" placeholder="search....." style="width: 95; display: inline; background: #ffff">
        <button type="submit" >Cari</button>
    </form>
</div>
<table class="table table-hover" style="color: black">
    <tr>
        <th style="text-align: center;" scope="col">NIU</th>
        <th style="text-align: center;" scope="col">Nama Ustadz</th>
        <th style="text-align: center;" scope="col">Jenis Kelamin</th>
        <th style="text-align: center;" scope="col">Alamat</th>
        <th style="text-align: center;" scope="col">Tanggal Lahir</th>
        <th style="text-align: center;" scope="col">Tempat Lahir</th>
        <th style="text-align: center;" scope="col">Nohp</th>
        <th colspan="3" width="50px" style="text-align: center;" scope="col">Aksi</th>
    </tr>
<tbody>
    @foreach($ustadzs as $ustadz)
        <tr>
            <td>{{ $ustadz->idustadz }}</td>
            <td width="200px">{{ $ustadz->namaustadz }}</td>
            <td>{{ $ustadz->jeniskelamin }}</td>
            <td width="360px" style="text-align:left">{{ $ustadz->alamat }}</td>
            <td>{{ $ustadz->tglahir }}</td>
            <td>{{ $ustadz->tempatlahir }}</td>
            <td>{{ $ustadz->nohp }}</td>
            <td style="text-align: right;"> <a style="color: red; class="btn tombol " href='{{ url("/ustadz/edit/{$ustadz->id}") }}'>Edit </a> </td>
            <td style="text-align: left;"> <a style="color: red;" class="btn tombol " href='{{ url("/ustadz/destroy/{$ustadz->id}") }}' onclick="return confirm('Apakah anda yakin ingin menghapus data ini?');">Hapus </a> </td>
        </tr>
    @endforeach
    {{ $ustadzs->render() }}
<br/><br/>
</tbody>
</table>
<script src="template/vendor/jquery/jquery.min.js"></script>
<script src="template/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
<script src="template/vendor/easing/jquery.easing.min.js"></script>
<script src="template/vendor/scrollreveal(scrollreveal.min.js)"></script>
<script src="template/vendor/magnific-popup/jquery.magnific-popup.min.js"></script>
<script src="template/js/creative.min.js"></script>
<script src="form-1/assets/js/jquery-1.11.1.min.js"></script>
<script src="form-1/assets/bootstrap/js/bootstrap.min.js"></script>
<script src="form-1/assets/js/jquery.backstretch.min.js"></script>
<script src="form-1/assets/js/scripts.js"></script>
</body>

```

```

</html>
11.      ustaddata3
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">

<title>Data Ustadz</title>
<style type="text/css">
.div {
background: #81a53a;
background-color: #81a53a;
}
</style>
<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
<link rel="stylesheet" type="text/css" href="template/css/creative.css" >
<link href="template/vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css" >
<link
href='template/https://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>
<link
href='template/https://fonts.googleapis.com/css?family=Merriweather:400,300,300italic,400italic,700,700italic,900,900italic' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="form-1/assets/bootstrap/css/bootstrap.min.css" >
<link rel="stylesheet" href="form-1/assets/css/style.css" >
<link rel="shortcut icon" href="form-1/assets/ico/favicon.png" >
<link rel="apple-touch-icon-precomposed" sizes="144x144" href="form-1/assets/ico/apple-touch-icon-144-precomposed.png" >
<link rel="apple-touch-icon-precomposed" sizes="114x114" href="form-1/assets/ico/apple-touch-icon-114-precomposed.png" >
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="form-1/assets/ico/apple-touch-icon-72-precomposed.png" >
<link href="template/vendor/magnific-popup/magnific-popup.css" rel="stylesheet" >
<link rel="stylesheet" href="/css/style.css" />
</head>
<body id="page-top" class="div">
<nav class="navbar navbar-expand-lg navbar-light fixed-top" id="mainNav" >
<div class="container">
<a class="navbar-brand js-scroll-trigger" href="#page-top">TKA TPA Kalibayem</a>
<div class="collapse navbar-collapse" id="navbarResponsive" >
<ul class="navbar-nav ml-auto" >
<ul class="dropdown" style="position: relative; left: 210px" >
<li class="nav-item" >
<a style="color: #692911;" class="nav-link js-scroll-trigger" href="{{ url('/home') }} " >Home</a>
</li>
<li class="nav-item" >
<a style="color: #692911" class="nav-link js-scroll-trigger" href="#services" >Proses Akademik</a>
<ul>
<li><a href="{{ route('datasantri.admin') }} " >Data Santri</a></li>
<li><a href="{{ route('dataustadz.admin') }} " >Data Ustadz</a></li>
<li><a href="{{ route('monitorngaji.admin') }} " >Monitoring Ngaji</a></li>
<li><a href="{{ route('lihat spp.admin') }} " >SPP</a></li>
</ul>
</li>
<li class="nav-item" >
<a style="color: #692911" class="nav-link js-scroll-trigger" href="#laporan" >Laporan</a>

```

```

<ul>
    <li><a href="#">route\('datasantri3.admin3'\)\)}>Laporan Santri</a></li>
    <li><a href="#">route\\('ustaddata3.admin3'\\)}>Laporan Data Ustadz</a></li>
    <li><a href="#">route\\\('monitorngaji3.admin3'\\\)}>Laporan Monitoring Ngaji</a></li>
    <li><a href="#">{ route\\\\('lihatspp3.admin3'\\\\)}>Laporan Spp</a></li>
</ul>
</li>
<li class="nav-item">
    @if \\\\(Route::has\\\\('login'\\\\)\\\\)
        @if \\\\(Auth::check\\\\(\\\\)\\\\)
            @else
                <li class="nav-item">
                    <a style="color: #692911" href="#">url\\\\\('/login'\\\\\)}>Admin
                    </a>
                @endif
            </div>
        @endif
    </li>
    <ul class="dropdownmenu">
        @if \\\\\(Auth::guest\\\\\(\\\\\)\\\\\)
            @else
                <li style="color: #692911; position: relative; bottom: 50px; position: relative; left: 960px" class="dropdown" >
                    <a style="color: #692911" href="#" class="dropdown-toggle" data-toggle="dropdown" role="button" aria-expanded="false">
                        {{ Auth::user\\\\\(\\\\\)->name }} <span class="caret"></span> </a>
                    <ul class="dropdown-menu" role="menu">
                        <li>
                            <a href="#">{ route\\\\\\('logout'\\\\\\) }>Logout
                            onclick="event.preventDefault\\\\\\(\\\\\\);
                            document.getElementById\\\\\\('logout-form'\\\\\\).submit\\\\\\(\\\\\\);">
                            </a>
                        </li>
                    </ul>
                </li>
            </div>
        @endif
    </ul>
</li>
<li style="display: none;" id="logout-form" action="#">{{ route\\\\\\\('logout'\\\\\\\) }}>Logout
    method="POST" style="display: none;"/>
        <form id="logout-form" action="#">{{ csrf\\\\\\\_field\\\\\\\(\\\\\\\) }}>Logout
        </form>
</li>
</ul>
</li>
@endif
<li class="nav-item" style="position: relative; bottom: 50px; position: relative; left: 960px">
    <a style="color: #692911" href="#">url\\\\\\\('/register'\\\\\\\)}>Register</a>
    </a>
</li>
</ul>
</li>
</ul>
</li>
</div>
</div>
</nav>
<section class="bg-light" >
    <div class="col-lg-8 mx-auto text-center" >
        <div class="container my-auto" >
            <h2 style="color: black; padding-left: 100px; position: relative; bottom: 50px">Data Ustadz</h2>
        </div>
        </div>
    </section>
    <div class="container" >
        <form action="#">route\\\\\\\\('postlaporanustad.searchlaporanustad'\\\\\\\\)}>Search
        method="get">
            <input type="text" name="q" placeholder="Cari Nama" style="width: 95; display: inline; background: #fffff">
            <button type="submit" >Cari</button>
        </form>
    </div>
    <table class="table table-hover" style="color: black" >
        <tr>
            <td></td><td></td><td></td>
            <td width="205px" >
                <form action="#">route\\\\\\\\\('postlaporanustad1.searchlaporanustad1'\\\\\\\\\)}>Search
                method="get" ">
            </form>
        </td>
    </tr>
</table>
</div>

```

```

<select name="q" >
<option value="">Jenis Kelamin</option>
<option value="L">Laki-Laki </option>
<option value="P">Perempuan</option>
</select>
<button type="submit" >Filter</button>
</form>
</td ><td></td><td></td><td></td><td></td></td>
<tr>
<th style="text-align: center;" scope="col">NIU</th>
<th style="text-align: center;" scope="col">Nama
Ustadz</th>
<th style="text-align: center;" scope="col">Jenis
Kelamin</th>
<th style="text-align: center;" scope="col">Alamat</th>
<th style="text-align: center;" scope="col">Tanggal
Lahir</th>
<th style="text-align: center;" scope="col">Tempat
Lahir</th>
<th style="text-align: center;" scope="col">nohp</th>
</tr>
<tbody>
@foreach($ustadzs as $ustadz)
<tr>
<td >{ ${$ustadz->}idustad } </td>
<td width="200px">{ ${$ustadz->}namaustadz } </td>
<td >{ ${$ustadz->}jeniskelamin } </td>
<td width="360px" style="text-align:left">{ ${$ustadz-
>}alamat } </td>
<td >{ ${$ustadz->}tgllahir } </td>
<td >{ ${$ustadz->}tempatlahir } </td>
<td >{ ${$ustadz->}nohp } </td>
</tr>
@endforeach
<center>
<form action="{ { route('pdfsemuaustad') } }"
method="get">
<button type="submit" style="width: 95; display:
inline; ">Export PDF</button>
</form>
</center>
{ ${$ustadzs->}render() }
<br/>
</tbody>
</table>
<script
src="template/vendor/jquery/jquery.min.js"></script>
<script
src="template/vendor/bootstrap/js/bootstrap.bundle.min.j
s"></script>
<script
src="template/vendor/jquery-easing/jquery-easing.min.js"></script>
<script
src="template/vendor/scrollreveal(scrollreveal.min.js)">
</script>
<script
src="template/vendor/magnific-popup/jquery.magnific-
popup.min.js"></script>
<script src="template/js/creative.min.js"></script>
<script
src="form-1/assets/js/jquery-1.11.1.min.js"></script>
<script
src="form-1/assets/bootstrap/js/bootstrap.min.js"></script>
<script
src="form-1/assets/js/backstretch.min.js"></script>
<script src="form-1/assets/js/scripts.js"></script>
</body>
</html>
12. monitoringngaji
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-
width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">

<title>Data Ngaji Santri</title>
<style type="text/css">
.div {
background: #81a53a;
background-color: #81a53a;
}
</style>
<link href="vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
<link rel="stylesheet" type="text/css"
href="template/css/creative.css" >

```

```

<link href="template/vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">
<link href='template/https://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>
<link href='template/https://fonts.googleapis.com/css?family=Merriweather:400,300,300italic,400italic,700,700italic,900,900italic' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="form-1/assets/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="form-1/assets/css/form-elements.css">
<link rel="stylesheet" href="form-1/assets/css/style.css">
<link rel="shortcut icon" href="form-1/assets/ico/favicon.png">
<link rel="apple-touch-icon-precomposed" sizes="144x144" href="form-1/assets/ico/apple-touch-icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="114x114" href="form-1/assets/ico/apple-touch-icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="form-1/assets/ico/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="form-1/assets/ico/apple-touch-icon-57-precomposed.png">
<link href="template/vendor/magnific-popup/magnific-popup.css" rel="stylesheet">
<link rel="stylesheet" href="/css/style.css" />
</head>
<body id="page-top" class="div">
<nav class="navbar navbar-expand-lg navbar-light fixed-top" id="mainNav" >
<div class="container">
<a class="navbar-brand js-scroll-trigger" href="#page-top">TKA TPA Kalibayem</a>
<div class="collapse navbar-collapse" id="navbarResponsive">
<ul class="navbar-nav ml-auto">
<ul class="dropmenu" style="position: relative; left: 210px">
<li class="nav-item">
<a style="color: #692911;" class="nav-link js-scroll-trigger" href="#"><{ route('datasantri.admin') } }>Home</a>
</li>
<li class="nav-item">
<a style="color: #692911;" class="nav-link js-scroll-trigger" href="#"><{ route('dataustadz.admin') } }>Proses Akademik</a>
<ul>
<li><a href="#"><{ route('datasantri.admin3') } }>Data Santri</a></li>
<li><a href="#"><{ route('dataustadz.admin3') } }>Data Ustadz</a></li>
<li><a href="#"><{ route('monitorngaji.admin') } }>Monitoring Ngaji</a></li>
<li><a href="#"><{ route('lihatspp.admin') } }>SPP</a></li>
</ul>
</li>
<li class="nav-item">
<a style="color: #692911;" class="nav-link js-scroll-trigger" href="#"><{ route('laporan') } }>Laporan</a>
<ul>
<li><a href="#"><{ route('datasantri3.admin3') } }>Laporan Data Santri</a></li>
<li><a href="#"><{ route('ustaddata3.admin3') } }>Laporan Data Ustadz</a></li>
<li><a href="#"><{ route('monitorngaji3.admin3') } }>Laporan Monitoring Ngaji</a></li>
<li><a href="#"><{ route('lihatspp3.admin3') } }>Laporan Spp</a></li>
</ul>
</li>
<li class="nav-item">
@if (Route::has('login'))
@if (Auth::check())
@else
<li class="nav-item">
<a style="color: #692911;" href="#"><{ url('/login') } }>Admin</a>
</li>
@endif
@endif
</div>
</div>

```

```

</li>
<ul class="dropmenu">
    @if (Auth::guest())
    @else
        <li style="color: #692911; position: relative; bottom: 50px; position: relative; left: 960px" class="dropdown">
            <a style="color: #692911" href="#" class="dropdown-toggle" data-toggle="dropdown" role="button" aria-expanded="false">
                {{ Auth::user()->name }} <span class="caret"></span>
            </a>
<ul class="dropdown-menu" role="menu">
            <li>
                <a href="{{ route('logout') }}" onclick="event.preventDefault(); document.getElementById('logout-form').submit();">
                    Logout
                </a>
                <form id="logout-form" action="{{ route('logout') }}" method="POST" style="display: none;">
                    {{ csrf_field() }}
                </form>
            </li>
        </ul>
    </li>
    @endif
    <li class="nav-item" style="position: relative; bottom: 50px; position: relative; left: 960px">
        <a style="color: #692911" href="{{ url('/register') }}>Register</a>
    </li>
</ul>
</li>
</div>
</div>
</nav>
<section class="bg-light">
    <div class="col-lg-8 mx-auto text-center">
        <div class="container my-auto">
            <h2 style="color: black; padding-left: 100px; position: relative; bottom: 50px">Data Ngaji Santri</h2>
        </div>
    </div>
    <br/>
    <div class="col-lg-8 mx-auto" style="padding-right: 600px">
        <a class="btn btn-link-1 bg-light bg-dark" href="{{ route('spp.admin') }}>daftar nama santri</a>
    </div></section>
    <div class="col-lg-8 mx-auto" style="padding-left: 450px">
        <a style="color: black;" class="btn tombol" href="{{ route('home') }}>Kembali</a>
    </div>
<div class="container">
    <form action="{{ route('posts3.searchs3') }}" method="get">
        <input type="text" name="q" placeholder="Search...." style="width: 95; display: inline; background: #ffff">
        <button type="submit">Cari</button>
    <br/><br/>
        <button>
    </form>
    </div>
<table class="table table-hover" style="color: black">
    <tr>
        <th style="text-align: center;" scope="col">ID Ngaji</th>
        <th style="text-align: center;" scope="col">Nama Santri</th>
        <th style="text-align: center;" scope="col">Jenisngaji (juz/jilid)</th>
        <th style="text-align: center;" scope="col">Halaman </th>
        <th style="text-align: center;" scope="col">Tanggal</th>
        <th style="text-align: center;" scope="col">Keterangan</th>
        <th colspan="3" width="50px" style="text-align: center;" scope="col">Aksi</th>
    <tr>

```

```

</tr>
<tbody>
@foreach($santris1 as $ngaji)
<tr>
<td>{ ${$ngaji->}id }</td>
<td width="200px">{ ${$ngaji->}idsantri }</td>
<td>{ ${$ngaji->}jenisngaji }</td>
<td>{ ${$ngaji->}halaman }</td>
<td>{ ${$ngaji->}tgl }</td>
<td>{ ${$ngaji->}idustad }</td>
<td>{ ${$ngaji->}status }</td>
<td style="text-align: right;"> <a style="color: red;" href='{ url("/ngaji/ngedit2/{$ngaji->}id") }'>Edit </a> </td>
<td style="text-align: left;">
<a style="color: red;" class="btn tombol" href='{ url("/ngaji/destroy/{$ngaji->}id") }' onclick="return confirm('apalah anda yakin ingin menghapus data ini?');"
> Hapus </a>
</td>
</tr>
@endforeach
{ ${$santris1->}render() }
<br/>
</tbody>
</table>
<script
src="template/vendor/jquery/jquery.min.js"></script>
<script
src="template/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
<script
src="template/vendor/jquery-easing/jquery.easing.min.js"></script>
<script
src="template/vendor/scrollreveal/scrollreveal.min.js"></script>
<script
src="template/vendor/magnific-popup/jquery.magnific-popup.min.js"></script>
<script src="template/js/creative.min.js"></script>
<script
src="form-1/assets/js/jquery-1.11.1.min.js"></script>
<script
src="form-1/assets/bootstrap/js/bootstrap.min.js"></script>
<script
src="form-1/assets/js/jquery.backstretch.min.js"></script>
<script src="form-1/assets/js/scripts.js"></script>
</body>
</html>
13. monitoringngaji3
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">

<title>Data Ngaji Santri</title>
<style type="text/css">

.tombol{
/*ubah warna background*/
background-color: #d9d9d9;
/*ubah warna teks*/
color: white;
/*menghilangkan border*/
border: 5px solid;
border-top: 5px solid #0000;
border-bottom: 5px solid #0000;
border-left: 5px solid #0000;
border-right: 5px solid #0000;
/*atur sudut border*/
border-radius: 1px;
/*efek bayangan*/
box-shadow: 0px 4px 12px 0px rgba(0, 0, 0, 0.2);
/*teks rata tengah*/
text-align: center;
/*ubah jarak margin/luar*/
margin: 5px 2px;
/*ubah jarak padding/dalam*/
padding: 10px 15px;
/*ubah tampilan kursor ketika berada diatas elemen*/
cursor: pointer;
}

```

```

.tombol:hover{
    /*ubah warna background ketika kursor
berada diatas elemen*/
    background-color: #6124e3;
}

.btn-gg {
color: #fff;
background-color: #d9d9d9;
border-color: #358753;
text-decoration-color: #000000;
border: 1px solid;
border-color: #0000;
}

.div {
background: #81a53a;
background-color: #81a53a;
}

</style>
<!--<link rel="stylesheet" type="text/css"
href="{{ url('css/drop.css') }}">
-->
<!-- Bootstrap core CSS -->
<link
href="vendor/bootstrap/css/bootstrap.min.css
" rel="stylesheet">
<link rel="stylesheet" type="text/css"
href="template/css/creative.css" >
    <link href="template/vendor/font-
awesome/css/font-awesome.min.css"
rel="stylesheet" type="text/css">
    <link
href='template/https://fonts.googleapis.com/cs
s?family=Open+Sans:300italic,400italic,600it
alic,700italic,800italic,400,300,600,700,800'
rel='stylesheet' type='text/css'>
    <link
href='template/https://fonts.googleapis.com/cs
s?family=Merriweather:400,300,300italic,400
italic,700,700italic,900,900italic'
rel='stylesheet' type='text/css'>

<link      rel="stylesheet"      href="form-
1/assets/bootstrap/css/bootstrap.min.css">
    <link      rel="stylesheet"      href="form-
1/assets/css/form-elements.css">

<link      rel="stylesheet"      href="form-
1/assets/css/style.css">
    <link rel="shortcut icon" href="form-
1/assets/ico/favicon.png">
    <link          rel="apple-touch-icon-
precomposed" sizes="144x144" href="form-
1/assets/ico/apple-touch-icon-144-
precomposed.png">
    <link          rel="apple-touch-icon-
precomposed" sizes="114x114" href="form-
1/assets/ico/apple-touch-icon-114-
precomposed.png">
    <link          rel="apple-touch-icon-
precomposed" sizes="72x72" href="form-
1/assets/ico/apple-touch-icon-72-
precomposed.png">
    <link          rel="apple-touch-icon-
precomposed" href="form-1/assets/ico/apple-
touch-icon-57-precomposed.png">
    <link      href="template/vendor/magnific-
popup/magnific-popup.css" rel="stylesheet">
    <link rel="stylesheet" href="/css/style.css" />
</head>
<body id="page-top" class="div">
    <nav      class="navbar      navbar-expand-lg
navbar-light fixed-top" id="mainNav" >
        <div class="container">
            <a style="color: #692911; font-size:
26px; position: relative; right: 70px"
class="navbar-brand      js-scroll-trigger"
href="#page-top">TKA TPA Kalibayem</a>
            <div class="collapse navbar-collapse"
id="navbarResponsive">
                <ul class="navbar-nav ml-auto">
                    <ul class="dropdown-menu" style="position:
relative; left: 70px">
                        <li class="nav-item">
                            <a style="color: #692911; font-size:
26px" class="nav-link      js-scroll-trigger"
href="{{ url('/home') }}">Home</a>
                        </li>
                        <li class="nav-item">
                            <a style="color: #692911; font-size:
26px" class="nav-link      js-scroll-trigger"
href="#services">Proses Akademik</a>
                        </li>
                    </ul>
                </div>
            </div>
        </div>
    </nav>
    <div id="content" style="background-color: #f9f9f9;
padding: 20px; margin-top: -70px">
        <div class="row" style="margin-bottom: 20px">
            <div class="col-md-6" style="background-color: #fff;
border: 1px solid #f0f0f0; padding: 10px; border-radius: 5px">
                <h2>Form Elements</h2>
                <p>Form elements are used to collect user
information. They include input fields, dropdown
menus, checkboxes, and radios. These elements
allow users to enter their details or select
options from a list. The form itself is styled
with Bootstrap's grid system and various
classes to ensure a clean and responsive look.
The background color of the form area is set to
white, and it has a thin border and rounded
corners for better readability.
            </div>
            <div class="col-md-6" style="background-color: #fff;
border: 1px solid #f0f0f0; padding: 10px; border-radius: 5px">
                <h2>Form Elements</h2>
                <p>Form elements are used to collect user
information. They include input fields, dropdown
menus, checkboxes, and radios. These elements
allow users to enter their details or select
options from a list. The form itself is styled
with Bootstrap's grid system and various
classes to ensure a clean and responsive look.
The background color of the form area is set to
white, and it has a thin border and rounded
corners for better readability.
            </div>
        </div>
        <div class="row" style="margin-top: 20px">
            <div class="col-md-6" style="background-color: #fff;
border: 1px solid #f0f0f0; padding: 10px; border-radius: 5px">
                <h2>Form Elements</h2>
                <p>Form elements are used to collect user
information. They include input fields, dropdown
menus, checkboxes, and radios. These elements
allow users to enter their details or select
options from a list. The form itself is styled
with Bootstrap's grid system and various
classes to ensure a clean and responsive look.
The background color of the form area is set to
white, and it has a thin border and rounded
corners for better readability.
            </div>
            <div class="col-md-6" style="background-color: #fff;
border: 1px solid #f0f0f0; padding: 10px; border-radius: 5px">
                <h2>Form Elements</h2>
                <p>Form elements are used to collect user
information. They include input fields, dropdown
menus, checkboxes, and radios. These elements
allow users to enter their details or select
options from a list. The form itself is styled
with Bootstrap's grid system and various
classes to ensure a clean and responsive look.
The background color of the form area is set to
white, and it has a thin border and rounded
corners for better readability.
            </div>
        </div>
    </div>
</body>

```

```
<ul>
    <li><a style="font-size: 14px" href="#">Data Santri></li>
    <li><a style="font-size: 14px" href="#">Data Ustadz></li>
    <li><a style="font-size: 14px" href="#">Monitoring Ngaji></li>
    <li><a style="font-size: 14px" href="#">SPP></li>
</ul>
</li>
<li class="nav-item">
    <a style="color: #692911; font-size: 26px" class="nav-link js-scroll-trigger" href="#">Laporan></li>
    <ul>
        <li><a style="font-size: 14px" href="#">Laporan Data Santri></li>
        <li><a style="font-size: 14px" href="#">Laporan Data Ustadz></li>
        <li><a style="font-size: 14px" href="#">Laporan Monitoring Ngaji <br/><br/></a>
            <li><a style="font-size: 14px" href="#">Laporan Spp></li>
            </ul>
        </li>
    <li class="nav-item">
        @if (Route::has('login'))
            @if (Auth::check())
                @else
                    <li class="nav-item">
                        <a style="color: #692911 font-size: 28px" href="#">Admin></a>
                    <!-- <li class="nav-item">
                        <a style="color: #692911" href="#">Register></li>
                    <!-- Authentication Links -->
                    @if (Auth::guest())
                        <!--
                            <li><a href="#">Login></li> --
                        <!--
                            <li><a href="#">Register></li> --
                        <!--
                            <li><a href="#">Logout></li>
                        <!--
                            <form id="logout-form" action="#">Logout>
                                @csrf
                            </form>
                        <!--
                            <li><a href="#">Logout></li>
                        <!--
                            <ul>
                        </ul>
                    <!--
                        <li><a href="#">Logout></li>
                    <!--
                        <ul>
                    </ul>
                <!--
                    <li><a href="#">Logout></li>
                <!--
                    <ul>
                </ul>
            <!--
                <li><a href="#">Logout></li>
            <!--
                <ul>
            </ul>
        <!--
            <li><a href="#">Logout></li>
        <!--
            <ul>
        </ul>
    <!--
        <li><a href="#">Logout></li>
    <!--
        <ul>
    </ul>
<!--
    <li><a href="#">Logout></li>
<!--
    <ul>
</ul>
```

```

        </li>
    @endif
    <li class="nav-item" style="position: relative; bottom: 50px; position: relative; left: 930px">
        <a style="color: #692911 ;font-size: 26px" href="{{ url('/register') }}>Register</a>
    </a>
    </li>
</li>
</ul>

</ul>
</li>
</div>
</div>
</nav>
<section class="bg-light" >
<div class="col-lg-8 mx-auto text-center ">
    <div class="container my-auto">
        <h2 style="color: black; padding-left: 100px; position: relative; bottom: 50px">Data ngaji Santri</h2>
    </div>
    </div>
</section>
</div>
<div class="container">
    <form action="{{ route('postlaporanngaji.searchlaporanngaji') }}" method="get">
        <input type="text" name="q" placeholder="Cari Nama" style="width: 95; display: inline; background: #fffff">
        <button type="submit" >Cari</button>
    </form>
</div>
</table>

<table class="table table-hover" style="color: black">
    <tr>
        <td></td><td></td><td></td><td></td><td></td> <td width="200px" >
            <form action="{{ route('postlaporanngaji1.searchlaporanngaji1') }}" method="get" >
                <select name="q" >
                    <option value="">Jenis ngaji</option>
                    <option value="Al-Quran">Al-Quran</option>
                    <option value="Iqra Jilid 1">Iqra Jilid 1</option>
                    <option value="Iqra Jilid 2">Iqra Jilid 2</option>
                    <option value="Iqra Jilid 3">Iqra Jilid 3</option>
                    <option value="Iqra Jilid 4">Iqra Jilid 4</option>
                    <option value="Iqra Jilid 5">Iqra Jilid 5</option>
                    <option value="Iqra Jilid 6">Iqra Jilid 6</option>
                </select>
                <button type="submit" >Filter</button>
            </form>
        </td ><td></td><td></td><td></td><td> <td width="200px" >
            <form action="{{ route('postlaporanngajiketerangan.filterketerangan') }}" method="get" >
                <select name="q" >
                    <option value="">Keterangan</option>
                    <option value="Lanjut">Lanjut </option>
                    <option value="Ulangi">Ulangi</option>
                    <option value="Sudah Lulus">Sudah Lulus</option>
                </select>
                <button type="submit" >Filter</button>
            </form>
        </td >
        <tr>
            <th style="text-align: center;" scope="col">ID Ngaji</th>
            <th style="text-align: center;" scope="col">ID Santri</th>
        </tr>
    </table>

```

```

<th style="text-align: center;">Jenisngaji</th>
<th style="text-align: center;">Halaman</th>
<th style="text-align: center;">Tanggal</th>
<th style="text-align: center;">ID Ustad</th>
<th style="text-align: center;">Keterangan</th>
<th></th>
</tr>
<tbody>
@foreach($santris1 as $ngaji)
<tr>
<td>{$ngaji->id}</td>
<td>{$ngaji->idsantri}</td>
<td>{$ngaji->jenisngaji}</td>
<td>{$ngaji->halaman}</td>
<td>{$ngaji->tgl}</td>
<td>{$ngaji->idustad}</td>
<td>{$ngaji->status}</td>
<td></td>
</tr>
@endforeach
</tbody>
<form action="{{ route('pdf2') }}" method="get">
<button type="Submit" >Export PDF</button>
<br/>
{{ $santris1->render() }}
<br/>
</table>
<script src="template/vendor/jquery/jquery.min.js"></script>
<script src="template/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- Plugin JavaScript -->
<script src="template/vendor/jquery-easing/jquery-easing/jquery.easing.min.js"></script>
<script src="template/vendor/scrollreveal/scrollreveal.min.js"></script>
<script src="template/vendor/magnific-popup/jquery.magnific-popup.min.js"></script>
<!-- Custom scripts for this template -->
<script src="template/js/creative.min.js"></script>
<script src="form-1/assets/js/jquery-1.11.1.min.js"></script>
<script src="form-1/assets/bootstrap/js/bootstrap.min.js"></script>
<script src="form-1/assets/js/jquery.backstretch.min.js"></script>
<script src="form-1/assets/js/scripts.js"></script>
</body>
</html>
14. lihatspp
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<title>Data SPP Santri</title>
<style type="text/css">
.div {
background: #81a53a;
background-color: #81a53a;
}
</style>

```

```

<link href="vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
<link rel="stylesheet" type="text/css"
href="template/css/creative.css" >
<link href="template/vendor/font-awesome/css/font-
awesome.min.css" rel="stylesheet" type="text/css">
<link href='template/https://fonts.googleapis.com/css?family=
Open+Sans:300italic,400italic,600italic,700italic,800itali
c,400,300,600,700,800' rel='stylesheet' type='text/css'>
<link href='template/https://fonts.googleapis.com/css?family=
Merriweather:400,300,300italic,400italic,700,700italic,9
00,900italic' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="form-1/assets/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="form-1/assets/css/form-
elements.css">
<link rel="stylesheet" href="form-
1/assets/css/style.css">
<link rel="shortcut icon" href="form-
1/assets/ico/favicon.png">
<link rel="apple-touch-icon-precomposed"
sizes="144x144" href="form-1/assets/ico/apple-touch-
icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed"
sizes="114x114" href="form-1/assets/ico/apple-touch-
icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed"
sizes="72x72" href="form-1/assets/ico/apple-touch-icon-
72-precomposed.png">
<link rel="apple-touch-icon-precomposed"
href="form-1/assets/ico/apple-touch-icon-57-
precomposed.png">
<link href="template/vendor/magnific-
popup/magnific-popup.css" rel="stylesheet">
<link rel="stylesheet" href="/css/style.css" />
</head>
<body id="page-top" class="div">
<nav class="navbar navbar-expand-lg navbar-light
fixed-top" id="mainNav" >
<div class="container">
<a class="navbar-brand" js-scroll-trigger"
href="#page-top">TKA TPA Kalibayem</a>
<div class="collapse navbar-collapse"
id="navbarResponsive">
<ul class="navbar-nav ml-auto">
<ul class="dropmenu" style="position: relative;left:
210px">
<li class="nav-item">
<a style="color: #692911;" class="nav-link js-
scroll-trigger" href="{{ url('/home') }}>Home</a>
</li>
<li class="nav-item">
<a style="color: #692911" class="nav-link js-
scroll-trigger" href="#services">Proses Akademik</a>
<ul>
<li><a href="{{
route('datasantri.admin') }}>Data Santri</a></li>
<li><a href="{{ route('dataustadz.admin') }}>Data
Ustadz</a></li>
<li><a href="{{
route('monitorngaji.admin') }}>Monitoring
Ngaji</a></li>
<li><a href="{{
route('lihatspp.admin') }}>SPP</a></li>
</ul>
</li>
<li class="nav-item">
<a style="color: #692911" class="nav-link js-
scroll-trigger" href="#laporan">Laporan</a>
<ul>
<li><a href="{{
route('datasantri3.admin3') }}>Laporan Data
Santri</a></li>
<li><a href="{{
route('ustaddata3.admin3') }}>Laporan Data
Ustadz</a></li>
<li><a href="{{
route('monitorngaji3.admin3') }}>Laporan Monitoring
Ngaji</a></li>
<li><a href="{{
route('lihatspp3.admin3') }}>Laporan Spp</a></li>
</ul>
</li>
<li class="nav-item">
@if(Route::has('login'))
@if(Auth::check())
@else
<li class="nav-item">
<a style="color: #692911" href="{{
url('/login') }}>Admin

```

```

        </a>
    @endif
</div>
@endif
</li>
<ul class="dropmenu">
@if (Auth::guest())
@else
<li style="color: #692911; position: relative; bottom: 50px; position: relative; left: 960px" class="dropdown" >
<a style="color: #692911" href="#" class="dropdown-toggle" data-toggle="dropdown" role="button" aria-expanded="false" >
{{ Auth::user()->name }} <span class="caret"></span>
</a>
<ul class="dropdown-menu" role="menu" >
<li>
<a href="{{ route('logout') }}" onclick="event.preventDefault(); document.getElementById('logout-form').submit();">
Logout
</a>
<form id="logout-form" action="{{ route('logout') }}" method="POST" style="display: none;" >
{{ csrf_field() }}
</form>
</li>
</ul>
</li>
@endif
<li class="nav-item" style="position: relative; bottom: 50px; position: relative; left: 960px" >
<a style="color: #692911" href="{{ url('/register') }}>Register</a>
</a>
</li>
</ul>
</ul>
</li>
</div>
</div>
</nav>
<section class="bg-light" >
<div class="col-lg-8 mx-auto text-center" >
<div class="container my-auto" >
<h2 style="color: black; padding-left: 100px; position: relative; bottom: 50px" >Data SPP Santri</h2>
</div>
</div>
<div class="col-lg-8 mx-auto" style="padding-right: 600px" >
<a class="btn btn-link-1 bg-light bg-dark" href="{{ route('spp.admin') }}>daftar nama santri</a>
</div>
</div>
<div class="container" >
<form action="{{ route('posts2.searchs2') }}" method="get" >
<input type="text" name="q" placeholder="search...." style="width: 95; display: inline; background: #ffff" >
<button type="submit" >Cari</button>
<br/>
</button>
<div class="col-lg-8 mx-auto" style="padding-left: 400px" >
<a style="color: black;" class="btn tombol" href="{{ route('home') }}>Kembali</a>
</div>
</div>
<table class="table table-hover" style="color: black" >
<tr>
<th style="text-align: center;" scope="col" >ID SPP</th>
<th style="text-align: center;" scope="col" >Nama Santri</th>
<th style="text-align: center;" scope="col" >Semester</th>
<th style="text-align: center;" scope="col" >Tahun Bulan</th>
<th style="text-align: center;" scope="col" >Rentang Bulan</th>
<th style="text-align: center;" scope="col" >Nominal</th>
<th style="text-align: center;" scope="col" >Tangal Bayar</th>
<th colspan="3" width="50px" style="text-align: center;" scope="col" >Aksi</th>

```

```

</tr>
<tbody>
<?php $total = 0; ?>
@foreach($santris1 as $spp)
<?php $total += $spp->bayar; ?>
<?php $a = $spp->tahunajaran+1; ?>
<tr>
<td>{$spp->id}</td>
<td width="200px">{$spp->idasantri}</td>
<td>{$spp->semester}</td>
<td>{$spp->tahunajaran}/ {$a}</td>
<td>{$spp->bulan}</td>
<td>Rp {{ number_format($spp->bayar) }}</td>
<td>{$spp->idustadr}</td>
<td>{$spp->tglbayar}</td>
<td></td>
<td style="text-align: right;"> <a style="color: red;" class="btn tombol" href='{{ url("/spp/ngedit2/{$spp->id}) }}'>Edit </a> </td>
<td style="text-align: left;">
<a style="color: red;" class="btn tombol" href='{{ url("/spp/destroy/{$spp->id}) }}' onclick="return confirm('apakah anda yakin ingin menghapus data ini?');"> Hapus </a>
</td>
</tr>
@endforeach
<th></th>
<th style="text-align: center;" scope="col"> Sub Total</th>
<th></th><th></th> <th></th>
<th class="total" style="text-align: center;">Rp {{ number_format($total) }}</th>
<th></th><th></th><th></th>
<tr>
<th></th>
<th style="text-align: center;" scope="col">Total</th>
<th></th><th></th><th></th>
<th class="total" style="text-align: center;">Rp {{ number_format($spp->sum('bayar')) }}</th>
<th></th><th></th><th></th>
<th></th>
</tr>

```

{ {\$santris1->render()} }

</tbody>

</table>

<script src="template/vendor/jquery/jquery.min.js"></script>

<script src="template/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<script src="template/vendor/jquery-easing/jquery-easing.min.js"></script>

<script src="template/vendor/scrollreveal(scrollreveal.min.js)"></script>

<script src="template/vendor/magnific-popup/jquery.magnific-popup.min.js"></script>

<script src="template/js/creative.min.js"></script>

<script src="form-1/assets/js/jquery-1.11.1.min.js"></script>

<script src="form-1/assets/bootstrap/js/bootstrap.min.js"></script>

<script src="form-1/assets/js/jquery.backstretch.min.js"></script>

<script src="form-1/assets/js/scripts.js"></script>

</body>

</html>

15. lihat spp3

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<title>Data SPP Santri</title>
<style type="text/css">
.div {
background: #81a53a;
background-color: #81a53a;
}
</style>
<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

```

```
<link rel="stylesheet" type="text/css"
      href="template/css/creative.css" >
    <link href="template/vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">
    <link href='template/https://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>
    <link href='template/https://fonts.googleapis.com/css?family=Merriweather:400,300,300italic,400italic,700,700italic,900,900italic' rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="form-1/assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="form-1/assets/css/form-elements.css">
    <link rel="stylesheet" href="form-1/assets/css/style.css">
    <link rel="shortcut icon" href="1/assets/ico/favicon.png">
        <link rel="apple-touch-icon-precomposed" sizes="144x144" href="form-1/assets/ico/apple-touch-icon-144-precomposed.png">
        <link rel="apple-touch-icon-precomposed" sizes="114x114" href="form-1/assets/ico/apple-touch-icon-114-precomposed.png">
        <link rel="apple-touch-icon-precomposed" sizes="72x72" href="form-1/assets/ico/apple-touch-icon-72-precomposed.png">
        <link rel="apple-touch-icon-precomposed" href="form-1/assets/ico/apple-touch-icon-57-precomposed.png">
    <link href="template/vendor/magnific-popup/magnific-popup.css" rel="stylesheet">
    <link rel="stylesheet" href="/css/style.css" />
</head>
<body id="page-top" class="div">
    <nav class="navbar navbar-expand-lg navbar-light fixed-top" id="mainNav" >
        <div class="container">
            <a class="navbar-brand" js-scroll-trigger" href="#">TKA TPA Kalibayem</a>
            <div class="collapse navbar-collapse" id="navbarResponsive">
                <ul class="navbar-nav ml-auto">
                    <ul class="dropmenu" style="position: relative; left: 210px">
                        <li class="nav-item">
                            <a style="color: #692911;" class="nav-link js-scroll-trigger" href="#{} url('/home') {}">Home</a>
                        </li>
                        <li class="nav-item">
                            <a style="color: #692911" class="nav-link js-scroll-trigger" href="#services">Proses Akademik</a>
                        <ul>
                            <li><a href="{{ route('datasantri.admin') }}>Data Santri</a></li>
                                <li><a href="{{ route('dataustadz.admin') }}>Data Ustadz</a></li>
                                <li><a href="{{ route('monitorngaji.admin') }}>Monitoring Ngaji</a></li>
                                <li><a href="{{ route('lihatspp.admin') }}>SPP</a></li>
                            </ul>
                        </li>
                    <li class="nav-item">
                        <a style="color: #692911" class="nav-link js-scroll-trigger" href="#laporan">Laporan</a>
                        <ul>
                            <li><a href="{{ route('datasantri3.admin3') }}>Laporan Santri</a></li>
                            <li><a href="{{ route('ustaddata3.admin3') }}>Laporan Data Ustadz</a></li>
                            <li><a href="{{ route('monitorngaji3.admin3') }}>Laporan Monitoring Ngaji</a></li>
                            <li><a href="{{ route('lihatspp3.admin3') }}>Laporan Spp</a></li>
                        </ul>
                    </li>
                    <li class="nav-item">
                        @if (Route::has('login'))
                            @if (Auth::check())
                                @else
                                    <li class="nav-item">
                                        <a style="color: #692911" href="{{ url('/login') }}>Admin</a>
                                    </li>
                            @endif
                        @endif
                    </li>
                </ul>
            </div>
        </div>
    </nav>

```

```

        @endif
    </div>
@endif
</li>
<ul class="dropmenu">
    @if (Auth::guest())
    @else
        <li style="color: #692911; position: relative; bottom: 50px; position: relative; left: 960px" class="dropdown">
            <a style="color: #692911" href="#" class="dropdown-toggle" data-toggle="dropdown" role="button" aria-expanded="false">
                {{ Auth::user()->name }} <span class="caret"></span>
            </a>
            <ul class="dropdown-menu" role="menu">
                <li>
                    <a href="{{ route('logout') }}">
                        Logout
                    </a>
                    <form id="logout-form" action="{{ route('logout') }}" method="POST" style="display: none;">
                        {{ csrf_field() }}
                    </form>
                </li>
            </ul>
        </li>
    @endif
        <li class="nav-item" style="position: relative; bottom: 50px; position: relative; left: 960px">
            <a style="color: #692911" href="{{ url('/register') }}>Register</a>
        </a>
        </li>
    </li>
</ul>
</ul>
</div>
</div>
</nav>

<section class="bg-light" >
    <div class="col-lg-8 mx-auto text-center" >
        <div class="container my-auto" style="color: black; padding-left: 100px; position: relative; bottom: 50px">Data SPP Santri</h2>
    </div>
</div>
</section>
<div class="container" style="background-color: #f9f9f9; border: 1px solid #e0e0e0; padding: 10px; margin-top: 10px" action="{{ route('postlaporanspp.searchlaporanspp') }}" method="get">
    <input type="text" name="q" placeholder="Cari Nama" style="width: 95; display: inline; background: #fffff">
    <button type="submit" >Cari</button>
</div>
<table class="table table-hover" style="color: black" >
    <tr><td></td><td></td><td></td></tr>
    <tr><td width="200px" >
        <form action="{{ route('postlaporanspp1.searchlaporanspp1') }}" method="get" >
            <select name="q" >
                <option value="">Semester</option>
                <option value="Ganjil">Ganjil</option>
                <option value="Genap">Genap </option>
            </select>
            <button type="submit" >Filter</button>&nbsp;&nbsp;&nbsp;
        </form>
    </td>
    <td width="200px" >
        <form action="{{ route('postlaporanspptahun.searchlaporanspptahun') }}" method="get" >
            <select name="q" >
                <?php
                $now=date('Y');?>
                <option value="">Tahun Ajaran</option>
            <?php for ($a=2011;$a<=$now;$a++) {
                $b=1;
                $c = $a+$b;
            }
            </?>
        </form>
    </td>
</tr>
</table>

```

```

echo "<option value='$a'>$a / $c </option>";
}
?>
</select>
<button type="submit" >Filter</button>
</form>
</td ><td></td><td></td><td></td>
<tr>
<th style="text-align: center;" scope="col">ID
SPP</th>
<th style="text-align: center;" scope="col">Nama
Santri</th>
<th style="text-align: center;" scope="col">semester</th>
<th style="text-align: center;" scope="col">Tahun
Ajaran</th>
<th style="text-align: center;" scope="col">Rentang
Bulan</th>
<th style="text-align: center;" scope="col">Nominal</th>

<th style="text-align: center;" scope="col">Tanggal
Bayar</th>
</tr>
<tbody>
<?php $total = 0; ?>
@foreach($santris1 as $spp)
<?php $total += $spp->bayar; ?>
<?php $a = $spp->tahunajaran+1; ?>
<tr>
<td>{$spp->id}</td>
<td width="200px">{$spp->idasantri}</td>
<td>{$spp->semester}</td>
<td>{$spp->tahunajaran}/ {$a}</td>
<td>{$spp->bulan}</td>
<td>Rp {number_format($spp->bayar)}</td>
<td>{$spp->idustad}</td>
<td>{$spp->tglbayar}</td>
</tr>
@endforeach
<th></th>
<th style="text-align: center;" scope="col"> Sub
Total</th>
<th></th><th></th><th></th>
<th class="total" style="text-align: center;">Rp {{
number_format($total)} }</th>
<th></th>
<th style="text-align: center;">Total</th>
<th></th>
<th></th> <th></th>
<th class="total" style="text-align: center;">Rp {{
number_format($spp->sum('bayar')) }}</th>
<th></th>
</tr>
<form action="{{ route('pdf') }}" method="get">
<button type="Submit" >Export PDF</button>
</form>
<br/><br/>
{{ $santris1->render() }}
</tbody>
</table>
<script
src="template/vendor/jquery/jquery.min.js"></script>
<script
src="template/vendor/bootstrap/js/bootstrap.bundle.min.j
s"></script>
<script
src="template/vendor/jquery-easing/jquery-easing.min.js"></script>
<script
src="template/vendor/scrollreveal/scrollreveal.min.js"><
/script>
<script
src="template/vendor/magnific-popup/magnific-popup.min.js"></script>
<script src="template/js/creative.min.js"></script>
<script
src="form-1/assets/js/jquery-1.11.1.min.js"></script>
<script
src="form-1/assets/bootstrap/js/bootstrap.min.js"></script>
<script
src="form-1/assets/js/jquery.backstretch.min.js"></script>
<script src="form-1/assets/js/scripts.js"></script>
</body>
</html>

```