

Lampiran 1

Keterangan Lolos Uji Etik



UMY UNIVERSITAS
MUHAMMADIYAH
YOGYAKARTA
Unggul di Islam

**FAKULTAS
KEDOKTERAN DAN
ILMU KESEHATAN**

Nomor : 486/EP-FKIK-UMY/X/2018

KETERANGAN LOLOS Uji ETIK **ETHICAL APPROVAL**

Komite Etik Penelitian Fakultas Kedokteran dan Ilmu Kesehatan Universitas Muhammadiyah Yogyakarta dalam upaya melindungi hak asasi dan kesejahteraan responden/subyek penelitian, telah mengkaji dengan teliti protokol berjudul :

The Ethics Committee of the Faculty of Medicine and Health Sciences, University of Muhammadiyah Yogyakarta, with regards of the protection of human rights and welfare in research, has carefully reviewed the research protocol entitled :

"Kajian Cost Effectiveness Penggunaan Albumin pada Berbagai Kondisi Pasien"

Peneliti Utama : Nurul Maziyyah
Principal Investigator Bangunawati Rahajeng
Pinasti Utami
Mega Octavia
Alifah Hasna
Aisyah Andini
Nandy Surya Kusuma
Khoirunnisa

Nama Institusi : Program Studi Farmasi FKIK UMY
Name of the Institution

Negara : Indonesia
Country

Dan telah menyetujui protokol tersebut diatas.
And approved the above-mentioned protocol.

Yogyakarta, 17 Oktober 2018
Ketua
Komite Etik Penelitian

Dr. Dr. Titiek Hidayati, M.Kes.
FISPH., FISC.M.

***Peneliti Berkewajiban :**

1. Menjaga kerahasiaan identitas subyek penelitian
2. Memberitahukan status penelitian apabila :
 - a. Setelah masa berlakunya keterangan lolos uji etik (1 tahun sejak tanggal terbit), penelitian masih belum selesai, dalam hal ini *ethical clearance* harus diperpanjang
 - b. Penelitian berhenti di tengah jalan
3. Melaporkan kejadian serius yang tidak diinginkan (*serious adverse events*).
4. Peneliti tidak boleh melakukan tindakan apapun pada responden/subyek sebelum penelitian lolos uji etik.

ADDRESS

Kampus Terpadu UMY Gd. Siti Walidah LT.3
Jl. Brawijaya (Lingkar Selatan)
TamanTirta - Kasihan - Bantul
D.I.Yogyakarta 55183

CONTACT

Phone : (0274) 387656 ext. 213
Fax : (0274) 387658
Email : fkik@umy.ac.id
www.fkik.umy.ac.id

Lampiran 2
Data Penggunaan Albumin

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P1	L	Tumor paru kiri, efusi pleura, CHF, DM	Hipoalbumin	Human Albumin Grifols 20%	2x100 ml	2,4	2,9	<ul style="list-style-type: none"> • Novorapid • Alinamin F • Lasix injeksi
P2	L	Nefrothic syndrome	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,8	2,3	<ul style="list-style-type: none"> • Metil prednisolon • Furosemid • Cefixim
P3	L	Fraktur mandibula	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,7	3,1	<ul style="list-style-type: none"> • Ceftriaxone • Dexamethason • Metronidazol • Fentanil • Ranitidin • Inpepsa
P4	L	Bronc. Pneumonia susp TB	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,0	2,3	<ul style="list-style-type: none"> • Cefotaxime • Metronidazol • Vitamin K
					100 ml	2,3	2,1	<ul style="list-style-type: none"> • Cefotaxime • Metronidazol • Vitamin K
					100 ml	2,1	2,4	<ul style="list-style-type: none"> • Cefotaxime • Metronidazol

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P5	L	Efusi pleura	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,8	2,0	<ul style="list-style-type: none"> • Cefipime • Dextrose 5%
					100 ml	2,0	2,3	Cefepime
					100 ml	2,0	2,2	Cefepime
					100 ml	2,2	2,4	Cefepime
P6	P	Hiperglikemi susp HHS/KAD, urosepsis	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,6	1,8	<ul style="list-style-type: none"> • D5%, RL • Ranitidin • Ceftriaxone • Ondansetron • Antrain
P7	L	Obstruksi jaundice, sepsis, DM	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,1	2,4	<ul style="list-style-type: none"> • Intrix • Dimensal • Adalat OROS • Captopril • Humalog
P8	L	Post turp a/i BPH anemia gravis susp CKD dd ARF	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,1	2,5	<ul style="list-style-type: none"> • Codein • Harmal • Levofloxacin • Ceftazidim • Pantoprazol • Metronidazol • Furosemid • Vitamin K • Alinamin F • Metoclorpramid

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P9	P	Abses	Post operasi	Human Albumin Grifols 20%	100 ml	2,7	3,2	<ul style="list-style-type: none"> • Neuroaid • Salofalk • Injeksi ketesse • Injeksi merosan
P10	P	Syok hipovolemik, syok sepsis, stroke, stress ulcer, gagal ginjal akut	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,0	2,5	<ul style="list-style-type: none"> • Cefepime • Metilprednisolon • Ranitidin • Fepiram infus
P11	L	Perforasi gaster	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,2	2,4	<ul style="list-style-type: none"> • Ceftriaxone • Tramadol • Metronidazol • Pantoprazol • Ondansetron • AF
P12	P	Hipotensi, vomitus	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,7	2,4	<ul style="list-style-type: none"> • Levofloxacin • INH • Etambutol • Biocurliv • Sulcolon • Streptomisin • Ondansetron • Kettese • Pantozol • NaCl + KCl • Microlax

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P12	P	Hipotensi, vomitus	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,4	<ul style="list-style-type: none"> • Levofloxacin • INH • Etambutol • Biocurliv • Sulcolon • Streptomisin • Ondansetron • Kettese • Pantozol • NaCl + KCl • Microlax • Antrain • Vitamin K • Kalnex • Ketorolak
P13	L	CAP, GGA, sepsis	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	2,2	<ul style="list-style-type: none"> • Ranitidin • Furosemid • Ceftriaxone • Levofloxacin • Pantoprazol • Antrain • Inpepsa • Cordarone • Mycamine • Nebulizer

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P13	L	CAP, GGA, sepsis	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,8	2,0	<ul style="list-style-type: none"> • Ranitidin • Furosemid • Ceftriaxone • Pantoprazol • Antrain • Inpepsa • Cordarone • Mycamine • Nebulizer • Cefepime • Aspar K
P14	L	Vomitus profuse dengan dehidrasi	Post operasi	Human Albumin Behring 20%	50 ml	2,6	3,1	<ul style="list-style-type: none"> • Injeksi taxegram • Metronidazol • Novalgin • Ranitidin • D5%, RL + KCl
P15	L	HLL (D), residif asister	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,8	2,6	<ul style="list-style-type: none"> • Dycinone • Kettese • Vit K, Vit C
				Human Albumin Grifols 20%	100 ml	2,6	3,5	<ul style="list-style-type: none"> • Dycinone • Kettese • Vit K, Vit C • Irbesartan • Furosemid

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P16	L	ISK	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,1	2,1	<ul style="list-style-type: none"> • Nislev • Pantoprazol
					100 ml	2,1	2,6	<ul style="list-style-type: none"> • Tramadol • Asering
P17	L	Megacolon congenital	Post operasi	Plasbumin 25%	20 ml	2,9	3,2	<ul style="list-style-type: none"> • Ceftazidime • Ranitidin • Metronidazol • Novalgin • Injeksi ceftazidim • Injeksi amikasin
P18	L	Cyanosis	Hipoalbumin	Plasbumin 25%	20 ml	2,3	2,8	<ul style="list-style-type: none"> • Fenitoin puyer • Ceftazidime • Mikasin • Metronidazol • Roxemid • Aminofusin • D10%, KCl
P19	L	Gastritis kronis dengan anemia, tumor colon	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,0	2,2	<ul style="list-style-type: none"> • Pantoprazol • Metronidazol • Ceftriaxone • Ranitidin • Tramadol • Profenid supp • Furosemid • Aspar K

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P19	L	Gastritis kronis dengan anemia, tumor colon	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,2	2,3	<ul style="list-style-type: none"> • Pantoprazol • Metronidazol • Ceftriaxone • Ranitidin • Tramadol • Profenid supp • Furosemid • Aspar K
P20	L	DM ulkus pedis	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,7	1,8	<ul style="list-style-type: none"> • Ceftriaxone • Novorapid • Metronidazol
				Human Albumin Grifols 20%	100 ml	2,0	2,1	<ul style="list-style-type: none"> • Ceftriaxone • Novorapid • Metronidazol
P21	P	SNH, DM, hipertensi	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,0	2,1	<ul style="list-style-type: none"> • Paracetamol • Neurosanbe • Amlodipin • Aspilet • Ceftazidim • Citicolin • Simvastatin • Pantoprazol • CPG • Tomit • Metil prednisolon

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P22	P	Megacolon	Post operasi	Albapure 20%	50 ml	2,9	2,8	<ul style="list-style-type: none"> • Ceftazidim • Metronidazol • Ranitidin • Novalgin
P23	P	Stroke infark, hipotensi	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,6	<ul style="list-style-type: none"> • Irbesartan • Carbamazepin • Aptor • Levofloxacin
P24	L	<i>Multiple nerve palsy</i>	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,0	2,4	<ul style="list-style-type: none"> • Furosemid • Injeksi furosemid • Cefotaxim
P25	L	DM, cholecystitis akut	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,2	<ul style="list-style-type: none"> • Metronidazol • Ondansetron • Tramadol • Ceftriaxon • OMZ • Humalog
P26	L	Ileus obstruktif	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	2,6	<ul style="list-style-type: none"> • Ceftriaxon • Ranitidin • Ondansetron • Ketorolak • Metronidazol • Ringer laktat • Ecosol glucos 5%

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P27	L	Ca colon sygmoid	Post operasi	Human Albumin Grifols 20%	100 ml	2,1	2,2	<ul style="list-style-type: none"> • Ceftriaxon • Metronidazol • Ranitidin
P28	L	Hipoglikemi pada DM susp sellulitis pedhis, aphasia	Hipoalbumin	Human Albumin Grifols 20%	3x100 ml	2,3	2,7	<ul style="list-style-type: none"> • Albuforce • Ceftriaxon • Cernevit
P29	P	Vomitus dengan dehidrasi, anoreksia geriatri	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,1	2,5	<ul style="list-style-type: none"> • Paracetamol • Ceftriaxon • Pantoprazol • Tomit • Antrain • Dexamthason • NaCl
P30	L	Obs febris H-III, <i>dengue fever</i>	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,9	2,5	<ul style="list-style-type: none"> • Pantoprazol • Ondansetron
P31	P	DM, astenia	Hipoalbumin	Human Albumin Grifols 20%	2x100 ml	2,1	3,2	<ul style="list-style-type: none"> • Neurotam • Kalmeco • Brainact • Cobazim • Albuforce • Furosemid • NASPA • Tomit • Prosogan

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P32	P	DM, astenia	Hipoalbumin	Human Albumin Grifols 20%	2x100 ml	2,2	2,4	<ul style="list-style-type: none"> • Neurotam • Kalmeco • Brainact • Cobazim • Albuforce • Braxidin • Injeksi tomit • Injeksi prosogan • Injeksi granon • Injeksi cernevit • Injeksi ketesse • Injeksi furosemid • Injeksi intrix • Clinimix, RL
P32	P	Peritonitis, tumor mediastinum, sepsis	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,6	2,9	<ul style="list-style-type: none"> • Ceftriaxon • Metronidazol
P33	P	Anemia, dehidrasi	Hipoalbumin	Human Albumin Grifols 20%	3x100 ml	1,8	2,4	<ul style="list-style-type: none"> • Cernefit • Intrix • Furosemid • Humalog
P34	L	Obs. dyspnea, bronkopneumonia, susp meteorismis	Hipoalbumin	Plasbumin 25%	20 ml	0,8	1,6	<ul style="list-style-type: none"> • Cefotaxim • Amikasin
				Plasbumin 25%	20 ml	1,6	1,2	<ul style="list-style-type: none"> • Cefotaxim • Amikasin

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P35	L	Peritonitis apendisitis akut	Hipoalbumin	Plasbumin 25%	20 ml	2,6	2,3	<ul style="list-style-type: none"> • Metronidazol • Ranitidin • Ceftriaxon • Ondansetron • Novalgin • Alinamin F
P36	L	Obs febris H-VII dengan abdomen pain susp app akut	Post operasi	Human Albumin Behring 20%	50 ml	2,6	2,8	<ul style="list-style-type: none"> • Injeksi ceftriaxon • Injeksi novalgin • Injeksi Ondansetron • Injeksi metronidazol • Injeksi ranitidin • Ringer laktat
P37	P	Kista denoca ovariri serosum pelpielformat, vertigo, hipertensi, pendarahan pervaginum	Hipoalbumin	Albapure 20%	2x50 ml	2,4	2,7	<ul style="list-style-type: none"> • Amoxan • Mefinal • Becom C • Betahistin • Frego • Ergotik • RL
P38	L	Obs joudile dengan hematomegali	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,8	Furosemid

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P39	P	Atnesia ani dengan fustula rekto urustibular	Post operasi	Plasbumin 25%	20 ml	2,8	3,2	<ul style="list-style-type: none"> • KA-EN 3B • Aminofusin • Alinamin F
P40	P	Cholecystitis akut, pleuropneumonia, hipokalemia	Post operasi	Human Albumin Grifols 20%	100 ml	2,1	2,4	<ul style="list-style-type: none"> • Pantoprazol • Cefotaxim • Ondansetron • Ceftriaxon
P41	L	DM	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,0	2,3	<ul style="list-style-type: none"> • Cefotaxim • Humalog • PRC
					100 ml	2,3	2,7	<ul style="list-style-type: none"> • Cefotaxim • Humalog
P42	L	CAP, MODS, hipokalemia	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,7	1,9	<ul style="list-style-type: none"> • Cefepim • Ranitidin • Fluconazol • Metronidazol • N. Acetylsistein • CPG • Nevadex • Candesartan • Nebulizer • Hepa Q • Gentamycin • Captopril • Flukonazol

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P42	L	DM CAP, MODS, hipokalemia	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,5	1,9	<ul style="list-style-type: none"> • Meropenem • Ranitidn • Asetilsistein • Curcuma • Captopril • CPG • Neurodex • Floconazole • KSR • Nebulizer
				Human Albumin Grifols 20%	100 ml	1,9	2,0	<ul style="list-style-type: none"> • Meropenem • Ranitidn • Asetilsistein • Curcuma • Captopril • CPG • Neurodex • Floconazole • KSR • Nebulizer • Candesartan

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P42	L	DM CAP, MODS, hipokalemia	Hipoalbumin	Human Albumin Grifols 20%	2x100 ml	2,0	2,9	<ul style="list-style-type: none"> • Meropenem • Ranitidin • Asetilsistein • Curcuma • Captopril • CPG • Neurodex • Floconazole • KSR, RL • Nebulizer • Candesartan • Neurotam
				Human Albumin Grifols 20%	100 ml	2,9	3,0	<ul style="list-style-type: none"> • Meropenem • Ranitidin • Asetilsistein • Curcuma • Captopril • CPG • Neurodex • Floconazole • KSR, RL • Nebulizer • Candesartan • Neurotam • Neuroaid

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P43	P	Obs asites susp sirosis hepatis	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,1	1,7	<ul style="list-style-type: none"> • Cefotaxime • Novalgin
				Human Albumin Grifols 20%	100 ml	2,1	1,9	<ul style="list-style-type: none"> • Furosemid • Novalgin • Curcuma • Spironolakton
				Human Albumin Grifols 20%	100 ml	1,7	1,7	<ul style="list-style-type: none"> • Furosemid • Novalgin • Levofloxacin • Ringer laktat
				Human Albumin Grifols 20%	100 ml	1,7	2,1	<ul style="list-style-type: none"> • Furosemid • Novalgin • Levofloxacin • Dextrose 5%
				Human Albumin Grifols 20%	100 ml	2,1	2,3	-
P44	L	Parkinson, dekubitus	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,8	3,5	<ul style="list-style-type: none"> • Liparson • Siprol • Neuroaid • Anemolala • Hidonac • RL

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P45	P	DM (ulkus)	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,8	2,1	<ul style="list-style-type: none"> • Injeksi metronidazol • Injeksi ceftriaxon • Injeksi ketorolak • Injeksi xerces • Injeksi novorapid • RL, NaCl • PRC
			Post operasi	Human Albumin Grifols 20%	100 ml	2,1	2,3	<ul style="list-style-type: none"> • Injeksi metronidazol • Injeksi ketorolak • Injeksi xerces • Injeksi novorapid • RL
P46	P	Dehidrasi sedang	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	2,4	<ul style="list-style-type: none"> • Domperidon • Levofloxacin • Ketorolak • Prosogan • Metronidazol • RL
				Human Albumin Grifols 20%	100 ml	2,4	2,3	<ul style="list-style-type: none"> • Domperidon • Levofloxacin • Ketorolak • Prosogan • Metronidazol

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P46	P	Dehidrasi sedang	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	3,0	<ul style="list-style-type: none"> • Domperidon • Levofloxacin • Ketorolak • Prosogan • Metronidazol • Dexamethason
P47	L	Hemiparesis dextra ec. EDH et. ICH	Post operasi	Human Albumin Grifols 20%	100 ml	2,3	2,5	<ul style="list-style-type: none"> • Herbeser • Valsartan • Bisoprolol • Amiodaron • Aspar K • Levofloxacin • Cefotaxim • Tramadol • Nebulizer • Paracetamol
P48	L	Hemasenesis melena	Hipoalbumin	Human Albumin Grifols 20%	2x100 ml	2,5	3,0	<ul style="list-style-type: none"> • Bratidin • Cobazim • Dulcolax • Levofloxacin • Prosogan • Setrovel • Somastatin • Vascon cc D5% • RL, NaCl

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P49	P	Colongitis, cholelitis	Post operasi	Human Albumin Grifols 20%	100 ml	2,5	2,4	<ul style="list-style-type: none"> • Ciprofloxacin • Metronidazol • Novorapid • SNMC, KCL • Ondansetron
				Human Albumin Grifols 20%	100 ml	2,4	2,5	<ul style="list-style-type: none"> • Ciprofloxacin • Metronidazol • Novorapid • SNMC • Ondansetron • Omeprazol
				Human Albumin Grifols 20%	100 ml	2,5	2,4	<ul style="list-style-type: none"> • Ciprofloxacin • Metronidazol • SNMC • Ondansetron • Omeprazol • Novorapid • Aspar K, Frego
				Human Albumin Grifols 20%	2x100 ml	2,4	2,6	<ul style="list-style-type: none"> • Ciprofloxacin • Metronidazol • Ondansetron • Omeprazol • Insulin • Aspar K • Frego

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P49	P	Colongitis, cholelitis	Post operasi	Human Albumin Grifols 20%	2x100 ml	2,6	2,4	<ul style="list-style-type: none"> • Injeksi ciprofloxacin • Injeksi metronidazol • Injeksi Ondansetron • Injeksi omeprazol • Injeksi novorapid • Insulin • Aspar K • Frego
				Human Albumin Grifols 20%	100 ml	2,4	2,8	<ul style="list-style-type: none"> • Aspar K • Injeksi meropenem • Injeksi pantozol • Injeksi Ondansetron • Injeksi ketesse • Injeksi ketesse • Injeksi novorapid • Injeksi ciprofloxacin • Injeksi alinamin F • Injeksi omeprazol

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P49				Human Albumin Grifols 20%	100 ml	2,5	3,0	<ul style="list-style-type: none"> • Aspar K • Blopres • Pantozol • Ondansetron • Ketesse • Ciprofloxacin • Alinamin F • Omeprazol • Novorapid
P50	P	Oks dyspnea sup pneumonia	Post operasi	Human Albumin Grifols 20%	100 ml	2,7	2,8	<ul style="list-style-type: none"> • Ventolin nebulizer • Ringer laktat • Lasix injeksi • Furosemid • Metilprednisolon • Aspar K
			Hipoalbumin	Human Albumin Grifols 20%	2x100 ml	2,0	2,3	<ul style="list-style-type: none"> • Meropenem • Zemyc infus
P51	L	Susp app akut	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,8	<ul style="list-style-type: none"> • Ceftriaxone • Metronidazol • Novalgin • Kaen 3B

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P52	P	CKD	Kelebihan volume cairan	Human Albumin Grifols 20%	100 ml	2,7	2,7	<ul style="list-style-type: none"> • Valsartan • Anemolat • Furosemid • Tomit • Levofloxacin
P53	P	Osteomilitis post or ff	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,2	2,4	<ul style="list-style-type: none"> • Ceflazidim • Tramadol
			Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,7	<ul style="list-style-type: none"> • Ceflazidim • Tramadol
			Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,2	2,1	<ul style="list-style-type: none"> • Cefadroxil • Kalk nellco • Natrium diklofenak • Ceftriaxone • Gentamicin • Ketorolak • Tramadol
			Post operasi	Human Albumin Grifols 20%	100 ml	2,1	2,1	<ul style="list-style-type: none"> • Cefadroxil • Kalk nellco • Natrium diklofenak

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P54	P	Colic abdomen, massa LLQ, febris dengan trombositopeni, hipokalemia, anemia	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,7	<ul style="list-style-type: none"> • Infus paracetamol • Ceftriaxon • Dexamethasone
				Human Albumin Grifols 20%	100 ml	2,7	3,7	<ul style="list-style-type: none"> • Infus paracetamol • Ceftriaxon • Dexamethasone
P55	P	P ₂ A ₀ AH ₁ , post partum PEB help syndrome	Hipoalbumin	Human Albumin Behring 20%	2x50 ml	2,2	2,1	<ul style="list-style-type: none"> • Clindamicin • Spironolakton • Asam mefenamat • Candesartan • Ceftriaxon • Pantoprazol • Dexamethason • Furosemid
P56	L	Weakness dengan dehidrasi	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,6	<ul style="list-style-type: none"> • Ceftriaxon • RL
					100 ml	1,8	2,2	<ul style="list-style-type: none"> • Ceftriaxon • Ketorolak • RL
					100 ml	2,2	2,4	<ul style="list-style-type: none"> • Ceftriaxon • Ketorolak • RL

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P56	L	Weakness dengan dehidrasi	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,4	<ul style="list-style-type: none"> • Ceftriaxon • Ketorolak • RL
				Human Albumin Grifols 20%	100 ml	2,4	2,3	<ul style="list-style-type: none"> • Ceftriaxon • Ketorolak • Mecobalamin • RL
P57	L	Obs oedem anasarka anemia	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,4	1,4	<ul style="list-style-type: none"> • Furosemid • Cefotaxim • PRC
				Human Albumin Grifols 20%	100 ml	1,4	1,8	<ul style="list-style-type: none"> • Furosemid • Cefotaxim
				Human Albumin Grifols 20%	100 ml	1,8	1,6	<ul style="list-style-type: none"> • Furosemid • Cefotaxim
P58	P	Ileus obstruktif letat tinggi, hepatomegali, hepatitis, cholestitis dd. cholelithiasis	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,7	1,0	<ul style="list-style-type: none"> • Pantoprazol • Ceftriaxon • Ondansetron • Metronidazol • Infus paracetamol • Antrain • MPS

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P59	P	SNH, DM post thraceostomy	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,6	2,3	<ul style="list-style-type: none"> • Diovan • Combivent • Pulmicort • Fenitoin • Antrain • Meropenem • Dextrose 5%
P60	L	Anoreksia geriatri	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,2	2,5	<ul style="list-style-type: none"> • Ringer laktat • Dextrose 5% • Ambroxol
P61	L	BPH, tumor paru	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	2,7	<ul style="list-style-type: none"> • Paracetamol • Omeprazol • Finpro • Harnal • Neurosanbe • Furosemid • Vitamin • Rifampion • Laxadine • Pantoprazol • Injeksi ceftriaxon • Injeksi ketorolac • Injeksi zistic • MPC • NaCl, D5%

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P62	L	HIL D	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,9	2,4	<ul style="list-style-type: none"> • Furosemid • Levofloxacin • Dextrose 5%
			Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,2	2,3	-
			Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	2,7	<ul style="list-style-type: none"> • Ringer laktat • Levofloxacin • Dextrose 5%
P63	P	Hemel gastritis	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,2	3,3	<ul style="list-style-type: none"> • Diazepam • Prosogan • Tomit • Cefotaxim • Mecobalamin
P64	L	Penkes dengan SAH lobus occipital	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	2,4	<ul style="list-style-type: none"> • Brainact • Manitol • Ceftazidim • Inpepsa • Phenytoin • Levofloxacin • Drip vascon • Drip dopamin • KSR • Dexosin

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P65	P	Acute dekompensated RHF	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,6	1,9	<ul style="list-style-type: none"> • Vometa • Lactonal • Lasix • Furosemid • Ceftriaxone
			Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,9	2,1	<ul style="list-style-type: none"> • Vometa • Lasix • Furosemid • Ceftriaxone
P66	P	Dyspnea dengan dehidrasi sedang, anemia	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,8	<ul style="list-style-type: none"> • Ondansetron • Ceftriaxon • RL
				Human Albumin Grifols 20%	100 ml	2,8	3,1	<ul style="list-style-type: none"> • Ondansetron • Ceftriaxon • Antrain • Pantoprazol, RL
P67	L	Obs kontipasi, cholitis	Post operasi	Human Albumin Grifols 20%	100 ml	2,3	2,7	<ul style="list-style-type: none"> • Pranza • Kalmeco • Ceftriaxone • Metronidazol • Ondansetron • Ketorolak • Cernevit • Aminofluid • RL

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P67	L	Obs kontipasi, cholitis	Post operasi	Human Albumin Grifols 20%	100 ml	2,7	2,6	<ul style="list-style-type: none"> • Pranza • Kalmeco • Ceftriaxone • Metronidazol • Ondansetron • Ketorolak • Cernevit • Aminofluid • RL • Clinimix + clinolid
				Human Albumin Grifols 20%	100 ml	2,6	2,6	<ul style="list-style-type: none"> • Pranza • Kalmeco • Ceftriaxone • Metronidazol • Ondansetron • Ketorolak • Cernevit • Aminofluid • RL • New diatab • Ambroxol • Solofok • KCL
					100 ml	2,6	2,4	<ul style="list-style-type: none"> • Aminofluid

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P68	P	Sepsis (syok sepsis)	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,8	2,7	<ul style="list-style-type: none"> • Levofloxacin • Ranitidin • Dexamethason • Piracetam • Furosemid • KSR
P69	L	Gastroenteritis dd colitis	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,1	2,6	<ul style="list-style-type: none"> • Rifastar • Alprazolam • Injeksi ciprofloxacin • Injeksi pantoprazol • Injeksi Ondansetron
P70	P	Cirosis hepatis, susp Ca pankreas	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,7	2,2	<ul style="list-style-type: none"> • Injeksi ranitidin • Injeksi ciprofloxacin • Injeksi vitamin K • Injeksi metronidazol • Injeksi SNMC • Injeksi furosemid
P71	L	CKD	Hipoalbumin	Human Albumin Grifols 20%	3x100 ml	2,1	2,7	<ul style="list-style-type: none"> • Injeksi ketesse • Injeksi intrix • Injeksi nexium

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P71	L	CKD	Hipoalbumin	Human Albumin Grifols 20%	3x100 ml	1,8	2,1	<ul style="list-style-type: none"> • Vascon injeksi • Kettese injeksi • Metronidazol
P72	P	Oedem tungkai	Kelebihan cairan ekstraseluler	Human Albumin Grifols 20%	100 ml	3,0	3,6	<ul style="list-style-type: none"> • Lipanthil • Kedorolak • Pantoprazol • Humalog • RL
P73	L	CKD	Hipoalbumin	Human Albumin Behring 20%	50 ml	2,3	2,4	<ul style="list-style-type: none"> • Herbeser CD • Neurodex • Bisoprolol • Diovam • Lenalace • Brainact • Anemolat • Prorenal • Donepezil • Injeksi rycef • Injeksi pantoprazol • Injeksi ergotika • Injeksi lasix

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P73	L	CKD	Hipoalbumin	Human Albumin Behring 20%	50 ml	2,4	2,9	<ul style="list-style-type: none"> • Herbeser CD • Neurodex • Bisoprolol • Diovam • Lenalace • Brainact • Anemolat • Prorenal • Donepezil • Pantoprazol • Ergotika, Lasix
P74	P	Obs paraparesis inferior, discurthria, depresi berat dengan gejala psikotik	Hipoalbumin	Albapure 20%	2x50 ml	2,2	2,1	<ul style="list-style-type: none"> • Meropenem • Piracetam • Mycamine • Avelox • PCT infus • Fluimycil • CPZ • Haloperidol • Risperidone • Hexymer • Nopres • Aspar K • Hidonac • Novorapid

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P74	P	Obs paraparesis inferior, discurthria, depresi berat dengan gejala psikotik	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	2,7	<ul style="list-style-type: none"> • Meropenem • Piracetam • Mycamine • Avelox • PCT infus • CPZ • Haloperidol • Risperidone • Hexymer • Nopres • Aspar K • Hidonac • Novorapid • Metil prednisolon • Floconazol • inhalasi
P75	L	Penurunan kesadaran	Hipoalbumin (diagnosa sekunder)	Human Albumin Grifols 20%	2x100 ml	2,8	3,9	<ul style="list-style-type: none"> • KSR • Furosemid • Ricorotam • Intrix
P76	P	Ca servix, anoreksia geriatri	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	2,9	<ul style="list-style-type: none"> • Ringer laktat • Cefotaxim • Leucogan

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P77	L	Vomity refuse dengan dehidrasi ringan, susp GERD	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,0	2,4	<ul style="list-style-type: none"> • Allopurinol • Gemfibrozil • Pantoprazol • Humalog • Furosemid • Ondansetron
				Human Albumin Grifols 20%	100 ml	2,4	2,7	<ul style="list-style-type: none"> • Allopurinol • Gemfibrozil • Pantoprazol • Humalog • Furosemid • Ondansetron • Alprazolam • Loratadin
P78	P	Hematozozia, hipertensi	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,7	<ul style="list-style-type: none"> • Inpepsa • Douexam • Rycef • Tomit • Nexum • Vitamin K • Brainact • Kalmeco • Furosemid

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P79	P	Sepsis susp pneumonia post stroke	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,2	2,5	<ul style="list-style-type: none"> • Ceftazidim • Levofloxacin • Pantoprazol • Antrain • Novorapid • Cilostazol
P80	L	Tumor paru kanan, candidiasis	Hipoalbumin	Human Albumin Behring 20%	4x50 ml	2,9	3,5	<ul style="list-style-type: none"> • Chlorpt sodium • Codipran • NaCl
P81	L	Tumor regio axilla	Hipoalbumin	Human Albumin Grifols 20%	2x100 ml	1,6	1,5	<ul style="list-style-type: none"> • Ceftriaxon • Ketorolak • Cocktail • RL
P82	P	Asthenia	Hipoalbumin	Human Albumin Grifols 20%	2x100 ml	2,5	2,9	<ul style="list-style-type: none"> • Donepezil • Amlodipin • CPG • Allopurinol • Domperidon • Cernevit • Kalmeco • Neurotam • Furosemid • Ceftriaxon • Pantoprazol

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P82	P	Asthenia	Hipoalbumin	Human Albumin Grifols 20%	3x100 ml	2,7	3,5	<ul style="list-style-type: none"> • Donepezil • Amlodipin • CPG • Allopurinol • Domperidon • Cernevit • Kalmeco • Neurotam • Furosemid • Ceftriaxon • Pantoprazol
P83	P	DM, vomitus profase dengan dehidrasi sedang-berat	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,6	2,1	<ul style="list-style-type: none"> • Ceftazidim • Levofloxacin • Pantoprazol • Tomit • Metronidazol • Antrain • Novorapid • KSR • Levofloxacin • Pantoprazol • Tomit • Metronidazol • Antrain
				Human Albumin Grifols 20%	100 ml	1,7	1,8	
				Human Albumin Grifols 20%	100 ml	2,4	2,8	

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P84	P	Periapencular abscess	Post operasi	Human Albumin Grifols 20%	100 ml	2,9	2,8	<ul style="list-style-type: none"> • Ceftriaxon • Ketorolak • Ranitidin • Ondansetron • Metronidazol • Alinamin F • Cernevit • Neurosanbe
P85	L	Sirosis hepatis, DM, hipertensi	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,0	2,3	<ul style="list-style-type: none"> • Amlodipin • Kodein • Spironolakton • Furosemid
					100 ml	2,3	2,7	
P86	P	Anoreksia geriatri, dehidrasi, hematuri	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	2,7	<ul style="list-style-type: none"> • Amlodipin • Alprazolam • Urotractin • Pantozol • Tomit • Levofloxacin, RL
P87	P	Vomitus dengan dehidrasi sedang-berat, DM, hipertensi	Hipoalbumin	Human Albumin Grifols 20%	2x100 ml	2,2	3,1	<ul style="list-style-type: none"> • Kalmeco • Ciprofloxacine • Tomit • Nevroton • Ceftazidim • Novorapid • Meropenem

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P88	P	Sepsis, syok hipovolemis	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	2,1	<ul style="list-style-type: none"> • Furosemid • Cefotaxim • Ketorolak • Pantoprazol • Dexamethason
P89	P	Obs febris H-III dengan dehidrasi, anoreksia geriatri	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,1	2,5	<ul style="list-style-type: none"> • Cefotaxim • Tomit • Neurosanbe • RL, NaCl
P90	P	Massa paru (S) dyspnea	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,8	2,1	<ul style="list-style-type: none"> • UFDC • Ceftazidim • Ranitidin • Ondansetron
				Human Albumin Grifols 20%	100 ml	2,1	2,4	
P91	L	Nefrolithiasis (S), urolithiasis (D), sepsis	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,5	<ul style="list-style-type: none"> • Ceftriaxon • Furosemid • Allopurinol • Metronidazol • Ceftazidim • Alinamin F • Antrain • Pantoprazol • RL, D5%, PRC, NaCl

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P91	L	Nefrolithiasis (S), urolithiasis (D), sepsis	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,0	2,1	<ul style="list-style-type: none"> • Ceftriaxon • Furosemid • Allopurinol • Metronidazol • Ceftazidim • Alinamin F • Antrain • Pantoprazol • RL, D5% • PRC • NaCl
			Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,1	2,2	<ul style="list-style-type: none"> • Metronidazol • Ceftazidim • Alinamin F • Antrain • Pantoprazol • RL, D5% • NaCl
			Hipoalbumin	Albapure 20%	2x50 ml	2,1	2,3	<ul style="list-style-type: none"> • Furosemid • Allopurinol • Metronidazol • Ceftazidim • Pantoprazol • Tomit

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P92	P	Obs febris H-III cc suspect morbili, vomitus profus dengan dehidrasi ringan-sedang	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,2	2,2	<ul style="list-style-type: none"> • Antalgin • Anemolax • Cefixime • Antasida • Codein • Injeksi Ondansetron • Injeksi levofloxacin • MPS • PCR • NaCl
P93	L	Pyenofrosy (D) dd abses ren (D), insuff renal, anemia susp anemia peny. kronis	Hipoalbumin	Human Albumin Grifols 20%	2x100 ml	1,9	2,5	<ul style="list-style-type: none"> • Condistin • Clindamycin • Zegavit • Panprazol • Kalmeco • Novorapid • Lasix
P94	P	Dehidrasi berat dengan low intake	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	2,72	<ul style="list-style-type: none"> • Omeprazol • Tomit
				Human Albumin Grifols 20%	100 ml	2,72	2,8	<ul style="list-style-type: none"> • Dextrose 5% • Tomit

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P95	P	Obs oedem kaki	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,3	2,8	<ul style="list-style-type: none"> • Furosemid • Cefotaxim
P96	P	Chylotorax bilateral, efusi pleura bilateral, acites	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,9	2,2	<ul style="list-style-type: none"> • Metronidazol • Codipront • Ondansetron • Antrain • Dextrose 5%
				Human Albumin Grifols 20%	100 ml	2,2	2,2	-
P97	L	Ileus pada colitis	Post operasi	Human Albumin Grifols 20%	100 ml	2,2	2,0	<ul style="list-style-type: none"> • Ceftriaxon • Metronidazol • Lansoprazol • Ketorolak
P98	P	GGK	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,6	1,3	<ul style="list-style-type: none"> • Metil prednisolon • Furosemid • Ranitidin • Antrain
				Human Albumin Grifols 20%	100 ml	1,3	1,4	<ul style="list-style-type: none"> • Metil prednisolon • Furosemid
				Human Albumin Grifols 20%	100 ml	1,4	1,6	<ul style="list-style-type: none"> • Metil prednisolon • Furosemid

Pasien	Jenis Kelamin	Diagnosis	Indikasi Pemberian Albumin	Jenis Albumin yang Digunakan	Dosis	Kadar Albumin sebelum Pemberian	Kadar Albumin setelah Pemberian	Obat yang Digunakan selain Albumin
P99	P	Ca mamae	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,4	2,6	<ul style="list-style-type: none"> • Cefotaxim • Leucogen • Furosemid
					100 ml	2,1	2,1	<ul style="list-style-type: none"> • Spironolakton
					100 ml	2,1	2,5	<ul style="list-style-type: none"> • RL • Furosemid
					100 ml	2,3	2,5	<ul style="list-style-type: none"> • Spironolakton • Furosemid • NaCl • PCR
					100 ml	2,4	2,6	<ul style="list-style-type: none"> • Spironolakton • Furosemid
P100	L	Febris H-III, hepatitis cum astenia	Hipoalbumin	Human Albumin Grifols 20%	100 ml	1,7	1,8	<ul style="list-style-type: none"> • Cefotaxim • Tomit
P101	P	Sepsis, stroke	Hipoalbumin	Human Albumin Grifols 20%	100 ml	2,7	2,5	<ul style="list-style-type: none"> • Candesartan • KSR • Levofloxacin • Pantoprazol • Novorapid • Kalmeco • Cernevit • NaCl

Lampiran 3

Rincian Biaya Medik Langsung

Pasien	Rawat Inap	Dokter	Obat	Fasilitas RS		Laboratorium	Fasilitas Kesehatan Lain						Administrasi	Total	
				Kamar Operasi	IGD		Fisiologi Terapi	Radiologi	USG	Hemodialisis	Gizi	Bedah			Echo (EKG dll)
P1	Rp29.200.400	Rp18.292.500	Rp54.271.100	Rp8.993.700	Rp3.860.000	Rp8.513.200		Rp1.800.000	Rp1.559.000					Rp64.600	Rp126.554.500
P2	Rp1.157.000	Rp320.000	Rp2.041.400		Rp168.900	Rp550.800		Rp112.000	Rp278.000					Rp79.000	Rp4.707.100
P3	Rp9.014.500	Rp4.410.000	Rp18.383.300	Rp14.433.900	Rp1.988.700	Rp1.672.700		Rp338.000						Rp79.000	Rp50.320.100
P4	Rp6.258.500	Rp2.490.000	Rp8.510.700	Rp2.156.700	Rp82.800	Rp6.137.100		Rp1.544.600	Rp211.000				Rp46.000	Rp64.500	Rp27.501.900
P5	Rp3.225.000	Rp1.335.000	Rp12.208.600	Rp3.967.600		Rp1.868.400		Rp112.000	Rp211.000					Rp64.500	Rp22.992.100
P6	Rp2.043.000	Rp840.000	Rp5.627.900		Rp2.954.800	Rp4.074.700		Rp224.000	Rp211.000					Rp64.500	Rp16.039.900
P7		Rp130.000	Rp6.055.900		Rp3.002.000	Rp1.693.400		Rp112.000						Rp64.500	Rp11.057.800
P8	Rp1.716.000	Rp1.195.000	Rp13.502.600	Rp3.678.600	Rp1.520.400	Rp5.602.800		Rp112.000	Rp447.000	Rp662.000				Rp64.500	Rp28.500.900
P9	Rp11.318.000	Rp4.747.500	Rp35.565.400	Rp18.794.500	Rp151.100	Rp4.136.000			Rp236.000					Rp79.100	Rp75.027.600
P10	Rp3.344.500	Rp1.120.000	Rp10.580.900		Rp6.470.000	Rp1.437.100	Rp405.000	Rp592.000						Rp79.000	Rp24.028.500
P11	Rp5.496.900	Rp490.000	Rp8.706.900		Rp3.259.500	Rp2.805.500		Rp112.000						Rp64.550	Rp20.935.350
P12	Rp6.792.500	Rp2.340.000	Rp21.531.900		Rp261.100	Rp4.373.300		Rp292.000	Rp351.000					Rp118.000	Rp36.059.800
P13	Rp1.617.000	Rp420.000	Rp35.147.500		Rp15.856.000	Rp10.010.200		Rp560.000		Rp4.157.600				Rp79.000	Rp67.847.300
P14	Rp1.025.500	Rp1.200.000	Rp4.306.500	Rp9.047.700	Rp220.700	Rp1.990.500		Rp292.000	Rp322.000					Rp105.600	Rp18.510.500
P15	Rp3.882.000	Rp1.495.000	Rp9.797.300	Rp10.925.800		Rp3.265.700		Rp146.000					Rp46.000	Rp118.000	Rp29.675.800
P16	Rp11.712.711	Rp3.890.000	Rp25.321.200		Rp321.000	Rp2.750.900		Rp438.000	Rp351.000					Rp79.089	Rp44.863.900
P17	Rp1.527.625	Rp700.000	Rp2.343.600	Rp10.842.400	Rp2.492.200	Rp1.990.000								Rp105.675	Rp20.001.500
P18	Rp8.688.000	Rp1.470.000	Rp6.649.400			Rp3.006.300	Rp200.000	Rp592.000						Rp64.500	Rp20.670.200
P19	Rp1.483.504	Rp840.000	Rp14.196.700	Rp7.898.750	Rp6.071.150	Rp5.329.800		Rp343.000	Rp236.000					Rp64.596	Rp36.463.500
P20	Rp1.732.500	Rp1.475.000	Rp7.538.200	Rp6.412.100		Rp2.624.600		Rp112.000						Rp64.500	Rp19.958.900

Pasien	Rawat Inap	Dokter	Obat	Fasilitas RS		Laboratorium	Fasilitas Kesehatan Lain						Administrasi	Total	
				Kamar Operasi	IGD		Fisiologi Terapi	Radiologi	USG	Hemodialisis	Gizi	Bedah			Echo (EKG dll)
P21	Rp541.000	Rp200.000	Rp11.247.600		Rp6.033.100	Rp2.230.000		Rp240.000	Rp592.000					Rp79.000	Rp21.162.700
P22	Rp421.000	Rp210.000	Rp2.541.000	Rp14.186.950	Rp7.447.900	Rp2.135.600		Rp231.000						Rp64.650	Rp27.238.100
P23	Rp3.743.000	Rp960.000	Rp3.742.200		Rp138.000	Rp1.149.500	Rp49.000	Rp793.000						Rp79.100	Rp10.653.800
P24	Rp908.000	Rp775.000	Rp2.465.700			Rp1.178.200								Rp105.600	Rp5.432.500
P25	Rp2.077.750	Rp840.000	Rp12.929.400	Rp9.483.800	Rp6.229.000	Rp3.159.800		Rp726.000			Rp17.500			Rp79.050	Rp35.542.300
P26	Rp7.142.500	Rp490.000	Rp5.867.500	Rp8.880.750	Rp2.485.300	Rp2.195.400		Rp112.000						Rp64.650	Rp27.238.100
P27	Rp2.171.250	Rp770.000	Rp4.314.500		Rp198.900	Rp525.600		Rp112.000						Rp64.550	Rp8.156.800
P28	Rp2.590.000	Rp750.000	Rp5.006.300		Rp81.300	Rp1.897.900		Rp146.000						Rp105.500	Rp10.577.000
P29	Rp6.039.000	Rp2.237.700	Rp5.718.100		Rp301.100	Rp3.807.200	Rp98.000	Rp112.000	Rp322.000					Rp105.500	Rp18.740.600
P30	Rp1.470.000	Rp670.000	Rp3.545.900		Rp220.700	Rp1.756.700			Rp322.000					Rp64.500	Rp8.049.800
P31	Rp13.058.275	Rp6.770.000	Rp41.388.400		Rp277.400	Rp7.551.000	Rp1.078.000	Rp450.000	Rp737.000					Rp118.125	Rp71.428.200
P32	Rp677.100	Rp210.000	Rp4.546.000	Rp7.462.650	Rp3.162.000	Rp2.125.900								Rp64.550	Rp18.248.200
P33	Rp5.124.875	Rp1.430.000	Rp13.997.100			Rp5.033.000		Rp146.000		Rp1.340.500				Rp118.025	Rp27.189.500
P34	Rp300.000	Rp160.000	Rp1.777.600		Rp1.520.500	Rp1.706.500		Rp112.000						Rp64.500	Rp5.641.100
P35	Rp1.278.500	Rp930.000	Rp4.575.900	Rp9.989.900		Rp1.149.600		Rp146.000	Rp236.000					Rp105.600	Rp18.411.500
P36	Rp1.541.750	Rp650.000	Rp2.210.300	Rp7.681.000	Rp152.100	Rp1.850.600								Rp105.550	Rp14.191.300
P37	Rp1.536.000	Rp1.067.500	Rp4.293.300	Rp6.913.650	Rp56.100	Rp2.920.400	Rp160.000	Rp592.000	Rp271.000				Rp46.000	Rp64.550	Rp17.920.500
P38	Rp2.014.000	Rp985.000	Rp3.191.700	Rp4.319.600	Rp188.300	Rp1.329.500		Rp112.000	Rp236.000					Rp64.500	Rp12.440.600
P39	Rp1.704.200	Rp910.000	Rp2.544.100	Rp7.126.800		Rp1.410.300		Rp858.999						Rp64.601	Rp14.619.000
P40	Rp7.862.000	Rp2.380.000	Rp7.914.700	Rp3.901.400		Rp2.444.300		Rp1.432.000	Rp526.000					Rp79.000	Rp26.539.400
P41	Rp5.612.000	Rp2.170.000	Rp11.687.200	Rp5.800.200	Rp100.000	Rp9.705.600		Rp146.000						Rp79.100	Rp35.300.100
P42	Rp10.934.700	Rp4.275.000	Rp43.875.300	Rp4.830.400	Rp29.349.100	Rp6.827.100	Rp1.127.000	Rp988.000						Rp105.600	Rp102.312.200
P43	Rp4.292.500	Rp1.960.000	Rp15.423.300	Rp1.930.500	Rp103.300	Rp1.377.900		Rp112.000	Rp236.000					Rp64.600	Rp25.500.100
P44	Rp6.472.000	Rp2.080.000	Rp14.157.000		Rp185.200	Rp4.276.100	Rp686.000	Rp438.000	Rp351.000		Rp17.500			Rp118.100	Rp28.780.900
P45	Rp1.680.000	Rp920.000	Rp13.544.500	Rp4.645.500	Rp291.400	Rp2.264.500		Rp112.000						Rp79.000	Rp23.536.900

Pasien	Rawat Inap	Dokter	Obat	Fasilitas RS		Laboratorium	Fasilitas Kesehatan Lain						Administrasi	Total	
				Kamar Operasi	IGD		Fisiologi Terapi	Radiologi	USG	Hemodialisis	Gizi	Bedah			Echo (EKG dll)
P46	Rp2.017.000	Rp1.000.000	Rp10.182.800		Rp228.100	Rp2.023.700		Rp112.000	Rp278.000					Rp79.100	Rp15.920.700
P47	Rp704.000	Rp350.000	Rp22.561.100	Rp9.933.750	Rp26.000.200	Rp6.798.700	Rp640.000	Rp112.000						Rp64.550	Rp67.164.300
P48	Rp13.695.000	Rp2.940.000	Rp36.456.200		Rp55.000	Rp8.738.100		Rp1.106.100	Rp313.000					Rp79.000	Rp63.382.400
P49	Rp10.948.000	Rp3.890.000	Rp42.496.000	Rp8.183.300	Rp1.432.000	Rp7.249.703	Rp294.000	Rp146.000	Rp351.000			Rp95.000		Rp118.000	Rp75.203.003
P50	Rp10.892.000	Rp2.220.000	Rp25.769.700		Rp356.700	Rp4.784.900		Rp404.000					Rp449.000	Rp105.500	Rp44.981.800
P51	Rp904.500	Rp960.000	Rp1.553.100	Rp4.084.600	Rp221.700	Rp2.234.900		Rp343.000						Rp79.000	Rp10.380.800
P52	Rp3.679.000	Rp1.555.000	Rp3.807.800			Rp2.907.500		Rp258.000		Rp5.296.000			Rp483.000	Rp79.100	Rp18.065.400
P53	Rp1.436.000	Rp1.120.000	Rp9.514.400	Rp4.145.800		Rp2.490.300		Rp112.000				Rp121.000		Rp64.500	Rp19.004.000
P54	Rp1.353.000	Rp1.120.000	Rp5.846.000		Rp235.200	Rp2.072.200		Rp992.600	Rp236.000					Rp64.600	Rp11.919.600
P55	Rp979.000	Rp480.000	Rp2.274.800	Rp1.419.300	Rp199.200	Rp515.900			Rp248.000					Rp79.000	Rp6.195.200
P56	Rp1.953.000	Rp1.550.000	Rp11.680.100	Rp2.630.700	Rp285.800	Rp3.528.200		Rp112.000						Rp64.500	Rp21.804.300
P57	Rp1.626.500	Rp1.050.000	Rp7.024.500		Rp192.000	Rp4.633.300	Rp200.000	Rp592.000						Rp64.600	Rp15.382.900
P58	Rp847.500	Rp472.500	Rp4.223.900		Rp163.500	Rp1.644.600		Rp112.000						Rp64.500	Rp7.528.500
P59	Rp1.305.000	Rp700.000	Rp27.917.300	Rp4.883.000	Rp32.779.313	Rp7.193.263	Rp931.000	Rp973.000						Rp105.524	Rp76.787.400
P60	Rp516.000	Rp350.000	Rp2.039.900		Rp113.000	Rp419.800		Rp418.000						Rp64.500	Rp3.921.200
P61	Rp5.515.000	Rp1.555.000	Rp6.502.700	Rp9.096.100	Rp610.000	Rp2.017.000		Rp1.665.600					Rp483.000	Rp118.100	Rp27.562.500
P62	Rp2.400.000	Rp1.670.000	Rp8.421.700	Rp4.695.700		Rp4.558.700		Rp112.000				Rp75.000	Rp46.000	Rp105.500	Rp22.084.600
P63	Rp1.134.000	Rp900.000	Rp3.395.600		Rp291.900	Rp1.904.700		Rp146.000						Rp105.500	Rp7.877.700
P64	Rp481.000	Rp0	Rp43.872.600	Rp4.272.600	Rp22.845.600	Rp5.708.700	Rp98.000	Rp772.000						Rp118.000	Rp78.168.500
P65	Rp4.018.000	Rp580.000	Rp5.099.100		Rp307.800	Rp278.800		Rp146.000						Rp118.000	Rp10.547.700
P66	Rp1.948.000	Rp1.233.000	Rp6.081.100		Rp239.100	Rp1.030.500		Rp112.000	Rp248.000					Rp79.000	Rp10.970.700
P67	Rp9.646.000	Rp5.540.000	Rp26.290.100	Rp12.105.500	Rp1.133.500	Rp4.523.000	Rp98.000	Rp927.000						Rp118.000	Rp60.381.100
P68	Rp135.000	Rp215.000	Rp5.704.200		Rp4.969.350	Rp2.541.900	Rp40.000	Rp592.000						Rp64.550	Rp14.262.000
P69	Rp1.635.250	Rp560.000	Rp4.595.600			Rp301.700		Rp536.699						Rp64.551	Rp7.693.800
P70	Rp7.509.000	Rp3.280.000	Rp12.462.400		Rp221.200	Rp4.319.800								Rp64.600	Rp27.857.000

Pasien	Rawat Inap	Dokter	Obat	Fasilitas RS		Laboratorium	Fasilitas Kesehatan Lain						Administrasi	Total	
				Kamar Operasi	IGD		Fisiologi Terapi	Radiologi	USG	Hemodialisis	Gizi	Bedah			Echo (EKG dll)
P71	Rp762.000	Rp360.000	Rp29.050.200	Rp9.138.300	Rp11.691.000	Rp7.521.500		Rp584.000		Rp1.355.096				Rp105.504	Rp60.567.600
P72	Rp2.365.000	Rp1.505.000	Rp3.395.000			Rp1.129.200	Rp142.000	Rp317.000	Rp386.000				Rp64.000	Rp118.100	Rp9.421.300
P73	Rp6.087.625	Rp3.250.000	Rp9.090.400	Rp5.876.600		Rp1.195.700		Rp292.000	Rp313.000	Rp4.634.000				Rp118.075	Rp30.857.400
P74	Rp4.564.000	Rp1.820.000	Rp52.385.200	Rp6.967.500	Rp24.393.400	Rp4.557.600	Rp343.000	Rp876.000						Rp118.100	Rp96.024.800
P75	Rp3.924.000	Rp650.000	Rp14.529.800		Rp188.700	Rp2.027.700		Rp1.273.000						Rp79.000	Rp22.672.200
P76	Rp4.203.000	Rp1.065.000	Rp5.751.300		Rp193.800	Rp1.933.700		Rp112.000						Rp64.500	Rp13.323.300
P77	Rp2.230.000	Rp960.000	Rp5.517.800		Rp171.400	Rp1.483.200	Rp98.000	Rp112.000						Rp105.500	Rp10.677.900
P78	Rp4.723.000	Rp1.500.000	Rp11.434.200			Rp2.257.500	Rp241.000	Rp793.000	Rp236.000					Rp91.250	Rp20.608.450
P79	Rp166.600	Rp1.190.000	Rp8.356.200		Rp190.700	Rp1.371.400	Rp400.000	Rp224.000						Rp64.500	Rp11.963.400
P80	Rp3.797.400	Rp850.000	Rp10.673.300			Rp2.196.600								Rp64.500	Rp17.581.800
P81	Rp1.976.000	Rp520.000	Rp9.619.500	Rp7.340.550	Rp179.100	Rp4.659.400		Rp140.000						Rp79.150	Rp24.513.700
P82	Rp6.220.500	Rp2.285.000	Rp15.237.500			Rp2.936.900	Rp147.000	Rp1.315.000		Rp731.000			Rp64.000	Rp118.000	Rp29.054.900
P83	Rp712.000	Rp0	Rp2.243.200			Rp820.600		Rp112.000						Rp79.100	Rp3.966.900
P84	Rp997.000	Rp875.000	Rp6.712.300	Rp7.359.550	Rp2.222.800	Rp3.797.700		Rp112.000						Rp64.550	Rp22.140.900
P85	Rp1.160.000	Rp490.000	Rp4.433.500		Rp219.400	Rp2.809.600		Rp112.000	Rp211.000					Rp64.500	Rp9.500.000
P86	Rp7.003.000	Rp2.030.000	Rp8.531.400		Rp201.500	Rp2.050.400		Rp112.000	Rp351.000					Rp79.000	Rp20.358.300
P87	Rp2.630.000	Rp1.010.000	Rp292.352.000		Rp159.600	Rp4.258.400	Rp294.000	Rp827.000						Rp105.600	Rp301.636.600
P88	Rp4.633.000	Rp2.400.000	Rp9.425.100		Rp5.973.400	Rp3.742.700		Rp146.000						Rp105.500	Rp26.425.700
P89	Rp1.147.000	Rp440.000	Rp2.340.100		Rp177.100	Rp1.522.600	Rp80.000	Rp112.000						Rp79.000	Rp5.897.800
P90	Rp1.590.000	Rp538.700	Rp6.391.800		Rp262.100	Rp1.440.400		Rp112.200						Rp64.600	Rp10.399.800
P91	Rp5.020.500	Rp2.470.000	Rp19.463.098	Rp7.050.250	Rp2.666.150	Rp10.215.900		Rp455.000	Rp236.000			Rp110.000	Rp46.000	Rp64.502	Rp47.797.400
P92	Rp1.435.000	Rp775.000	Rp4.949.400	Rp4.846.100	Rp3.078.000	Rp3.654.400		Rp112.000	Rp236.000					Rp64.500	Rp19.150.400
P93	Rp12.823.600	Rp6.155.500	Rp20.696.100	Rp9.997.200	Rp1.703.900	Rp15.175.100	Rp490.000	Rp297.000						Rp79.000	Rp67.417.400
P94	Rp1.185.000	Rp350.000	Rp4.398.300		Rp289.600	Rp1.259.200		Rp112.000						Rp64.500	Rp7.658.600
P95	Rp1.107.000	Rp495.000	Rp2.371.235			Rp1.391.200		Rp112.000					Rp46.000	Rp64.565	Rp5.587.000

Pasien	Rawat Inap	Dokter	Obat	Fasilitas RS		Laboratorium	Fasilitas Kesehatan Lain						Administrasi	Total	
				Kamar Operasi	IGD		Fisiologi Terapi	Radiologi	USG	Hemodialisis	Gizi	Bedah			Echo (EKG dll)
P96	Rp22.464.500	Rp6.840.000	Rp23.206.000	Rp10.130.400	Rp280.400	Rp6.462.900	Rp400.000	Rp654.000	Rp2.510.000		Rp12.500		Rp79.000	Rp73.039.700	
P97	Rp2.104.000	Rp390.000	Rp6.369.500	Rp7.531.550	Rp1.797.200	Rp2.251.400		Rp112.000				Rp95.000	Rp46.000	Rp64.650	Rp20.761.300
P98	Rp1.865.000	Rp665.000	Rp6.225.300		Rp111.300	Rp1.658.300		Rp112.000	Rp236.000	Rp1.986.000			Rp64.600	Rp12.923.500	
P99	Rp1.402.250	Rp630.000	Rp6.226.100			Rp1.822.350		Rp112.000					Rp64.500	Rp10.201.200	
P100	Rp600.000	Rp350.000	Rp2.333.200		Rp289.200	Rp370.700			Rp236.000				Rp64.500	Rp4.243.600	
P101	Rp3.413.500	Rp910.000	Rp12.291.100		Rp2.398.300	Rp2.111.900	Rp294.000	Rp146.000					Rp105.500	Rp21.670.300	

Lampiran 4

Analisis Data secara Statistik

Analisis luaran terapi albumin dilakukan secara statistik yang dilakukan pada berbagai diagnosis, jenis kelamin, usia, maupun keseluruhan pasien.

1. Gangguan Saluran Cerna

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih_Kadar	,159	15	,200(*)	,947	15	,477

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_Pre - Kadar_Post	-,23267	,35800	,09244	-,43092	-,03441	-2,517	15	,025

2. Gangguan Ginjal

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih_Kadar	,127	13	,200(*)	,937	13	,425

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,29423	,20004	,05548	-,41511	-,17335	-5,303	13	,000

3. Gangguan Saluran Pernapasan

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih_Kadar	,138	11	,200(*)	,965	11	,835

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,25864	,08649	,02608	-,31674	-,20053	-9,918	11	,000

4. Hiperglikemi dan/atau DM

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih_Kadar	,167	9	,200(*)	,972	9	,908

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,23889	,23555	,07852	-,41995	-,05783	-3,042	9	,016

5. Dehidrasi

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih_Kadar	,208	9	,200(*)	,923	9	,421

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,42333	,22489	,07496	-,59620	-,25047	-5,647	9	,000

6. Tumor atau Kanker

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih_Kadar	,204	7	,200(*)	,898	7	,317

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	Df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,29286	,27451	,10376	-,54674	-,03898	-2,823	7	,030

7. Febris

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih_Kadar	,198	5	,200(*)	,957	5	,787

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	Df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,26000	,24083	,10770	-,55903	,03903	-2,414	5	,073

8. Gangguan Kardiovaskuler

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih_Kadar	,326	5	,088	,893	5	,370

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,22000	,30537	,13657	-,59917	,15917	-1,611	5	,182

9. Sirosis

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih_Kadar	,333	4	.	,828	4	,163

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,08750	,53910	,26955	-,94532	,77032	-,325	4	,767

10. Diagnosis lain

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih_Kadar	,138	22	,200(*)	,961	22	,504

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_Pre - Kadar_Post	-,37318	,32489	,06927	-,51723	-,22913	-5,388	22	,000

11. Luaran Albumin pada Seluruh Sampel

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Rata-rata Selisih Kadar	,093	101	,032	,972	101	,031

a Lilliefors Significance Correction

Ranks

		N	Mean Rank	Sum of Ranks
Kadar_Post - Kadar_Pre	Negative Ranks	11(a)	27,73	305,00
	Positive Ranks	87(b)	52,25	4546,00
	Ties	3(c)		
	Total	101		

a Kadar_Post < Kadar_Pre

b Kadar_Post > Kadar_Pre

c Kadar_Post = Kadar_Pre

Test Statistics(b)

	Kadar_Post - Kadar_Pre
Z	-7,522(a)
Asymp. Sig. (2-tailed)	,000

a Based on negative ranks.

b Wilcoxon Signed Ranks Test

12. Rata-rata Kadar Albumin pada Laki-laki

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih	,106	52	,200(*)	,960	52	,075

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,29413	,24013	,03330	-,36099	-,22728	-8,833	52	,000

13. Rata-rata Kadar Albumin pada Perempuan

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih	,085	49	,200(*)	,977	49	,465

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,28908	,32251	,04607	-,19645	-,19645	-6,274	49	,000

14. Kadar Albumin pada Balita

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih	,229	7	,200(*)	,854	7	,133

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,31429	,21157	,07997	-,50996	-,11862	-3,930	7	,008

15. Kadar Albumin pada Anak-anak

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	,05000	,35355	,25000	-3,1266	3,22655	,200	2	,874

16. Kadar Albumin pada Remaja Akhir

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih	,314	3	.	,893	3	,363

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences				t	df	Sig. (2-tailed)	
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower				Upper
Pair 1	Kadar_ Pre - Kadar_ Post	-,30000	,26458	,15275	-,95724	,35724	-1,964	3	,188

17. Kadar Albumin pada Dewasa Awal

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih	,254	5	,200(*)	,861	5	,231

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences				t	df	Sig. (2-tailed)	
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower				Upper
Pair 1	Kadar_ Pre - Kadar_ Post	-,07000	,25884	,11576	-,39140	,25140	-,605	5	,578

18. Kadar Albumin pada Dewasa Akhir

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih	,272	5	,200(*)	,897	5	,392

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,23400	,30047	,13437	-,60708	,13908	-1,741	5	,157

19. Kadar Albumin pada Lansia Awal

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih	,230	11	,108	,883	11	,113

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,20955	,17089	,05152	-,32435	-,09474	-4,067	11	,002

20. Kadar Albumin pada Lansia Akhir

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih	,117	29	,200(*)	,941	29	,104

* This is a lower bound of the true significance.

a Lilliefors Significance Correction

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Kadar_ Pre - Kadar_ Post	-,31052	,31880	,05920	-,43178	-,18925	-5,245	29	,000

21. Kadar Albumin pada Manula

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih	,197	39	,001	,913	39	,005

a Lilliefors Significance Correction

Test Statistics(b)

	Kadar Post - Kadar Pre
Z	-5,163(a)
Asymp. Sig. (2-tailed)	,000

a Based on negative ranks.

b Wilcoxon Signed Ranks Test