

DAFTAR PUSTAKA

- [1] A. Hadi, "Pengertian Paru-paru Manusia," 2012. [Online]. Available: <http://paru-paru.com/pengertian-paru-paru-manusia/>. [Accessed: 15-Apr-2012].
- [2] A. Uyainah, Z. Amin, and F. Thufeilsyah, "Spirometri," *Ina J Chest Crit Emerg Med*, vol. 1, no. 1, p. 38, 2014.
- [3] A. Subagyo, "Media Informasi & Konsultasi Kesehatan Paru," 2013. [Online]. Available: <http://www.klikparu.com/2013/01/spirometri.html>. [Accessed: 31-Jan-2013].
- [4] F. Harahap, E. Aryastuti, D. Pulmonologi, and K. Respirasi, "Uji Fungsi Paru," *Cermin Dunia Kedokt.*, vol. 39, no. 4, pp. 305–307, 2012.
- [5] A. Iqlimah, K. "Perancangan alat ukur volume udara pernapasan manusia," *Pendidikan, D. A. N. Kebudayaan, U. Brawijaya, and F. Teknik*, 2013.
- [6] P. Agung, "Alat Ukur Kapasitas Paru-Paru," *Universitas Muhammadiyah Yogyakarta, Yogyakarta*, 2017.
- [7] S. Deddy, "Anatomi Fisiologi Paru-Paru," *Universitas Lampung, Lampung*, pp. 1–21, 2017.
- [8] D. Lakshman, "Profil Pasien yang Menjalani Pemeriksaan Spirometri di Poli Faal Paru Dan Instalasi Diagnostik Terpadu," *Universitas Sumatera Utara*, pp. 10–30, 2013.
- [9] Medicinesia, "Volume dan Kapasitas Paru- paru pada Manusia," 2011. [Online]. Available: <http://www.medicinesia.com/kedokteran-dasar/respirasi/volume-dan-kapasitas-paru-2/>. [Accessed: 25-Jun-2011].
- [10] D.Handrian, "Hubungan Kapasitas Vital Paru dengan VO2 Maks Anggota Pusat Kebugaran Maroz Gym Kudus", *Univ. Negeri Semarang*. pp. 9-14, 2009
- [11] C. R. Hegewald MJ, "Pulmonary function testing", *Murray*. pp.1-4, 2010.
- [12] BTL Industries Ltd., "BTL-08 Spiro Pro," *BTL*, 2007.
- [13] P. Silicon, S. Stress, S. Gauge, and G. Configurations, "MPXV7002 Integrated Silicon Pressure Sensor On-Chip Signal Conditioned , Temperature Compensated and Calibrated MPXV7002," *NXP*, Rev 4, 2017.
- [14] Atmel, "Data sheet 8-bit AVR Mikrokontroler with 32Bytes In-System Programmable Flash,atmel.," *Atmel*, 2013
- [15] Vishay Intertechnology,Inc. "LCD karakter 20x4," *Vishay*, Document Number:91000, 2017.