

DAFTAR PUSTAKA

- Andarmoyo, Sulistyo (2012). KEBUTUHAN DASAR MANUSIA (OKSIGENASI) *Konsep, Proses dan Praktik Keperawatan*. Graha ilmu, Yogyakarta. ISBN 978-979-756-849-8.
- Asyanti, S. (2016). "Penyalahgunaan Alkohol di Kalangan Remaja". Tesis. Fakultas Psikologi Universitas Muhammadiyah Surakarta.
- Beatty, L; Green, R; Magee, Kirk; Zed, P.
2013. A systematic review of ethanol and fomepizole use in toxic alcohol ingestions. Emergency Medicine International. Volume 2013, Article ID 638056
- Benson BE, Hoppu K, Troutman WG, Bedry R, Erdman A, Ö Jer JH, et al. Position paper update: gastric lavage for gastrointestinal decontamination. Clinical Toxicology. 2013; 51, 140–146.
- Browning RG, Olson DW, Stueven HA, Mateer JR. 50% dextrose: antidote or toxin? Ann Emerg Med 1990 Jun; 19 (6): 683-7.
- Budihardjo, M. (2014). *Panduan Praktis Menyusun SOP*.
- Charsles EG, et al. (2013). Benzodiazepine Pharmacology and Central Nervous System-Mediated Effects. Department of Anesthesiology, University of Southern California, Los Angeles, CA; 13(2): 214–223
- Chen HY, Albertson TE, Olson KR. Treatment of drug-induced seizures. Br J Clin Pharmacol 2016 Mar; 81 (3): 412-9.
- De Lange, D.W., Meulenbelt, J., Rietjens, S.J. (2014). *Ethylene Glycol or Methanol Intoxication: Which Antidote Should be Used, Fomepizole or Ethanol?*. Netherlands.
- Gee P, Martin E. Toxic cocktail: methanol poisoning in a tourist to Indonesia. Emergency Medicine Australasia 2012;24(4):451-3
- Hawari, D. (2007). *Penyalahgunaan dan Ketergantungan NAZA* (3th ed.). Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Hekmat, R., et al. (2011). Should Guidelines for Conventional Hemodialysis Initiation in Acute Methanol Poisoning Be Revised, When no Fomepizole is Used?. Department of Nephrology, Ghaem Hospital, Mashhad, Iran; DOI: 10.5812/ircmj.3467

- Hidayat, A.A. (2007). Metode Penelitian Keperawatan dan Teknik Analisis Data. Jakarta: Selemba Medika.
- Issakh, R.A., Ottay, R., Rombot, D.V. (2012). *Gambaran Perilaku Remaja Terhadap Kebiasaan Mengkonsumsi Minuman Beralkohol di Desa Sapa Kecamatan Tenga Kabupaten Minahasa Selatan Tahun 2012*. Manado: Fakultas Kedokteran Sam Ratulangi.
- Kraut JA, Kurtz I. *Toxic Alcohol Ingestion: Clinical Features, Diagnosis, and Management*. Clin J Am Soc Nephrol 2008; 3:208-225, 2008. doi: 10.2215/CJN.03220807.
- Kraut JA, Madias NE. Metabolic Acidosis : pathophysiology, diagnosis and management. Macmillan Publishers Limited. May 2010
- Kurniawan, B. (10 Februari 2016). “26 Orang Tewas karena Miras, Rekor Tertinggi di Yogyakarta dalam 6 Tahun Terakhir”. DetikNews.
- Levine, M.D., Barker, T.D. (2011). *Toxic Alcohol*. [Internet] Updated Nov 11, 2009 [cited 2011 Sep 14]. Available from: <http://emedicine.medscape.com/article/812411>.
- Maciel AT, Noritomi DT, Park M. Metabolic Acidosis in Sepsis. Endocrine, Metabolic & Immune Disorders-Drug Targets, 2010;10, 252-257.
- Mulyadi, M. (2014). *Darurat Miras Oplosan*. Indonesia
- Mumpuni, R.Y. (2016). *Tatalaksana Keracunan Minuman Keras Oplosan (Metanol dan Ethylene Glycol) dengan Fomepizole, Etanol dan Hemodialisis*. Bandung.
- Naderi S, Sud P, Acerra J, Pardo S, D'Amore JZ, et al. (2012) The Use of Gastric Lavage in India for Poisoned Patients. J Clinic Toxicol 2:118. doi: 10.4172/2161-0495.1000118
- Nusanti, S., Sidik, M., Yunard, A. (2016). *Methanol Toxic Optic Neuropathy (Characteristic and Evaluation of Therapy)*. Jakarta: Cipto Mangunkusumo Hospital.
- Oktarinda, A. (15 Desember 2014). “Pilih Buta atau Mati”. Solopos, hlm 3.
- Parkinson, K., et al. (2016). *Prevalence of Alcohol Related Attendance at An Inner City Emergency Department and Its Impact: A Dual Prospective and Retrospective Cohort Study*. Emerg Med J 2016;33:187-193. doi: 10.1136/emermed-2014-204581.
- Paasma R, Hovda KE, Hassanian-Moghaddam H, Brahmi N, Afshari R, Sandvik L, Jacobsen D. Risk factors related to poor outcome after methanol poisoning and the relation between outcome and antidotes--a multicenter study. Clin Toxicol (Phila) 2012 Nov; 50 (9): 823-31.

- Perez, S.R.S, et al. (2013). *Intravenous 0.9% Sodium Chloride Therapy Does Not Reduce Length of Stay of Alcohol-Intoxicated Patients in The Emergency Department: Randomised Controlled Trial.* Emergency Medicine Australasia (2013) 25,527-534.doi: 10.1111/1742-6723.12151.
- Prabowo, D. (7 Februari 2017). “*Polisi Selidiki Pesta Miras Oplosan Tewaskan Tiga Warga Bantul*”. SindoNews.
- Sivilotti, M.L.A., et al. (2011). *Methanol and Ethylene Glycol Poisoning.* [Internet].Updated September 20 2010.[cired 2011 Sep 15]. Available from: <http://www.uptodate.com/contents/methanol-and-ethylene-glycol-poisoning>.
- Soertjiningsih. (2007). *Tumbuh Kembang Remaja dan Permasalahannya.* Jakarta: Sagung Seto.
- Triningrat, AA.M.P., et al. (2010). *Visual Acuity of Methanol Intoxicated Patients Before and After Hemodialysis, Methylprednisolone and Prednisone Therapy.* Bali: Sanglah General Hospital.
- Varon, J. 2010. Handbook of Critical and Intensive Care Medicine. Texas: Springer Publisher.
- Wallis WE, Donaldson I, Scott RS, Wilson J. Hypoglycemia masquerading as cerebrovascular disease (hypoglycemic hemiplegia). Ann Neurol 1985 Oct; 18 (4): 510-2.
- Wibisono, A.S. (2012). *Keracunan ‘Alkohol Beracun’.* Jakarta: Intensive Care Unit RS Mitra Kemayoran.
- Wijaya A. S., Putri Y. M.(2013). *Keperawatan Medical Bedah.* Jakarta:Nuha Medika.
- Wilis, S. (2010). *Remaja dan Masalahnya : Mengupas Berbagai Bentuk Kenakalan Remaja Seperti Narkoba, Free Sex dan Pemecahannya.* Bandung: Alfabeta.
- World Health Organization. *The Global Status Report on Alcohol and Health 2014.* Geneva: WHO Press; 2014.
- Zhang, G. 2012. Application to Include Fomepizole on the WHO Model list of Essential Medicines. WHO: Medical Toxicology and information Services.