

DAFTAR PUSTAKA

- Achmad, H. (2009). Penanganan delayed eruption karena impaksi gigi insisivus sentralis kiri dengan surgical exposure pada anak. *Dentofasial*, 8(1), 48-54.
- Adams, C. P. (1991). *Desain, Konstruksi, dan Kegunaan Pesawat Ortodonti Lepas*. Jakarta: Widya Medika.
- Agaoglu G, Arun T, Izgu B, Yarat A. (2001). Nickel and chromium levels in the saliva and serum of patients with fixed orthodontic appliances. *Angle Orthodontist*, 71(5), p. 375-9.
- Almeida, P.D.V., Gregio, A.M.T, Lima, A.A.S., & Azevedo, L.R. (2005). Saliva Composition and Function: A Comprehensive Review. *The Journal of Contemporary Dental Practice*, 9(3), 1-11.
- Anusavice, K. J. (2013). *Phillips Buku Ajar Ilmu Bahan Kedokteran Gigi* (S. Purwoko, Penerjemah). Jakarta: Buku Kedokteran EGC, hal. 290-292.
- Ardhana, W. (2013). Identifikasi perawatan ortodonti spesialistik dan umum. *Majalah Kedokteran Gigi*, 20(1), 1-8.
- ASTM International. 2005. *Corrosion test and standard: Application and interpretation* (2nd ed.). ASTM International, p. 23.
- Baliga, S., Muglikar, S., & Kale, R. (2013). Salivary ph: a diagnostic biomarker. *Journal of Indian Society of Periodontology*, 17(4), 461-465.
- Bardal, Einer. (2004). *Corrosion and Protection*. United Stated of America: Springer-Verlag London Limited.
- Bhalajhi, S. I. (2004). *Orthodontic The Art and Science*. New Delhi: Arya (MEDI)Publishing House.
- Castro, S.M., Ponces, M.J., Lopes, J.D., Vasconcelos, M., & Pollman, M.C.F. (2015). Orthodontic wires and its corrosion – The specific case of stainless steel and beta-titanium. *Journal of Dental Sciences*, 10, 1-7.
- Chaturvedi, T.P. (2013). *Corrosion Behavior of Orthodontic Alloys – A Review*. Faculty of Dental Sciences, Institute of Medical Sciences, Banaras Hindu University, Varanasi, India.

- Cobourne, M.T. & DiBiase, A.T. (2010). *Handbook of Orthodontics*. America: Elsevier.
- Cuoghi, O.A., Kasbergen, G.F., dos Santos, P.H., de Mendonça, M.R., & Tondelli, P.M. (2011). Effect of heat treatment on stainless steel orthodontic wires. *Braz Oral Res.*, 25(2), 128-34.
- Ditaprillia, M., Ardhana, W., & Christnawati. (2015). Perawatan Ortodonti Alat Lepasan Kombinasi Semi-Cekat pada Kehilangan Gigi 46. *MKGK*, 1(1), 20-26.
- Djaprie, S. (1995). *Ilmu dan Teknologi Bahan* (edisi 5). Jakarta: Erlangga.
- Espinar-Escalona, E., Llamas-Carreras, J., Barrera-Mora, J., Abalos-Lasbrucci, C., & Gil-Mur, F. (2013). Effect of temperature on the orthodontic clinical applications of niti closed-coil springs. *Biomaterials and Bioengineering in Dentistry, Med Oral Patol Oral Cir Bucal*. 18(4), e721-4.
- Fiona, G. (2010). *Basic guide to orthodontic dental nursing*. New Delhi, India: Blackwell Publishing Ltd.
- Fitriati, N., Trisnawati, E., & Hernawan, A.D. (2017). Perilaku konsumsi minuman ringan (soft drink) dan ph saliva dengan kejadian karies gigi. *Unnes Journal of Public Health*, 6(2).
- Hasibuan, S. & Sasanti, H. (2000). Xerostomia : faktor etiologi, etiologi, dan penanggulangan. *Jurnal Kedokteran Gigi Universitas Indonesia*, Vol. 7, hal. 241-248.
- Horne, M. M & Swearingen, P. L. (2000). *Keseimbangan cairan, elektrolit, dan asam-basa* (edisi 2). Jakarta: Buku Kedokteran EGC.
- Humphrey, S. P. & Williamson, R. T. (2001). A review of saliva : normal consumption, flow, and function. *The Journal of Prosthetic Dentistry*, 85(2).
- Isaacson, K.G., Muir, J.D., & Reed, R.T. (2007). *Removable Orthodontic Appliances*. India: Elsevier.
- Jessen, C.Q. (2011). *Stainless and corrosion*. Denmark: Damstahl, 88-90.
- Kim, H. & Johnson, J. W. (1999). Corrosion of stainless steel, nickel-titanium, coated nickel-titanium, and titanium orthodontic wires. *The Angle Orthodontic*, 69(1).

- Kocadereli L, Atac PA, Kale PS, & Ozer D. (2000). Salivary nickel and chromium in patients with fixed orthodontic appliances. *Angle Orthodontist*, 70(6), p. 431-4.
- Kristianingsih, R., Joelijanto, R., & Praharani, D. (2014). Analisis pelepasan ion ni dan cr kawat ortodonti stainless steel yang direndam dalam minuman berkarbonasi. *Artikel Ilmiah Hasil Penelitian Mahasiswa 2014*, Universitas Jember. Diakses 13 Juli 2018, dari <http://repository.unej.ac.id/bitstream/handle/123456789/59239/Rey%20Kristianingsih.pdf?sequence=1>.
- Kuhta, M., Pavlin, D., Slaj, M., Varga, S., Lapter-Varga, M., & Slaj, M. (2009). Type of archwire and level of acidity : effects on the release of metal ions from orthodontic appliances. *The Angle of Orthodontist*, 79(1), 102-110.
- Kumar, D. A., Varghese, R. K., Chaturvedi, S. S., Agrawal, A., Fating, C., & Makkad, R. S. 2012. Prevalance of malocclusion among children nd adolescents residing in orphanages of Bilaspur, Chattishgarh, India. *Journal of Advanced Oral Research*, 3(3), p. 18-23.
- Lara-Carrillo, E., Montiel-Bastida, N., Sánchez-Pérez, L., & Alanís-Tavira, J. (2010). Effect of orthodontic treatment on saliva, plaque, and the levels of streptococcus mutans and lactobacillus. *Clinical Dentistry, Med Oral Patol oral Cir Bucal.*, 15(6), e924-9.
- Loto, R.T., Loto C. A., Popoola API, Ranyaoa, M. (2012). Corrosion resistance of austenitic stainless steel in sulphuric acid. *International Journal of Physical Sciences*, 7(10), 1677-1688.
- Mathew, M. T., Abbey, S., Hallab, N. J., Hall, D. J., Sukotjo, C., & Wimmer, M. A. (2012). Influence of pH on the tribocorrosion behavior of CpTi in the oral environment: synergistic interactions of wear and corrosion. *J Biomed Mater Res Part B*, 100B: 1662–1671.
- Mavreas, D. & Athanasiou, A.E. (2008). Factors affecting the duration of orthodontic treatment: a systematic review. *European Journal of Orthodontics*, 30(4), 386-395.
- Modin, H. & Modin, S. (1973). *Mettalurgical Microscopy* (G. G. Kinnane, Trans.). London: Butterworth & Co, pp. 1-23.
- Ornelasari, R. (2015). Analisis laju korosi pada stainless steel 304 menggunakan metode ASTM G31-72 pada media air nira aren. *JTM*, 1(1), 112-117.

- Pakshir, M., Bagheri, T., & Kazemi, M. R. (2013). In vitro evaluation of the electrochemical behavior of stainless steel and Ni-Ti orthodontic archwires at different temperatures. *European Journal of Orthodontics*, 35, 407-413.
- Permatasari, W.A. & Artaria, M.D. (2015). Keterkaitan kebiasaan manusia terhadap kondisi gigi. *Masyarakat, Kebudayaan, dan Politik*, 28(4), 181-187.
- Prasetyo, E.A. (2005). Keasaman minuman ringan menurunkan kekerasan permukaan gigi. *Majalah Kedokteran Gigi*, 38(2), 60-63.
- Proffit, W.R. & Fields, JR. (2000). *Contemporary Orthodontics* (3rd ed.). United States: Penny Rudolph.
- Rasyid, N. I., Pudyani, P. S., & Heryumani, J. (2014). Pelepasan ion nikel dan kromium kawat Australia dan stainless steel dalam saliva buatan. *Majalah Kedokteran Gigi*, 47(3), 168-172.
- Rathi, V.R., Nirmal, S.D., & Kokate, S.J. (2010). Corrosion study of mild steel, tor steel, and CRS steel by weight loss method. *Journal Chemical and Pharmaceutical Research*, 2(2), 97-100.
- Rosdayanti, R., Wibowo, D., & Kusuma, F. (2018). Analisis laju korosi kawat ortodonti lepasan stainless steel pada media air kelapa. *Dentin, Jurnal Kedokteran Gigi*, 2(1), 58-62.
- Roth G, Calmes R, editors. Salivary glands and saliva. In: Oral biology. St Louis: CV Mosby; 1981. p.196-236.
- Saporeti, M.P., Mazzieiro, E.T., & Sales, W.F. (2012). In vitro corrosion of metallic orthodontic brackets : Influence of artificial saliva with and without fluorides. *Dental Press Journal of Orthodontics*, 17(6), 24e1-7.
- Seifter, J. L. (2014). Integration of acid-base and electrolyte disorders. *N Engl J Med*, 371(19), 1821–1831.
- Shreir LL, Jarman RA, Burstein GT. 2000. *Corrosion Metal/Environment Reaction*. Britain : Butterworth Heinemann.
- Singh, M., Ingle N. A., Kaur, N., Yadav, P., & Ingle, E. (2015). Effect of long-term smoking on salivary flow rate and salivary pH. *Journal of Indian Association of Public Health Dentistry*, 13(1).
- Smallman, R.E. & Bishop, R.J. (1999). Modern Physical Metallurgy and Materials Engineering: Science Process, Applications (6th ed.). Oxford: Butterworth Heineman, pp. 125-132.

- Suryaningsih, S., Alamsyah, W., Nurhilal, O., Permana, D.A. (2015). Analisis Pengaruh Waktu Injeksi Gas CO₂, Terhadap Laju Korosi Baja Karbon API 5L Grade B dalam Larutan NaCl 3,5% dan H₂S. *Jurnal Material dan Energi Indonesia*, 5(10), 12-16.
- Trethewey, K.R. & Chamberlain, J. (1991). *Korosi untuk mahasiswa dan rekayasaawan* (Mc. Prihminyo Widodo). Jakarta: PT Gramedia Pustaka Utama. (Buku asli diterbitkan 1988).
- Trépanier, C. & Pelton, A. R. (2004). Effect of temperature and Ph on the corrosion resistance of passivated Ni-Tinol and stainless steel. Proceedings of the International Conference on Shape Memory and Superelastic Technologies, pp. 3–7
- Zaki, Ahmad. (2006). Principles of Corrosion Engineering and Corrosion Control (1st ed.). Elsevier, Butterworth- Heinemann : USA.