

Daftar Pustaka

- Abbaszadeh, A., Ehsani, S. R., Akbari, M., Dopolani, F. N., Nejati, N. *et al.* (2014) “Nurses’ perspectives on breaking bad news to patients and their families : a qualitative content analysis,” *Journal of Medical Ethics and History of Medicine*, 7(18), pp. 1–7.
- Alishahi, B., Maslakpak, M. H., Sheikhi, S., Moradi, Y. (2017) “Effects of peplau’s theory of interpersonal relations on stress of hemodialysis patients”, *Journal of Urmia Nursing and Midwifery Faculty*, 15(1), pp. 1–9.
- American Cancer Society (2018) *Cancer Facts and Figures 2018*. Atlanta: American Cancer Society.
- Babaei, S., Taleghani, F. and Kayvanara, M. (2016) “Compassionate behaviours of clinical nurses in Iran: an ethnographic study,” *International Nursing Review*, 63(3), pp. 388–394. doi: 10.1111/inr.12296.
- Bello, O. (2017) “*Effective Communication in Nursing Practice : A literature review*,” Unpublished Bachelor’s Thesis. Finland: Arcada. Available at: <http://www.theseus.fi/10024/OPE%2520THESIS>
- Berčan, M. and Ovsenik, M. (2016) “Communication as a Component of the Quality of Life in the Integrated Care for the Dying,” *Mediterranean Journal of Social Sciences*, 7(3), pp. 70–80. doi: 10.5901/mjss.2016.v7n3s1p70.
- Blödt, S., Kaiser, M., Adam, Y., Adami, S., Schultze, M. *et al.* (2018) “Understanding the role of health information in patients’ experiences: Secondary analysis of qualitative narrative interviews with people diagnosed with cancer in Germany,” *BMJ Open*, 8(3), pp. 1–9. doi: 10.1136/bmjopen-2017-019576.
- Bramhall (2014) “Effective communication skills in nursing practice,” *Nursing Standard*, 29(14), pp. 53–59.

- Bramley, L. and Matiti, M. (2014) “How does it really feel to be in my shoes? Patients’ experiences of compassion within nursing care and their perceptions of developing compassionate nurses,” *Journal of Clinical Nursing*, 23(19–20), pp. 2790–2799. doi: 10.1111/jocn.12537.
- Carpenter, J. (2008) “Metaphors in qualitative research: Shedding light or casting shadows?,” *Research in Nursing and Health*, 31(3), pp. 274–282. doi: 10.1002/nur.20253.
- Chan, E. A., Wong, F., Cheung, M. Y., Lam, W. (2018) “Patients’ perceptions of their experiences with nurse-patient communication in oncology settings : A focused ethnographic study,” *PLOS ONE*, 13(6), pp. 1–17. doi:10.1371/journal.pone.0199183.
- Chesnay, M. De (2014) *Nursing Research Using Phenomenology: Qualitative Designs and Methods in Nursing*. New York: Springer Publishing Company.
- Cingel, M. van der (2011) “Compassion in care: A qualitative study of older people with a chronic disease and nurses,” *Nursing Ethics*, 18(5), pp. 672–685. doi: 10.1177/0969733011403556.
- Collins, A., Bhathal, D., Field, T., Larlee, R., Paje, R. et al. (2018) “Hope Tree: An Interactive Art Installation to Facilitate the Expression of Hope in a Hospice Setting,” *American Journal of Hospice and Palliative Medicine*, 35(10), pp. 1273–1279. doi: 10.1177/1049909118767136.
- Coyne, E., Hons, M. N., Grafton, E., Hons, M., Reid, A. et al. (2016) “Understanding family assessment in the Australian context; what are adult oncology nursing practices ?,” *Collegian*. Australian College of Nursing Ltd, pp. 1–8. doi: 10.1016/j.colegn.2016.01.001.
- Creswell, J. W. (2014) *Research design : qualitative, quantitative, and mixed methods approaches*. edition 4. London: SAGE Publications.

- Cruz, J. P., Alquwez, N., Albaqawi, H. M., Alharbi, S. M., Moreno-Lacalle, R. C. (2018) “Nurses’ perceived spiritual climate of a hospital in Saudi Arabia,” *International Nursing Review*, 65(4), pp. 559–566. doi: 10.1111/inr.12481.
- Dalvandi, A., Vaisi-Raygani, A., Nourozi, K., Ebadi, A., Rahgozar, M. (2019) “The Importance and Extent of Providing Compassionate Nursing Care from The Viewpoint of Patients Hospitalized in Educational Hospitals in Kermanshah - Iran 2017,” *Open Access Macedonian Journal of Medical Sciences*, 7(6), pp. 1047–1052. doi: 10.3889/oamjms.2019.204.
- Dang, B. N., Westbrook, R. A., Njue, S. M., Giordano, T. P. (2017) “Building trust and rapport early in the new doctor-patient relationship: a longitudinal qualitative study,” *BMC Medical Education*, 17(1), pp. 1–10. doi: 10.1186/s12909-017-0868-5.
- Dewar, B. and Cook, F. (2014) “Developing compassion through a relationship centred appreciative leadership programme,” *Nurse Education Today*. Elsevier Ltd, 34(9), pp. 1258–1264. doi: 10.1016/j.nedt.2013.12.012.
- Dieperink, K. B., Coyne, E., Creedy, D. K., Østergaard, B. (2018) “Family functioning and perceived support from nurses during cancer treatment among Danish and Australian patients and their families,” *Journal of Clinical Nursing*, 27(1), pp. 154–161. doi: 10.1111/jocn.13894.
- Dinç, L. and Gastmans, C. (2013) “Trust in nurse-patient relationships: A literature review,” *Nursing Ethics*, 20(5), pp. 501–516. doi: 10.1177/0969733012468463.
- Effendy, C., Vissers, K., Tejawinata, S., Vernooij-Dassen, M., Engels, Y. (2015) “Dealing with Symptoms and Issues of Hospitalized Patients with Cancer in Indonesia: The Role of Families, Nurses, and Physicians,” *Pain Practice*, 15(5), pp. 441–446. doi: 10.1111/papr.12203.

- Ellington, L., Billitteri, J., Reblin, M., Clayton, M. F. (2017) “Spiritual Care Communication in Cancer Patients,” *Seminars in Oncology Nursing*. Elsevier Inc., 33(5), pp. 517–525. doi: 10.1016/j.soncn.2017.09.002.
- Faithfull, S., Samuel, C., Lemanska, A., Warnock, C., Greenfield, D. (2016) “Self-reported competence in long term care provision for adult cancer survivors: A cross sectional survey of nursing and allied health care professionals,” *International Journal of Nursing Studies*. Elsevier Ltd, 53, pp. 85–94. doi: 10.1016/j.ijnurstu.2015.09.001.
- Flemming, K. (1997) “The imponderable: a search for meaning. The meaning of hope to palliative care cancer patients.”, ”*International Journal of Palliative Nursing*, 3(1), pp. 14–18. Available at: <http://search.ebscohost.com/login.aspx?direct=true&db=cin20&AN=107338679&site=ehost-live>.
- Hasan, I. and Rashid, T. (2016) “Clinical Communication , Cancer Patients & Considerations to Minimize the Challenges,” *Journal of cancer therapy*, 7, pp. 107–113. doi: 10.4236/jct.2016.72012.
- Hawthorn, M. (2015) “The importance of communication in sustaining hope at the end of life,” *British journal of nursing*, 24(13), pp. 702–705.
- Herth, K. (1993) “Hope in the family caregiver of terminally ill people,” *Journal of Advanced Nursing*, 18(4), pp. 538–548. doi: 10.1046/j.1365-2648.1993.18040538.x.
- Holloway, I., Wheeler, S. and Holloway, I. (2010) *Qualitative research in nursing and healthcare*. 3rd editio. Oxford: Wiley-Blackwell. doi: 10.1017/CBO9781107415324.004.
- Khoshnazar, T. K., Rassouli, M., Akbari, M. E., Lotfi-Kashani, F., Momenzadeh, S. et al. (2016) “Communication needs of patients with breast cancer: A qualitative study,” *Indian Journal of Palliative Care*, 22(4), p. 402. doi: 10.4103/0973-1075.191763.

- Kissane, D. W., Bultz, B. D., Butow, P. N., Bylund, C. L., Noble, S. et al. (2017) *Oxford Textbook of Communication in Oncology and Palliative Care*. 2nd ed. Oxford: Oxford University Press.
- Kneafsey, R., Brown, S., Sein, K., Chamley, C., Parsons, J. (2016) “A qualitative study of key stakeholders’ perspectives on compassion in healthcare and the development of a framework for compassionate interpersonal relations,” *Journal of Clinical Nursing*, 25(1–2), pp. 70–79. doi: 10.1111/jocn.12964.
- Kourkouta, L. and Papathanasiou, I. (2014) “Communication in Nursing Practice,” *Materia Socio Medica*, 26(1), p. 65. doi: 10.5455/msm.2014.26.65-67.
- Kullberg, A., Sharp, L., Johansson, H., Bergenmar, M. (2015) “Information exchange in oncological inpatient care e Patient satisfaction , participation , and safety,” *European Journal of Oncology Nursing*. Elsevier Ltd, 19(2), pp. 142–147. doi: 10.1016/j.ejon.2014.10.005.
- Lee, Y. (2019) “Spiritual Care for Cancer Patients,” *Asia-Pacific Journal of Oncology Nursing*, 6(2), pp. 101–3. doi: 10.4103/apjon.apjon_65_18.
- Lewis, S. L., Dirksen, S. R., Heitkemper, M. M., Bucher, L. (2014) *Medical-surgical nursing: assessment and management of clinical problems*. 9th ed. St. Louis, Missouri: Elsevier.
- Manhas, K. P. and Oberle, K. (2015) “The ethics of metaphor as a research tool,” *Research Ethics*, 11(1), pp. 42–51. doi: 10.1177/1747016114523421.
- Matsuyama, R. K., Kuhn, L. A., Molisani, A., Wilson-Genderson, M. C. (2013) “Cancer patients’ information needs the first nine months after diagnosis,” *Patient Education and Counseling*. Elsevier Ireland Ltd, 90(1), pp. 96–102. doi: 10.1016/j.pec.2012.09.009.
- Moore, C. D. and Reynolds, A. M. (2013) “Clinical update: Communication issues and advance care planning,” *Seminars*

- in Oncology Nursing.* Elsevier Ltd, 29(4), pp. e1–e12. doi: 10.1016/j.soncn.2013.07.001.
- Moosavi, S., Rohani, C., Borhani, F., Akbari, M. E. (2019) “Consequences of Spiritual Care for Cancer Patients and Oncology Nurses: a Qualitative Study,” *Asia-Pacific Journal of Oncology Nursing*, 6(2), pp. 137–44. doi: 10.4103/apjon.apjon_37_18.
- Murray, C. D., McDonald, C. and Atkin, H. (2015) “The communication experiences of patients with palliative care needs: A systematic review and meta-synthesis of qualitative findings.,” *Palliative & supportive care*, 13(2), pp. 369–83. doi: 10.1017/S1478951514000455.
- Nierop-van Baalen, C., Grypdonck, M., van Hecke, A., Verhaeghe, S. (2019) “Health professionals’ dealing with hope in palliative patients with cancer, an explorative qualitative research,” *European Journal of Cancer Care*, 28(1), pp. 1–10. doi: 10.1111/ecc.12889.
- Nuraeni, A., Nurhidayah, I., Hidayati, N., Sari, C. W., Mirwanti, R. (2017) “Kebutuhan Spiritual pada Pasien Kanker,” *Jurnal Keperawatan Padjadjaran*, v3(n2), pp. 57–66. doi: 10.24198/jkp.v3n2.1.
- Nursing and Midwifery Council (2008) *The Code : Standards of conduct , performance and ethics for nurses and midwives*. London. Available at: <http://www.nmc.org.uk/standarts/nmc>.
- Palliative Care Competence Framework Steering Group (2014) *Palliative Care Competence Framework*. Dublin: Health Service Executive. Available at: <http://www.hse.ie/eng/pccf>.
- Peplau, H. E. (1997) “Peplau’s Theory of Interpersonal Relations.” *Nurse Science Quarterly*.
- Perez-Bret, E., Altisent, R. and Rocafort, J. (2016) “Definition of compassion in healthcare: a systematic literature review,” *International Journal of Palliative Nursing*, 22(12), pp. 599–606. doi: 10.12968/ijpn.2016.22.12.599.

- Polit, D. F. and Beck, C. T. (2012) *Nursing research: Generating and assessing evidence for nursing practice*. 9th ed. Philadelphia: Lippincott.
- Prasetyo, T. D. D. (2019) *Toleransi Umat Beragama Mayoritas dan Minoritas di Indonesia*. Madiun.
- Ptacek, J. T. and Eberhardt, T. L. (1996) “Breaking Bad News,” *Jama*, 276(6), p. 496. doi: 10.1001/jama.1996.03540060072041.
- Ramezani, M., Ahmadi, F., Mohammadi, E., Kazemnejad, A. (2014) “Spiritual care in nursing: a concept analysis,” *International Nursing Review*, 61(2), pp. 221–219. doi: 10.1111/inr.12099.
- Riskesdas (2018) “*Riset Kesehatan Dasar (RISKESDAS) 2018*.” Jakarta: Kementerian Kesehatan Badan Penelitian dan Pengembangan Kesehatan. Available at: http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil%20Riskesdas%202018.pdf.
- Rochmawati, E., Wiechula, R. and Cameron, K. (2016) “Current status of palliative care services in Indonesia: a literature review,” *International Nursing Review*, 63(2), pp. 180–190. doi: 10.1111/inr.12236.
- Rochmawati, E., Wiechula, R. and Cameron, K. (2018) “Centrality of spirituality/religion in the culture of palliative care service in Indonesia: An ethnographic study,” *Nursing and Health Sciences*, 20(2), pp. 231–237. doi: 10.1111/nhs.12407.
- Schlag, P. M., Kleihues, P., Groner, B., Rentchnik, P. (2006) *Communication in cancer care*. Berlin: Springer Berlin Heidelberg.

- Selman, L. E., Brighton, L. J., Sinclair, S., Karvinen, I., Egan, R. *et al.* (2018) ‘Patients’ and caregivers’ needs, experiences, preferences and research priorities in spiritual care: A focus group study across nine countries,’ *Palliative Medicine*, 32(1), pp. 216–230. doi: 10.1177/0269216317734954.
- Sheldon, L. K. (2014) *Communication for Nurses: Talking with Patients : talking with patients*. third edit. Sudbury: Jones & Bartlett Learning.
- Smith-MacDonald, L., Venturato, L., Hunter, P., Kaasalainen, S., Sussman, T. *et al.* (2019) ‘Perspectives and experiences of compassion in long-term care facilities within Canada: a qualitative study of patients, family members and health care providers,’ *BMC Geriatrics*, 19(1), pp. 1–12. doi: 10.1186/s12877-019-1135-x.
- Stephens, F. O. and Aigner, K. R. (2016) *Basics of oncology*. 2nd ed. London: Springer Cham Heidelberg.
- Street, R. L., Spears, E., Madrid, S., Mazor, K. M. (2019) ‘Cancer survivors’ experiences with breakdowns in patient-centered communication,’ *Psycho-Oncology*, 28(2), pp. 423-429. doi: 10.1002/pon.4963
- Tehranineshat, B., Rakhshan, M., Torabizadeh, C., Fararouei, M. (2018) ‘Nurses’, patients’, and family caregivers’ perceptions of compassionate nursing care,’ *Nursing Ethics*, 20(10), pp. 1–14. doi: 10.1177/0969733018777884.
- Thorne, S., Oliffe, J. L., Stajduhar, K. I., Oglov, V., Kim-Sing, C. *et al.* (2013) ‘Poor Communication in Cancer Care,’ *Cancer Nursing*, 36(6), pp. 445–453. doi: 10.1097/NCC.0b013e31827eeda4.
- Toprak, F. Ü., Kutlutürkan, S. and Erenel, A. Ş. (2018) ‘Symptoms Experienced and Information Needs of Women Receiving Chemotherapy,’ *Asia-Pacific Journal of Oncology Nursing*, 5(2), pp. 178–183. doi: 10.4103/apjon.apjon.

- Warnock, C. (2014) “Breaking bad news: issues relating to nursing practice,” *Nursing Standard*, 28(45), pp. 51–58.
- Weert, J. C., Bolle, S., Dulmen, S. V., Jansen, J. (2013) “Patient Education and Counseling Older cancer patients ’ information and communication needs : What they want is what they get ?,” *Patient Education and Counseling*. Elsevier Ireland Ltd, 92(3), pp. 388–397. doi: 10.1016/j.pec.2013.03.011.
- Wheless, L. R. (1978) “A follow-up study of the relationships among trust, disclosure, and,” *Human Communication Research*, 4(2), pp. 143–157. doi: 10.1111/j.1468-2958.1978.tb00604.x.
- WHO (2018) *FactSheet of Cancer*, World Health Organization. Available at: <http://www.who.int/news-room/fact-sheets/detail/cancer> (Accessed: June 20, 2018).
- Wittenberg, E., Ragan, S. L. and Ferrell, B. (2017) “Exploring Nurse Communication About Spirituality,” *American Journal of Hospice and Palliative Medicine*, 34(6), pp. 566–571. doi: 10.1177/1049909116641630.
- Wolf, A., Garlid, C. F. and Hyrkas, K. (2018) “Physicians’ Perceptions of Hope and How Hope Informs Interactions With Patients: A Qualitative, Exploratory Study,” *American Journal of Hospice and Palliative Medicine*, 35(7), pp. 993–999. doi: 10.1177/1049909117751877.
- Yodang (2018) *Buku Ajar Keperawatan Paliatif*. Jakarta: Trans Info Medika.
- Zamanzadeh, V., Ghahramanian, A., Rassouli, M., Abbaszadeh, A., Nikanfar, A. et al. (2014) “Factors Influencing communication between the patients with cancer and their nurses in oncology wards,” *Indian Journal of Palliative Care*, 20(1), p. 12. doi: 10.4103/0973-1075.125549.
- Zarea, K., Maghsoudi, S., Dashtebazorgi, B., Hghighizadeh, M. H. (2014) “The Impact of Peplau ’ s Therapeutic Communication Model on Anxiety and Depression in Patients Candidate for

Coronary Artery Bypass,” *Clinical Practice & Epidemiology in Mental Health*, 10, pp. 159–165.

Zarei, B., Salmabadi, M., Amirabadizadeh, A., Vagharseyyedin, S. A. (2019) “Empathy and cultural competence in clinical nurses: a structural equation modelling approach,” *Nursing Ethics*, pp. 1–11. doi: 10.1177/0969733018824794.