

DAFTAR PUSTAKA

- Abdelghany, M. A., Elgohary, E. E., & Nienaa, Y. A. (2016). Assessment of Health-Related Quality of Life in Patients Receiving Regular Hemodialysis. *Journal of Nephrology & Therapeutics*, 06(02), 1–4. <https://doi.org/10.4172/2161-0959.1000246>
- Adam, J. K., Mtech, S. S., & Sbn, M. N. (2017). Impact Of Airogym Exercise On Solute Removal And Oedema On End-Stage Kidney Disease Patients : A Randomised Controlled Trial. *Journal Medical Technology SA*, 31(1), 1–8.
- Afsar, B., Siriopol, D., Aslan, G., Eren, O. C., Dagel, T., Kilic, U., Kanbay, A., Burlacu, A., Covic, A., & Kanbay, M. (2018). The impact of exercise on physical function, cardiovascular outcomes and quality of life in chronic kidney disease patients: a systematic review. *International Urology and Nephrology*, 50(5), 885–904. <https://doi.org/10.1007/s11255-018-1790-4>
- Ammireddy, S., Reddy, I. Y., Reddy, M. Y., Reddy, R., Rameswarudu, M., Yamini, D., Aleemuddin, M., Varikunta, S. (2016). Effect of acute isotonic exercise on cardiovascular functional status among adolescents with different body mass indices. *National Journal of Physiology, Pharmacy and Pharmacology*, 6(6), 563–566. <https://doi.org/10.5455/njppp.2016.6.0513727052016>
- Armezya, W., Nasrul, E., & Bahar, E. (2014). Pengaruh Hemodialisis terhadap Urea Reduction Ratio pada Pasien Penyakit Ginjal Kronik Stadium V di RSUP Dr . M . Djamil Padang. *Jurnal Kesehatan Andalas*, 5(2), 300–305.
- Asano, M., Oguchi, K., Saito, A., Onishi, Y., Yamamoto, Y., Fukuwara, S., Akiba, T., & Akizawa, T. (2016). Intradialytic ultrafiltration volume and vascular access outcomes: A Japan dialysis outcomes and practice patterns study subanalysis. *Journal of Vascular Access*, 17(6), 489–493. <https://doi.org/10.5301/jva.5000603>

- Bansal, N., McCulloch, C. E., Lin, F., Alper, A., Anderson, A. H., Cuevas, M., Go, A. S., Kallem, R., Kusek, J. W., Lora, C. M., Lustigova, E., Ojo, A., Rahman, M., Robinson-cohen, C., Townsend, R. R., Whright, J., Xie, D., & Hsu, C. Y. (2017). Blood Pressure and Risk of Cardiovascular Events in Patients on Chronic Hemodialysis: The CRIC Study (Chronic Renal Insufficiency Cohort). *Hypertension*, 70(2), 435–443. <https://doi.org/10.1161/HYPERTENSIONAHA.117.09091>
- Baral, S., Pant, V., & Shah, D. (2017). Dialysis Adequacy in ERSD Patients on maintenance Hemodialysis in a Tertiary Care Center. *Journal of Institute of Medicine*, 39(2), 29–32.
- Barcellos, F. C., Santos, I. S., Umpierre, D., Bohlke, M., & Hallal, P. C. (2015). Effects of exercise in the whole spectrum of chronic kidney disease: A systematic review. *Clinical Kidney Journal*, 8(6), 753–765. <https://doi.org/10.1093/ckj/sfv099>
- Barzegar, H., Moosazadeh, M., Jafari, H., & Esmaeili, R. (2016). *Evaluation of dialysis adequacy in hemodialysis patients: A systematic review*. *Urology Journal* (Vol. 13).
- Cahyani, N. D., Tyaswati, J. E., & Rachmawati, D. A. (2016). Hubungan antara Tingkat Kecemasan dengan Kualitas Hidup pada Pasien Chronic Kidney Disease (CKD) yang Menjalani Hemodialisis di RSD dr . Soebandi Jember. *Jurnal Pustaka Kesehatan*, 4(2), 210–217.
- Carrero, J. J., Hecking, M., Chesnaye, N. C., & Jager, K. J. (2018). Sex and gender disparities in the epidemiology and outcomes of chronic kidney disease. *Nature Publishing Group*. <https://doi.org/10.1038/nrneph.2017.181>
- Chang, J. H., Koo, M., Wu, S. W., & Chen, C. Y. (2017). Effects of a 12-week program of Tai Chi exercise on the kidney disease quality of life and physical functioning of patients with end-stage renal disease on hemodialysis. *Complementary Therapies in Medicine*, 30, 79–83. <https://doi.org/10.1016/j.ctim.2016.12.002>
- Chayati, N., Ibrahim, K., & Komariah, M. (2013). Prediktor Adekuasi Dialisis pada Pasien Haemodialisis di Rumah Sakit PKU Muhammadiyah Yogyakarta. *MKB*, 47(1), 29–34.

- Chong, K., & Unruh, M. (2017). Why does quality of life remain an under-investigated issue in chronic kidney disease and why is it rarely set as an outcome measure in trials in this population? *Nephrology Dialysis Transplantation*, 32(February), ii47–ii52. <https://doi.org/10.1093/ndt/gfw399>
- Chou, J. A., & Zadeh, K. K. (2017). Volume Balance and Intradialytic Ultrafiltration Rate in the Hemodialysis Patient. *Springer*. <https://doi.org/10.1007/s11897-017-0356-6>
- Chu, G., Fogarty, G. M., Avis, L. F., Bergin, S., Mcelduff, P., Gillies, A. H., & Choi, P. (2016). Low dose heparin lock (1000 U / mL) maintains tunnelled hemodialysis catheter patency when compared with high dose heparin (5000 U / mL): A randomised controlled trial Study design. *International Society for Hemodialysis*, 1–7. <https://doi.org/10.1111/hdi.12401>
- Chung, Y.-C., Yeh, M.-L., & Liu, Y.-M. (2016). Effects of Intradialytic Exercise on the Physical Function, Depression, and Quality of Life for Hemodialysis Patients: A Systematic Review and Meta-analysis of Randomized Controlled. *Journal of Clinical Nursing*. <https://doi.org/10.1111/jocn.13514>
- Cohen, L., Manion, L., & Morrison, K. (2018). *Research Methods in Education* (Eighth Edi). New York: Taylor & Francis Group.
- Covic, A., Kanbay, M., & Lerma, E. V. (2017). *Resistant Hypertension in Chronic Kidney Disease*. Cham, Switzerland: Springer International Publishing. <https://doi.org/10.1007/978-3-319-56827-0>
- Daugirdas, J. T., Leyboldt, J. K., Akonur, A., Greene, T., & Depner, T. A. (2013). Improved Equation for Estimating Single-pool Kt/V at Higher Dialysis Frequencies. *Nephrology Dialysis Transplantation*, 28(8), 2156–2160. <https://doi.org/10.1093/ndt/gfs115>
- Dehvan, F., Monjazebi, F., Khanghahi, M. E., Mohammadi, H., Ghanei, R., & Kurdi, A. (2018). Adequacy of Dialysis in Iranian Patients Undergoing Hemodialysis : A Systematic Review and Meta-Analysis. *Nephro-Urol Mon*, 10(5). <https://doi.org/10.5812/numonthly.82235.Review>

- Dimopoulos, K., Alonso-Gonzalez, R., Thaulow, E., & Gatzoulis, M. A. (2011). *Heart Failure, Exercise Intolerance, and Physical Training. Diagnosis and Management of Adult Congenital Heart Disease* (Second Edi). Elsevier Ltd. <https://doi.org/10.1016/B978-0-7020-3426-8.00006-X>
- Duong, T. Van, Wu, P., Wong, T., Chen, H., Chen, T., Hsu, Y., Duong, T. V., Wu, P., Wong, T., Chen, H., Chen, T., Hsu, Y., Peng, S., Kuo, K., Liu, H., Lin, E., Feng, Y., & Yang, S. (2019). Mid-arm Circumference, Body Fat, Nutritional and Inflammatory Biomarkers, Blood Glucose, Dialysis Adequacy Influence All-Cause Mortality in Hemodialysis Patients. *Medicine*, 0(October 2018). <https://doi.org/10.1097/MD.00000000000014930>
- Dziubek, W., Bulińska, K., Kusztal, M., Kowalska, J., Rogowski, Ł., Zembroń-Łacny, A., Gołębowski, T., Ochmann, B., Pawlaczyk, W., Klinger, M., & Woźniewski, M. (2016). Evaluation of Exercise Tolerance in Dialysis Patients Performing Tai Chi Training: Preliminary Study. *Evidence-based Complementary and Alternative Medicine*, 2016(August). <https://doi.org/10.1155/2016/5672580>
- Ebrahimi, H., Sadeghi, M., & Khatibi, M. (2015). The Relationship Between Quality of Life With Dialysis Efficacy and Laboratory Parameters in Shahroud ' Hemodialysis Patients. *Iran Journal Critical Care Nursing*, 8(2), 109–116. <https://doi.org/10.1007/s00264-011-1344-1>
- Erlanda, W., & Karani, Y. (2018). Penggunaan Antikoagulan Pada Penyakit Ginjal Kronik. *Jurnal Kesehatan Andalas*, 7(Supplement 2), 168–175.
- Esmaili, H., Majlessi, F., Montazeri, A., Nedjat, S., & Zeinali, J. (2018). Need assessment of hemodialysis patients to study. *Medical Science*, 22(91), 335–342. Diambil dari www.discoveryjournals.org
- Esmaili, H., Majlessi, F., Montazeri, A., Sadeghi, R., Nedjat, S., & Zeinali, J. (2016). Dialysis adequacy and necessity of implement health education models to its promotion in Iran. *International Journal of Medical Research & Health Sciences*, 5(10), 116–121.

- Ferreira, G. D., Bohlke, M., Correa, C. M., Dias, E. C., & Orcy, R. B. (2019). Does Intradialytic Exercise Improve Removal of Solutes by Hemodialysis ? A Systematic Review and Meta-analysis. *American Congress of Rehabilitation Medicine*. <https://doi.org/10.1016/j.apmr.2019.02.009>
- Ferris, M. E. D.-G., Vilchis, M. D. V., Guerrero, R., Valencia, V. M. B., Vander-schaaf, E. B., Pomposo, A. De, Medeiros, M., Rak, E., Cantu-quintanilla, G., Raina, R., & Alvarez-elias, A. C. (2017). Self-Management and Health Care Transition Among Adolescents and Young Adults With Chronic Kidney Disease : Medical and Psychosocial Considerations, 405–409. <https://doi.org/10.1053/j.ackd.2017.09.010>
- Field, M. J., Pollock, C. A., & Harris, D. C. (2010). *The Renal System: Basic Science and Clinical Conditions* (2nd ed.). China: Churchill Livingstone Elsevier. Diambil dari www.elsevierhealth.com
- Firmansyah, Fadraersada, J., & Rusli, R. (2018). Kajian Kualitas Hidup Pasien Yang Menjalani Hemodialisa Di RSUD A.W. Sjahrane. In *Mulawarman Pharmaceuticals Conferences* (hal. 51–56). <https://doi.org/https://doi.org/10.25026/mpc.v7i1.292>
- Fishbane, S., & Spinowitz, B. (2018). Update on Anemia in ESRD and Earlier Stages of CKD : Core Curriculum 2018. *American Journal of Kidney Diseases*, 71(3), 423–435. <https://doi.org/10.1053/j.ajkd.2017.09.026>
- Fujisaki, K., Tanaka, S., Taniguchi, M., Matsukuma, Y., Masutani, K., Hirakata, H., Kitazono, T., & Tsuruya, K. (2018). Study on Dialysis Session Length and Mortality in Maintenance Hemodialysis Patients : The Q-Cohort Study. *Nephron Clinical Practice*, 8582, 1–8. <https://doi.org/10.1159/000489680>
- Ghali, E. J., & Malik, A. S. (2012). Effect of Blood Flow Rate on Dialysis Adequacy in Al-Kadhimiya Teaching Hospital. In *Iraqi journal of Medical Sciences* (Vol. 10). Diambil dari <http://iraqijms.com/index.php?do=view&type=article&id=436>

- Groussard, C., Rouchon-Isnard, M., Coutard, C., Romain, F., Malardé, L., Lemoine-Morel, S., Martin, B., Pereira, B., & Boisseau, N. (2015). Beneficial effects of an intradialytic cycling training program in patients with end-stage kidney disease. *Applied Physiology, Nutrition, and Metabolism*, 40(6), 550–556. <https://doi.org/10.1139/apnm-2014-0357>
- Hall, J. E., & Guyton, A. C. (2016). *Textbook of Medical Physiology*. Elsevier (Thirteenth). The United States of America.
- Harun, H., Azmi, S., & Martini, R. D. (2019). The Role of Methylglyoxal Accumulation on Cognitive Function Impairment of Chronic Hemodialysis Patients: an Observational Study. *Indonesian Journal of Kidney and Hypertension*, II, 18–24.
- Hasanuddin, F. (2017). Evaluasi Perubahan Adekuasi Hemodialisa Terhadap Dukungan Keluarga pasien Gagal Ginjal Kronik yang Diberikan Range Of Motion. *Media Kesehatan Politeknik Kesehatan Makassar*, XII(2), 59–68.
- Hays, R. D., Kallich, J. D., Mapes, D. L., Coons, S. J., Amin, N., Carter, W. B., & Kamberg, C. (1997). Kidney Disease Quality of Life Short Form Form (KDQOL_SF), Version 1.3: A Manual for Use and Scoring. Washington, D.C.: RAND. <https://doi.org/10.15406/moji.2017.05.00145>
- Ian, P., & Muralitharan, N. (2017). *Fundamentals of Anatomy and Physiology - For Nursing and Healthcare Students* (Second Edi). United Kingdom: Wiley-Blackwell. Diambil dari www.wileynursing.com
- Ignatavicius, D. D. (2013). *Medical Surgical Nursing: Patient Centered Collaborative Care* (7th Editio). Elsevier Saunders.
- Ii, O. R. R. (2016). Effects of Arterial Needle Placement in Arteriovenous Fistula on Dialysis Adequacy of End-Stage Renal Disease Patients Undergoing Maintenance Hemodialysis. *Journal of Nursing & Healthcare*, 1(2).
- Indonesian Renal Registry. (2012). 5 th Report Of Indonesian Renal Registry 2012. *Program Indonesia Renal Registry*, 12–13. <https://doi.org/10.2215/CJN.02370316>

- Indonesian Renal Registry. (2015). 8th Report Of Indonesian Renal Registry. *Program Indonesia Renal Registry*, 1–45. <https://doi.org/10.2215/CJN.02370316>
- Indonesian Renal Registry. (2017). *10 th Report Of Indonesian Renal Registry 2017 10 th Report Of Indonesian Renal Registry 2017*.
- Jeong, J. H., Biruete, A., Fernhall, B., & Wilund, K. R. (2018). Effects of acute intradialytic exercise on cardiovascular responses in hemodialysis patients. *International Society for Hemodialysis*, 1–10. <https://doi.org/10.1111/hdi.12664>
- Jha, V., Garcia-garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner, B., Saran, R., Wang, A. Y., & Yang, C. (2013). Global Kidney Disease 3 Chronic kidney disease : global dimension and perspectives. *The Lancet*, 382(9888), 260–272. [https://doi.org/10.1016/S0140-6736\(13\)60687-X](https://doi.org/10.1016/S0140-6736(13)60687-X)
- Jones, C. B., & Bargman, J. M. (2018). Should we look beyond Kt/V urea in assessing dialysis adequacy? *Seminars in Dialysis*, 31(4), 420–429. <https://doi.org/10.1111/sdi.12684>
- Jos, W. (2016). Kualitas Hidup Pasien yang Menjalani Hemodialisis Rutin di RSUD Tarakan, Kalimantan Utara, 2014. *eJournal Kedokteran Indonesia*, 4(2), 87–91. <https://doi.org/10.23886/ejki.4.6283.87-91>
- Juwita, L., Febrita, L., & Putri, Y. R. (2017). Efektivitas Latihan Fisik Intra Dialisis Terhadap Kadar Kreatinin Pasien Hemodialisa. *Journal Human Care*, 1(1).
- Kanwal, N., & Afzal, M. (2017). Assess Spirituality and Spiritual Care in Nursing Practice in Public Hospital Lahore, Pakistan. *Journal of Scientific & Engineering Research Volume*, 8(5), 1348–1354.
- KDIGO. (2013). Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. *Kidney International Supplements*, 3(1), 4. <https://doi.org/10.1038/kisup.2012.76>
- Kemenkes. Keputusan Menteri Kesehatan Republik Indonesia, Keputusan Menteri Kesehatan Republik Indonesia § (2017). Indonesia.

- Khanna, S., Kaur, P., & Khanna, S. K. (2015). To Evaluate the effects of Physiotherapy (a Home Based Exercise Program) in Improving Functional Capacities and Quality of Life in Patients with Chronic Kidney Disease. *Indian Journal of Physiotherapy and Occupational Therapy - An International Journal*, 9(3), 77. <https://doi.org/10.5958/0973-5674.2015.00110.0>
- Kimata, N., Karaboyas, A., Bieber, B. A., Pisoni, R. L., Morgenstern, H., Gillespie, B. W., Saito, A., Akizawa, T., Fukuhara, S., Robinson, B. M., Port, F. K., & Akiba, T. (2014). Gender, low Kt/V, and mortality in Japanese hemodialysis patients: Opportunities for improvement through modifiable practices. *Hemodialysis*
- Like, R., Purwanto, A., & Dian, W. (2018). The Differences Value of P-LCR, The B-Thromboglobulin Level, The Fibrin Degradation Products Level In Pre and Post-Hemodialysis. *Indonesian Journal of Clinical Pathology*, 24(3), 235–239.
- Lin, X., Gu, L., Zhu, M., Che, M., Yu, Z., Cai, H., Ni, Z., & Zhang, W. (2018). Clinical Outcome of Twice-Weekly Hemodialysis Patients with Long-Term Dialysis Vintage. *Kidney and Blood Pressure Research*, 43(4), 1104–1112. <https://doi.org/10.1159/000491566>
- Magnard, J., Deschamps, T., Cornu, C., Paris, A., & Hristea, D. (2013). Effects of a six-month intradialytic physical ACTIvity program and adequate NUTritional support on protein-energy wasting, physical functioning and quality of life in chronic hemodialysis patients: ACTINUT study protocol for a randomised controlled trial. *BMC Nephrology*, 14(259), 259. <https://doi.org/10.1186/1471-2369-14-259>
- Maheshwari, K., Santhi, S., & Malar, R. (2015). Cystatin C: An alternative dialysis adequacy marker in high flux hemodialysis. *Indian Journal of Nephrology*, 25(3), 143. <https://doi.org/10.4103/0971-4065.139489>
- Makhlough, A., Ilali, E., Mohseni, R., & Shahmohammadi, S. (2012). Effect of intradialytic aerobic exercise on serum electrolytes levels in hemodialysis patients. *Iranian Journal of Kidney Diseases*, 6(2), 119–123. <https://doi.org/10.1353/cul.2003.0017>

- Maksum, M. (2015). The Relations Between Hemodialysis Adequacy And The Life Quality Of Patients. *Medical Journal of Lampung University*, 4, 39–43. Diambil dari <http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/499>
- Malyszko, J., Milkowski, A., Benedyk-Lorens, E., & Dryl-Rydzynska, T. (2016). Effects of dialyzer reuse on dialysis adequacy, anemia control, erythropoietin-stimulating agents use and phosphate level. *Archives of Medical Science*. <https://doi.org/10.5114/aoms.2016.57599>
- Mayuda, A., Chasani, S., & Saktini, F. (2017). Hubungan Antara Lama Hemodialisis Dengan Kualitas Hidup Pasien Penyakit Ginjal Kronik (Studi Di RSUP DR. Kariadi Semarang). *Jurnal Kedokteran Diponegoro*, 6(2), 167–176.
- Melisa, Andayani, T. M., & Irijanto, F. (2017). Pengaruh Penggunaan Terapi Sevelamer Terhadap Kualitas Hidup Pasien Hemodialisis Yang Dinilai Menggunakan KDQOL-SF 36. In *University Research Colloquium* (hal. 427–439). Yogyakarta. Diambil dari <https://uad.ac.id>
- Moe, S. M., Drueke, T. B., & Group, for the K. W. (2017). KDIGO clinical practice guideline for the diagnosis, evaluation, prevention and treatment of chronic kidney disease mineral and bone disorder (CKD-MBD). *Kidney International Supplements*, 76(Suppl 113), S1–S128. <https://doi.org/10.1038/ki.2009.188>
- Moghaddam, B., Mohamadpour, A., Mottaghi, M. R., & Maghani, J. F. (2016). Impact of Isometric and Isotonic Movements during Hemodialysis on Dialysis Adequacy. *Quarterly of Horizon of Medical Sciences*, 22(1), 35–41. <https://doi.org/10.18869/acadpub.hms.22.1.35>
- Mohseni, R., Emami Zeydi, A., Ilali, E., Adib-Hajbaghery, M., Makhlough, A., & Student, G. (2013). The Effect of Intradialytic Aerobic Exercise on Dialysis Efficacy in Hemodialysis Patients: A Randomized Controlled Trial. *Oman Medical Specialty Board Oman Medical Journal*, 28(5), 345–349. <https://doi.org/10.5001/omj.2013.99>

- Momeni, A., Nematolahi, A., & Nasr, M. (2014). Effect of intradialytic exercise on echocardiographic findings in hemodialysis patients. *Iranian Journal of Kidney Diseases*, 8(3), 207–211. <https://doi.org/1250/664> [pii]
- Muji, A. N., Ketut, S. I., & Haryanto, J. (2017). Efektifitas Stretching Exercise Dan Pernafasan Yoga Terhadap Regulasi Tekanan Darah Dan Kualitas Hidup Klien ESRD Yang Menjalani Hemodialisis Di Rumkital Dr. Ramelan Surabaya. *jurnal ilmiah kesehatan*, 10. No 2, 226–233.
- Nahas, M. El, & Levin, A. (2010). *Chronic Kidney Disease: A practical guide to understanding and management*. New York, United States: Oxford University Press.
- National Kidney Foundation. (2006). *KDOQI Clinical Practice Guideline for Hemodialysis Adequacy: Clinical Practice Recommendation 5: Dialyzer Membranes and Reuse*. Am J Kidney Dis (Vol. 48). Diambil dari https://www.kidney.org/sites/default/files/KDOQI-Clinical-Practice-Guideline-Hemodialysis-Update_Public-Review-Draft-FINAL_20150204.pdf
- Neto, M. G., Ferrari, F., Lacerda, R. De, & Saquetto, M. B. (2018). Intradialytic exercise training modalities on physical functioning and health-related quality of life in patients undergoing maintenance hemodialysis : systematic review and meta-analysis. *Clinical Rehabilitation*. <https://doi.org/10.1177/0269215518760380>
- Nurkamila, & Hidayati, T. (2013). Gambaran Darah Rutin dan Kualitas Hidup Domain Fisik Penderita Gagal Ginjal Kronik Terminal. *Jurnal Mutiara Medika*, 13(2), 111–117.
- O'Callaghan, C. A. (2009). *The Renal System at a Glance*. Wiley-Blackwell. <https://doi.org/10.1289/image.ehp.v119.i03>
- Osborn, K. S., Wraa, C. E., & Watson, A. B. (2010). *Medical Surgical Nursing Preparation for Practice Volume 1*. United States of America: Pearson Education. Diambil dari www.pearsonhighered.com

- Oshvandi, K., Kavyannejad, R., Borzuo, S. R., & Gholyaf, M. (2014). High-Flux and Low-Flux Membranes : Efficacy in Hemodialysis. *Nurs Midwifery Stud*, 3(3).
- Paglialonga, F., Lopopolo, A., Scarfia, R. V., Consolo, S., Galli, M. A., Salera, S., Grassi, M. R., Brivio, A., & Edefonti, A. (2014). Intradialytic cycling in children and young adults on chronic hemodialysis. *Pediatric Nephrology*, 29(3), 431–438. <https://doi.org/10.1007/s00467-013-2675-5>
- Painter, P. (2000). Exercise for the Dialysis Patient: A Comprehensive Program. *Exercise for the Dialysis Patient: A Comprehensive Program*, 1. <https://doi.org/10.1017/CBO9781107415324.004>
- Parker, K. (2016). Exercise is Medicine Intradialytic Exercise is Medicine for Hemodialysis Patients. *Journal Current Sports Medicine Reports*, 1(10), 269–275.
- Penny, J. D., Salerno, F. R., Brar, R., Garcia, E., Rossum, K., McIntyre, C. W., & Bohm, C. J. (2018). Intradialytic exercise preconditioning: an exploratory study on the effect on myocardial stunning. *Nephrology Dialysis Transplantation*, 1–7. <https://doi.org/10.1093/ndt/gfy376>
- Perez-garcia, R., Jaldo, M., Alcázar, R., Sequera, P. De, Albalate, M., Puerta, M., Ortega, M., Ruiz, M. C., Corchete, E. (2019). Unlike Kt , high Kt / V is associated with greater mortality : The importance of low V. *NEFROLOGIA (English Edition)*, 39(1), 58–66. <https://doi.org/10.1016/j.nefroe.2018.04.011>
- Perl, J., Dember, L. M., Bargman, J. M., Browne, T., Charytan, D. M., Flythe, J. E., Hickson, L. J., Hung, A. M., Jadoul, M., Lee, T. C., Meyer, K. B., Moradi, H., Shafi, T., Teitelbaum, I., Wong, L., & Chan, C. T. (2017). The use of a multidimensional measure of dialysis adequacy—moving beyond small solute kinetics. *Clinical Journal of the American Society of Nephrology*. <https://doi.org/10.2215/CJN.08460816>
- Pu, J., Jiang, Z., Wu, W., Li, L., Zhang, L., Li, Y., Liu, Q., & Ou, S. (2019). Efficacy and safety of intradialytic exercise in haemodialysis patients : a systematic review and meta-analysis. *BMJ Open*. <https://doi.org/10.1136/bmjopen-2017-020633>

- Rahimimoghadam, Z., Rahemi, Z., Mirbagher Ajorpaz, N., & Sadat, Z. (2017). Effects of Pilates exercise on general health of hemodialysis patients. *Journal of Bodywork and Movement Therapies*, 21(1), 86–92. <https://doi.org/10.1016/j.jbmt.2016.05.012>
- Ramadhan, M. A. , Chasani, S., & Saktini, F. (2017). Perbandingan Kualitas Hidup Pasien Penyakit Ginjal Kronik yang Diterapi Dengan Continuous Ambulatory Peritoneal Dialysis atau Hemodialisis. *Jurnal Kedokteran Diponegoro*, 6(4), 1518–1528.
- Rayati, M., Milani, M. J., Pishgooei, A., & Pakfetrat, M. (2016). Evaluation of the effect of integrated trainings on nutritional status and dialysis adequacy in hemodialysis patients. *Journal Medical - Surgical Nursing*, 5(2), 19–26.
- Rees, L. (2018). Assessment of dialysis adequacy: beyond urea kinetic measurements. *Pediatric Nephrology*, hal. 1–9. <https://doi.org/10.1007/s00467-018-3914-6>
- Relawati, A., Hakimi, M., & Huriah, T. (2015). Pengaruh Self Help Group Terhadap Kualitas Hidup. *Jurnal Ilmiah Kesehatan Keperawatan*, 11(3), 122–135.
- Rezaiee, O., Shahgholian, N., & Shahidi, S. (2016). Assessment of hemodialysis adequacy and its relationship with individual and personal factors. *Iranian Journal of Nursing and Midwifery Research*, 21(6), 577. <https://doi.org/10.4103/1735-9066.197673>
- Rhee, S. Y., Song, J. K., Hong, S. C., Choi, J. W., Jeon, H. J., Shin, D. H., Ji, E. H., Choi, E., Lee, J., Kim, A., Choi, S. W., Oh, J. (2017). Intradialytic exercise improves physical function and reduces intradialytic hypotension and depression in hemodialysis patients. *The Korean Journal of Internal Medicine*. <https://doi.org/10.3904/kjim.2017.020>
- Ripoll, I. (2011). *Exercise and Disease Management, Second Edition*. *Exercise and Disease Management, Second Edition* (second). United States of America: Taylor & Francis Group. <https://doi.org/10.1201/b10856>

- Rocco, M., Daugirdas, J. T., Depner, T. A., Inrig, J., Mehrotra, R., Rocco, M. V., Suri, R. S., Weiner, D. E., Greer, N., Ishani, A., MacDonald, R., Olson, C., Rutks, I., Slinin, Y., Wilt, T. J., Kramer, H., Choi, M. J., Samaniego-Picota, M., Scheel, P. J., Willis, K., Joseph, J., & Brereton, L. (2015). KDOQI Clinical Practice Guideline for Hemodialysis Adequacy: 2015 Update. *American Journal of Kidney Diseases*. <https://doi.org/10.1053/j.ajkd.2015.07.015>
- Saeed, H. S., & Sinjari, H. Y. (2018). Assessment of Hemodialysis Efficacy in Patients with End - Stage Renal Failure in the Erbil Hemodialysis Center. *Medical Journal of Babylon*, 276–280. <https://doi.org/10.4103/MJBL.MJBL>
- Sakao, Y., Ojima, T., Yasuda, H., & Hashimoto, S. (2016). Serum Creatinine Modifies Associations between Body Mass Index and Mortality and Morbidity in Prevalent Hemodialysis Patients. *PLoS ONE*, 1–15. <https://doi.org/10.1371/journal.pone.0150003>
- Salhab, N., Karavetian, M., Kooman, J., Fiaccadori, E., & El, C. F. (2019). Effects of intradialytic aerobic exercise on hemodialysis patients : a systematic review and meta-analysis. *Journal of Nephrology*, 0(0), 0. <https://doi.org/10.1007/s40620-018-00565-z>
- Sastroasmoro, S., & Sofyan, I. (2014). *Dasar-Dasar Metodologi Penelitian Klinis (Edisi 5)*. sagung seto. Indonesia.
- Schatell, D., & Witten, B. (2012, April 19). Measuring Dialysis Patients' Health-Related Quality of Life with the KDQOL-36™. Medical Education Institute, Inc. <https://doi.org/10.1002/mmzn.19650410204>
- Scholz, H. (2015). *Arteriovenous Access Surgery*. Berlin, Germany: Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-41139-7>
- Septiwi, C. (2010). *Hubungan Antara Adekuasi Hemodialisis Dengan Kualitas Hidup Pasien Hemodialisis di Unit Hemodialisis RS Prof. Dr. Margono Soekarjo Purwokerto. Universitas Indonesia*.
- Setyaningsih, A., Puspita, D., & Rosyidi, M. I. (2013). Perbedaan Kadar Ureum & Creatinin Pada Klien yang Menjalani Hemodialisa Dengan Hollow Fiber Baru dan Hollow Fiber Reuse Di RSUD Ungaran. *Jurnal Keperawatan Medikal Bedah*, 1(1), 15–24.

- Sheikh, M. El, & Ghazaly, G. El. (2016). Assessment of hemodialysis adequacy in patients with chronic kidney disease in the hemodialysis unit at Tanta University Hospital in Egypt. *Indian Journal of Nephrology*, 398–404. <https://doi.org/10.4103/0971-4065.168141>
- Sheng, K., Zhang, P., Chen, L., Cheng, J., Wu, C., & Chen, J. (2014). Intradialytic exercise in hemodialysis patients: A systematic review and meta-analysis. *American Journal of Nephrology*, 40(5), 478–490. <https://doi.org/10.1159/000368722>
- Sherrington, C., Michaleff, Z. A., Fairhall, N., Paul, S. S., Tiedemann, A., Whitney, J., Cumming, R. G., Herbert, R. D., Close, Jacqueline C.T., & Lord, S. R. (2017). Exercise to prevent falls in older adults: An updated systematic review and meta-analysis. *British Journal of Sports Medicine*, 51(24), 1749–1757. <https://doi.org/10.1136/bjsports-2016-096547>
- Smart, N., McFarlane, J., & Cornelissen, V. (2013). The Effect of Exercise Therapy on Physical Function, Biochemistry and Dialysis Adequacy in Haemodialysis Patients: A Systematic Review and Meta-Analysis. *Open Journal of Nephrology*, 03(01), 25–36. <https://doi.org/10.4236/ojneph.2013.31005>
- Smeltzer, S. C., Bare, B. G., L.Hinkle, J., Cheever, kerry H., & Garret, T. M. (2010). *Medical surgical nursing* (Twelfth). Wolters Kluwer Health / Lippincott Williams & Wilkins.
- Smeltzer, S. C., Hinkle, J. L., Bare, B. G., & Cheever, K. H. (2010). *Medical-Surgical Nursing* (twelfth). Wolters Kluwer Health / Lippincott Williams & Wilkins.
- Soliman, H. M. M. (2015). Effect of intradialytic exercise on fatigue, electrolytes level and blood pressure in hemodialysis patients: A randomized controlled trial. *Journal of Nursing Education and Practice*, 5(11), 16–28. <https://doi.org/10.5430/jnep.v5n11p16>
- Springhouse. (2009). *Nurse's Quick Check :Disease* (second edi). China: Wolters Kluwer Health / Lippincott Williams & Wilkins.
- Sridharan, S., Vilar, E., Davenport, A., Ashman, N., Almond, M., Banerjee, A., Roberts, J., & Farrington, K. (2018). Indexing dialysis dose for gender , body size and physical activity : Impact on survival. *PLoS ONE*, 1–13. <https://doi.org/10.18745/DS.20285>

- Sugiyono, P. D. metode penelitian kuantitatif, kualitatif,dan R&D, Alfabeta, cv. (2016).
- Suhardjono, Umami, V., Tedjasukmana, D., & Setiati, S. (2019). The effect of intradialytic exercise twice a week on the physical capacity , in flammation , and nutritional status of dialysis patients : A randomized controlled trial. *International Society for Hemodialysis*, 1–8. <https://doi.org/10.1111/hdi.12764>
- Sukardi, Rofii, M. (2013). Pemakaian dializer reuse yang layak digunakan pada pasien dengan hemodialisa. *Jurnal Keperawatan Medikal Bedah*, 1(1), 8–14. Diambil dari <http://jurnal.unimus.ac.id/index.php/JKMB/article/view/936>
- Swearingen, P. L. (2016). *All-in-One Nursing Care Planning Resource : Medical-Surgical, Pediatric, Maternity, Psychiatric Nursing Care* (Fourth). Canada: Elsevier.
- Thomas, L. K., & Othersen, J. (2012). *Nutrition Therapy for Chronic Kidney Disease*. New York: Taylor & Francis Group.
- Thompson, S., Wiebe, N., Padwal, R. S., Gyenes, G., Headley, S. A. E., Radhakrishnan, J., & Graham, M. (2019). The effect of exercise on blood pressure in chronic kidney disease: A systematic review and meta-analysis of randomized controlled trials. *PLoS ONE*, 14(2), 1–18. <https://doi.org/10.1371/journal.pone.0211032>
- Timby, B. K., & Smith, N. E. (2011). *Medical Surgical Nursing* (10th ed.). China: Wolters Kluwer Health / Lippincott Williams & Wilkins. Diambil dari LWW.COM
- USRDS. (2018). 2017 USRDS Annual Data Report: Executive Summary. *American Journal of Kidney Diseases*, 71(3), S1–S8. <https://doi.org/10.1053/j.ajkd.2018.01.003>
- Widiana, I. G. R. (2013). Prekripsi dan Adekuasi Hemodialisis. *Medicina*, 44(4), 27–36.
- Young, H. M. L., Hudson, N., Clarke, A. L., Dungey, M., Feehally, J., Burton, J. O., & Smith, A. C. (2015). Patient and staff perceptions of intradialytic exercise before and after implementation: A qualitative study. *PLoS ONE*, 10(6), 1–18. <https://doi.org/10.1371/journal.pone.0128995>

- Young, H. M. L., Jeurkar, S., Churchward, D. R., Dungey, M., Stensel, D. J., Bishop, N. C., Greenwood, S. A., Singh, S. J., Smith, A. C., & Burton, J. O. (2018). Implementing a theory-based intradialytic exercise programme in practice : a quality improvement project. *Clinical Kidney Journal*, 11(6), 832–840. <https://doi.org/10.1093/ckj/sfy050>
- Youssef, M. K., & Phillips, M. V. (2016). Effect of exercise in patients with diabetic kidney disease. *International Journal of Therapy and Rehabilitation*, 23(10), 472–479. <https://doi.org/10.12968/ijtr.2016.23.10.472>
- Yuwono, I. H., & Armiyati, Y. (2013). Pengaturan Kecepatan Aliran Darah (Quick Of Blood) terhadap Rasio Reduksi Ureum pada Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisis di Unit Hemodialisis RSUD Kota Semarang. *Prosiding Konferensi Nasional PPNI Jawa Tengah*, 138–144.